



"T-LINE" Monofilament is a winner for the fisherman. Formulated with superior flexibility and limpness, high abrasion resistance, greater knot strength. T-LINE's low stretch, high tensile strength gives excellent hook setting capabilities. Built in self lubrication makes casting effortless combined with smaller diameters. Self-selling display packaging makes T-LINE eye-catching to the discriminate fisherman. MADE IN USA. Clear or Soft Brown.

T-Line Super strong premium monofilament line.

For fresh & salt water fishing — spinning & casting.

CATALOG NUMBER	LB. TEST
*TW-2	2
TW-4	4
TW-6	6
TW-8	8
TW-10	10
TW-12	12
TW-14	14
TW-17	17
TW-20	20
TW-25	25
TW-30	30

Pegboard Pak 250 Yd. Spool

* Clear only

DISPLAY

ROX



T-LINE LEADER SPOOLS

T-LINE is available on 25 yard leader spools with a plastic line retention clip. The spools come in 2 - 30 pound test.

CATALOG NUMBER	LB. TEST	DIA.	CATALOG NUMBER	LB. TEST	DIA.
*TL-2	2	.006	TL-14	14	.015
TL-4	4	.008	TL-17	17	.017
TL-6	6	.009	TL-20	20	.019
TL-8	8	.011	TL-25	25	.022
TL-10	10	.012	TL-30	30	.024
TL-12	12	.014			

Packed (12) Spools of Any 1 Size Per Display Box — Spool Labels Show English & Metric * Clear only

T-LINE 1/4 LB. BULK SPOOL

"ECONOMY PRICED FOR SERIOUS FISHERMEN"

T-LINE 1 LB. BULK SPOOL

A MONEY MAKER FOR THE SPORTING GOODS DEALER WHO FILLS SPINNING AND CASTING REELS!

1/4 LB. SPOOL (Net)

CATALOG NUMBER	YARDS	LB. TEST
T4-4	3465	4
T4-6	2620	6
T4-8	1768	8
T4-10	1540	10
T4-12	1131	12
T4-14	986	14
T4-17	786	17
T4-20	627	20
T4-25	458	25
T4-30	385	30
*T4-40	328	40

GLEARONLY PACKED (6)
DISPLAYBOX

LARGE CAPACITY BULK 1 LB. SPOOLS (Net)

CATALOG NUMBER	YARDS	LB. TEST
T1-4	13858	4
T1-6	10479	6
T1-8	7070	8
T1-10	6159	10
T1-12	4525	12
T1-14	3944	14
T1-17	3142	17
T1-20	2509	20
T1-25	1832	25
T1-30	1539	30
*T1-40	1312	40

* CLEAR ONLY



"BASS ON"

Designed for the Ardent Bass Fisherman. For fresh & salt water fishing, spinning and casting. Bass-On has no excessive stretch. Self selling display packaging. Thinner with high knot strength. Throws no shadows and spooks no fish. Super-soft for accurate effortless casting. Abrasion resistant to stone and brush. All products guaranteed. Made in United States of America. Clear or Charcoal-Brown.





BULK SPOOLS

A MONEY MAKER FOR THE SPORTING GOODS DEALER WHO FILLS SPINNING AND CASTING REELS!

1/4 LB. SPOOL (Net)

I/T LD. SPOOL (Net)					
CATALOG NUMBER	YARDS	LB. TEST			
B4-4	3465	4			
B4-6	2620	6			
B4-8	1768	8			
B4-10	1540	10			
B4-12	1131	12			
B4-15	986	15			
B4-17	786	17			
B4-20	627	20			
B4-25	458	25			
B4-30	385	30			

TIR SPOOL (Not)

I LB. SPOOL (Net)					
CATALOG NUMBER	YARDS	LB. TEST			
B1-4	13858	4			
B1-6	10479	6			
B1-8	7070	8			
B1-10	6159	10			
B1-12	4525	12			
B1-15	3944	15			
B1-17	3142	17			
B1-20	2509	20			
B1-25	1832	25			
B1-30	1539	30			


Packed 6 per Display Box

"ROCK" Abrasion Resistant **Hard Type Nylon Leader** Material

When it comes to rocks, wood, mussels and other line damaging debris, Mason's "ROCK" will help reduce break offs. Popular for its stiffness and excellent resistance to abrasion. "ROCK" is the ideal leader material for Carolina rigging, bottom bouncing, drop shoting and a variety of fly presentations.



CATALOG NUMBER	YARDS	LB. TEST
RL-50-8	50	8
RL-50-10	50	10
RL-50-12	50	12
RL-50-16	50	16
RL-50-20	50	20
RL-50-25	50	25
RL-50-30	50	30
RL-50-40	50	40
RL-50-50	50	50
RL-50-60	50	60
RL-50-80	50	80



"WALLEYE" Premium Co-Polymer

"WALLEYE" is specifically formulated to combine the manageability of a finesse line with the durability and toughness of a high performance line. Tournament tested, "WALLEYE" is the perfect monofilament for jigging, rigging, cranking and slip bobber fishing.

Extra Sensitive Extremely Flexible and Limp Superb Abrasion Resistance Excellent Hook Setting Power Smooth Casting

Greater Knot Strength Controlled Stretch Increased Tensile Strength

CATALOG NUMBER	YARDS	LB. TEST
WL-300-4	300	4
WL-300-6	300	6
WL-300-8	300	8
WL-300-10	300	10
WL-300-12	300	12
WL-300-15	300	15



"falcon" is a Mason best seller as it pairs a durable line with an excellent price point and is available in a variety of lengths. Clear or Mist Blue.

falcon ECONOMY SPINNING AND CASTING LINE

PEGBOARD PAK NEW 100 YD. SINGLE SPOOL PEGBOARD PAK

O

TOTE OF COLUMN	
CATALOG NUMBER	LB. TEST
1FP-2	2
1FP-4	4
1FP-6	6
1FP-8	8
1FP-10	10
1FP-12	12
1FP-14	14
1FP-17	17
1FP-20	20
1FP-25	25
1FP-30	30

(12) SPOOL DISPLAY BOX 100 YD. SPOOLS

CATALOG NUMBER	LB. TEST
F-4	4
F-6	6
F-8	8
F-10	10
F-12	12
F-14	14
F-17	17
F-20	20
F-25	25
F-30	30
/	

12 Spool Display Box

12 Paks per Carton 1/8 LB. SPOOL (NET)

YARD

CATALOG

NUMBER F8-4

F8-6

F8-8

F8-10

F8-12

F8-14

F8-17

F8-20

F8-25

F8-30

F8-40 F8-50

F8-60

//	LB.	СБ		1	71	_
/4	Ι. Б.	- 1	(U)		4 K. I	Е І

Jeses	VEID	1/4 LB. SPOOL (NET)			NEI)
YARDS	LB. TEST		CATALOG NUMBER	YARDS	LB. TEST
2139	4		F4-4	4277	4
1432	6		F4-6	2863	6
1109	8		F4-8	2217	8
951	10		F4-10	1901	10
770	12		F4-12	1540	12
599	14		F4-14	1199	14
506	17		F4-17	1012	17
433	20		F4-20	866	20
342	25		F4-25	684	25
277	30		F4-30	554	30
192	40		F4-40	385	40
164	50		F4-50	328	50
123	60		F4-60	246	60

123 Packed 6 per Box

Packed 6 per Box

1 LB. SPOOL (NET)

CATALOG NUMBER	YARDS	LB. TEST	CATALOG NUMBER	YARDS	LB. TEST
F1-4	17109	4	F1-30	2217	30
F1-6	11453	6	F1-40	1539	40
F1-8	8869	8	F1-50	1312	50
F1-10	7604	10	F1-60	985	60
F1-12	6159	12	F1-80	684	80
F1-14	4795	14	F1-100	554	100
F1-17	4049	17	F1-130	384	130
F1-20	3464	20	F1-150	305	150
F1-25	2737	25	F1-200	191	200

Packed (1) per box

5 LB. BULK SPOOL

CATALOG NUMBER	LB. TEST	CATALOG NUMBER	LB. TEST			
5F1-6	6	5F1-40	40			
5F1-8	8	5F1-50	50			
5F1-10	10	5F1-60	60			
5F1-12	12	5F1-80	80			
5F1-14	14	5F1-100	100			
5F1-17	17	5F1-130	130			
5F1-20	20	5F1-150	150			
5F1-25	25	5F1-200	200			
5F1-30	30					







First Quality Nylon Monofilament

"Mill End" spools contain up to 45 yds. of fine quality nylon monofilament line, dependent upon pound test. Each spool is attractively labeled showing pound test and yardage.

13 SPOOLS PER DISPLAY REFILL BOX (BAKER'S DOZEN)

CATALOG NUMBER	YARDS	LB. TEST	CATALOG NUMBER	YARDS	LB. TEST
ME-2	45	2	ME-17	45	17
ME-4	45	4	ME-20	40	20
ME-6	45	6	ME-25	30	25
ME-8	45	8	ME-30	25	30
ME-10	45	10	ME-40	20	40
ME-12	45	12	ME-50	15	50
ME-15	45	15	ME-60	12	60







78 SPOOL DISPLAY ASSORTMENT

CATALOG NUMBER	ASSORTMENT
ME-415	13 spools each of 4, 6, 8, 10, 12 and 15 lb. test
ME-620	13 spools each of 6, 8, 10, 12, 15 and 20 lb. test
ME-1240	13 spools each of 12, 15, 20, 25, 30 and 40 lb. test

"MAGNUM" GAME FISH MONO-LEADER MATERIAL

This American Made Heavy Duty Monofilament was created especially for the "Big Game Fisherman." It is free of voids, maintaining consistent diameters, and has excellent high tensile strength per diameter. This monofilament lays out flat making it excellent for tying special leaders and rigs. Clear or Mist Blue.



LB. TEST	DIA.	CATALOG NUMBER 50 FT SPOOL	LB. TEST	DIA.	CATALOG NUMBER 150 FT SPOOL
20	.016	MG5-20	20	.016	MG15-20
30	.020	MG5-30	30	.020	MG15-30
40	.024	MG5-40	40	.024	MG15-40
50	.026	MG5-50	50	.026	MG15-50
60	.030	MG5-60	60	.030	MG15-60
80	.035	MG5-80	80	.035	MG15-80
100	.039	MG5-100	100	.039	MG15-100
130	.047	MG5-130	130	.047	MG15-130
150	.053	MG5-150	150	.053	MG15-150
200	.067	MG5-200	200	.067	MG15-200
*300	.087	MG5-300	*300	.087	MG15-300

Line Keeper Display Ring *Blue not available

Mason



"BigCat" Premium Monofilament

Catfish anglers have come to rely on Big Cat mono for its knot and tensile strength as well its durability in a variety of conditions. Now we'd like introduce our new Hi-Vis Big Cat product in Green or Orange. Easy to see in all light conditions. Clear, Hi-Vis Orange, and Hi-Vis Green.

CATALOG NUMBER	YARDS	LB. TEST	CATALOG NUMBER	YARDS	LB. TEST
BCL-250-8	250	8	BC-250-8	250	8
BCL-250-10	250	10	BC-250-10	250	10
BCL-250-12	250	12	BC-250-12	250	12
BCL-250-15	250	15	BC-250-15	250	15
BCL-250-20	250	20	BC-250-20	250	20
BCL-250-25	250	25	BC-250-25	250	25
BCL-250-30	250	30	BC-250-30	250	30
BCL-250-40	200	40	BC-250-40	200	40

LINE KEEPER DISPLAY RING

PEGBOARD PACKED



COLOR: HI-VIS ORANGE					
CATALOG NUMBER	YARDS	LB. TEST			
BCLO-250-15	250	15			

BCLO-250-15 250 15 BCLO-250-20 250 20 BCLO-250-25 250 25 BCLO-250-30 250 30

COLOR: HI-VIS GREEN

COLOR. III VIS GREEN					
CATALOG NUMBER	YARDS	LB. TEST			
BCLG-250-15	250	15			
BCLG-250-20	250	20			
BCLG-250-25	250	25			
BCLG-250-30	250	30			

LINE KEEPER DISPLAY RING

COLOR: HI-VIS ORANGE

CATALOG NUMBER	YARDS	LB. TEST
BCO-250-15	250	15
BCO-250-20	250	20
BCO-250-25	250	25
BCO-250-30	250	30

PEGBOARD PACKED

COLOR: HI-VIS GREEN

CATALOG NUMBER	YARDS	LB. TEST
BCG-250-15	250	15
BCG-250-20	250	20
BCG-250-25	250	25
BCG-250-30	250	30

PEGBOARD PACKED

"LINE TAMER"

- Easily transfer fishing line from spool to reel without assistance.
- Eliminates tangles and reduces twists found in hand transfer.
- Mounts on tables, counter tops, or work benches.
- Fits all commonly available fishing line spools.
- With return crank handle, you can save good, used line by rewinding it back onto the spool.
- Made of strong, durable ABS plastic, for years of customer satisfaction.

LINE-TAMER's handsome, four color package sells strongly at point-of-purchase. Its versatile design allows for stacking on shelves or hanging on pegboard or gondola for a high-impact, self-selling display.

CATALOG LT

Package Dimension: 6" high (plus 1 @" hanging tab) x 5 !" wide x 4" deep. Weight: 12 oz., including package. Packing: Master carton – 12 units (9 # lbs.)

CAPACITY: Standard reel-fill, economy and jumbo bulk line spools, up to 3,000 yards.





"DUCK DECOY CORD"

HEAVY DUTY

Mason Duck Decoy Cord is a braided nylon treated with a vinyl elastomer to facilitate knot tying and is also mildew resistant.

CATALOG NUMBER	LB. TEST	LENGTH	QUANTITY
DK-130	130	250 ft.	12/Box
DK-200	200	250 ft.	12/Box
HDK-130	130	500 ft.	Bulk
HDK-200	200	500 ft.	Packed

Ice Fishing





This braided space age Gel-spun high density polyethylene line is especially applicable to ice fishing for the following reasons: won't freeze, smaller diameter, extreme cold does not affect strength, attractively packaged in eye-catching pegboard display box. Black or Green.

2/50 Yd. Spools Pegboard Display Box

CATALOG NUMBER	LB. TEST	CATALOG NUMBER	LB. TEST
2TBI-20	20	2TBIG-20	20
2TBI-25	25	2TBIG-25	25
2TBI-35	35	2TBIG-50	50
2TBI-50	50		

"ICE-FREE" TIP-UP LINE

"Black" vinyl coated braided dacron — waterproof. Mason's vinyl coated "Ice-Free" Tip-Up line will not absorb water, freeze, or kink. Packaged in attractive eye catching pegboard display cartons

CATALOG NUMBER	LB. TEST	YARDS
BT-20	20	25
BT-30	30	25
BT-50	50	25

Packed 6 Spools per Box

CATALOG NUMBER	LB. TEST	YARDS
BTC-20	20	100
BTC-30	30	100
BTC-50	50	100

Packed 6 Spools per Box



PEGBOARD PAK

"PIKE TAMER" RIG

This pike rig is made with 30 lb. test black nylon covered stainless steel wire and features adjustable hook spread from $1\frac{1}{2}$ " to 11". Packaged one per reusable bag.

CATALOG NUMBER	HOOK SIZE
PTR-2/4	2/4
PTR-6/8	6/8
PTR-8/10	8/10

"ICE TAMER" GAFF

Ice Tamer Gaff Features Bright Red 21" x 1 ¹/₈" Hardwood Handle Elastic Lanyard • Treble Gaff

CATALOG NUMBER	
ITG-21	

"RED PIKE TAMER" RIG

These 'Red" pike tamer rigs are produced with nickel bangles, which provide flash and sound, the bleeding red hooks trigger more strikes. Sizes 1/2, 2/4, 4/6, 6/8, 8/10 are made with 30 lb. test black nylon covered stainless steel wire and hooks adjust from $1^{1}/_{2}$ " to 11". The "Big Boy" is made with 80 lb. test camouflage stranded stainless steel wire, with no hook adjustment.

CATALOG NUMBER	HOOK SIZE
RPTR-1/2	1/2
RPTR-2/4	2/4
RPTR-4/6	4/6
RPTR-6/8	6/8
RPTR-8/10	8/10
RPTR-BIGBOY	BIG BOY







Ice Fishing

"TIP-UP"

Tip-Up Line is high quality, waterproofed to prevent mildew, and heat stretched for additional strength. Dark Green or Black

LB. TEST	50 YARD SPOOL PEGBOARD BOX	LB. TEST	2/50 YARD SPOOL PEGBOARD BOX	LB. TEST	12/50 YARD SPOOL (6) CONNECTED 12 SPLS PER DISPLAY BO
15	50T-15	15	2T-15	15	12T-15
20	50T-20	20	2T-20	20	12T-20
25	50T-25	25	2T-25	25	12T-25
30	50T-30	30	2T-30	30	12T-30
40	50T-40	40	2T-40	40	12T-40
50	50T-50	50	2T-50	50	12T-50
60	50T-60	60	2T-60	60	12T-60
80	50T-80	80	2T-80	80	12T-80

LB. TEST	100 YARD SPOOL PEGBOARD BOX	LB. TEST	150 YARD SPOOL 6 OR 12 PER BOX	LB. TEST	1000 YARD SPOOL
15	100T-15	15	1T-15	15	MT-15
20	100T-20	20	1T-20	20	MT-20
25	100T-25	25	1T-25	25	MT-25
30	100T-30	30	1T-30	30	MT-30
40	100T-40	40	1T-40	40	MT-40
50	100T-50	50	1T-50	50	MT-50
60	100T-60	60	1T-60	60	MT-60
80	100T-80	80	1T-80	80	MT-80

"Polecat" nylon monofilament line is recommended for winter fishing which demands hard usage. It is soft, sensitive to the fish biting and with very fine diameters.

Line Keeper Display Ring 50 Yard Spool. Color: Clear

	CATALOG NUMBER	LB. TEST	YARDS	CATALOG NUMBER	LB. TEST	YARDS
	1IF-1	1	50	1IF-10	10	50
	1IF-2	2	50	1IF-12	12	50
١	1IF-3	3	50	1IF-15	15	50
١	1IF-4	4	50	1IF-20	20	50
١	1IF-6	6	50	1IF-25	25	50
١	1IF-8	8	50	1IF-30	30	50

12 SPOOL DISPLAY BOX. Color: Clear

	CATALOG NUMBER	LB. TEST	YARDS	CATALOG NUMBER	LB. TEST	YARDS
	IF-1	1	50	IF-10	10	50
	IF-2	2	50	IF-12	12	50
	IF-3	3	50	IF-15	15	50
	IF-4	4	50	IF-20	20	50
, i	IF-6	6	50	IF-25	25	50
/	IF-8	8	50	IF-30	30	50















"GREAT WATER" Braided Dacron Lines





Guaranteed to meet IGFA line class sizes to ensure record catches. Low stretch, tightly braided to ensure extra strength to resist fish striking power. Reliable fresh and salt water line guaranteed not to mildew.

GREEN DOT DACRON

LB. TEST	12/50 YARD SPOOL (6) CONNECTED 12 SPLS PER DISPLAY BOX	300 YARD SPOOL 1 PER BOX	500 YARD SPOOL 1 PER BOX	1000 YARD SPOOL 1 PER BOX
12	12DT-12	3DT-12	5DT-12	BDT-12
20	12DT-20	3DT-20	5DT-20	BDT-20
30	12DT-30	3DT-30	5DT-30	BDT-30
36	12DT-36	3DT-36	5DT-36	BDT-36
50	12DT-50	3DT-50	5DT-50	BDT-50
80	12DT-80	3DT-80	5DT-80	BDT-80
130	12DT-130	3DT-130	5DT-130	BDT-130

BLACK DACRON

LB. TEST	12/50 YARD SPOOL (6) CONNECTED 12 SPLS PER DISPLAY BOX	300 YARD SPOOL 1 PER BOX	500 YARD SPOOL 1 PER BOX	1000 YARD SPOOL 1 PER BOX
12	12BD-12	3BD-12	5BD-12	BBD-12
20	12BD-20	3BD-20	5BD-20	BBD-20
30	12BD-30	3BD-30	5BD-30	BBD-30
50	12BD-50	3BD-50	5BD-50	BBD-50
80	12BD-80	3BD-80	5BD-80	BBD-80
130	12BD-130	3BD-130	5BD-130	BBD-130

NATURAL DACRON

		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
LB. TEST	12/50 YD SPOOLS (6) CONN. 12 SPLS PER DISPLAY BOX	SPOOL	500 YARD SPOOL 1 PER BOX	1000 YARD SPOOL 1 PER BOX
12	12DTN-12	3DTN-12	5DTN-12	BDTN-12
20	12DTN-20	3DTN-20	5DTN-20	BDTN-20
30	12DTN-30	3DTN-30	5DTN-30	BDTN-30
50	12DTN-50	3DTN-50	5DTN-50	BDTN-50
80	12DTN-80	3DTN-80	5DTN-80	BDTN-80
130	12DTN-130	3DTN-130	5DTN-130	BDTN-130









Braided Nylon Line

"LEGEND" BRAIDED NYLON

Mason high quality fishing line priced competitively for increased sales. Manufactured with precision diameter to ensure smooth accurate casting. Heat stretched, tightly braided and waterproofed for long life. Black.

2/50 YD SI	LS. CONN.	12/50Y	DEPLS	1000 YD S	1000 YD SPLS. 1/BOX	
LB. TEST	BLACK	LB. TEST	BLACK	LB. TEST	BLACK	
10	2CB-10	10	12CB-10	10	MCB-10	
12	2CB-12	12	12CB-12	12	MCB-12	
15	2CB-15	15	12CB-15	15	MCB-15	
20	2CB-20	20	12CB-20	20	MCB-20	
25	2CB-25	25	12CB-25	25	MCB-25	
30	2CB-30	30	12CB-30	30	MCB-30	
40	2CB-40	40	12CB-40	40	MCB-40	
50	2CB-50	50	12CB-50	50	MCB-50	
60	2CB-60	60	12CB-60	60	MCB-60	
80	2CB-80	80	12CB-80	80	MCB-80	





"SURF CASTER" NYLON SQUIDDING LINES

Designed for salt water and fresh water fishing. A favorite of the surf caster, also for trolling. Soft braided with built-in lubrication to ensure easy casting and long life. Pre-stretched and flattens out on the reel. Color is tan, which allows line to pick up color of water being fished. Tan.

12/50 YD SP CONNECTED PER DISPL	12 SPOOLS	1000 YD. 1 SPOOL P	
CATALOG NUMBER	TECT I I R TECT		LB. TEST
12CS-18	18	BS-18	18
12CS-27	27	BS-27	27
12CS-36	36	BS-36	36
12CS-45	45	BS-45	45
12CS-54	54	BS-54	54
12CS-63	63	BS-63	63
12CS-72	72	BS-72	72
12CS-96	96	BS-96	96
12CS-108	108	BS-108	108





"HOOK UP" SNAGGING LINE

Very dependable low stretch braided line. Especially designed for river fishing, both trolling and hand line fishing. Tan

CATALOG NUMBER	LB. TEST
200SLP-63	63
200SLP-72	72
200SLP-96	96
200SLP-108	108



Braided Specialty Lines





YARD

"LEAD CORE" TROLLING LINE

This fast sinking line is composed of abrasion resistant Braided Nylon over a flexible lead core. It is color metered every ten yards with non fading dye for exact depth control. This smooth and easy to control line is a must for every deep water fisherman. Also suggested for fly fishing!

Lead C	ore
16-3 KG. 41 16-3 KG. 41 mc-17 J. M. M.	AAM HILL

	\		SPOOL	SPOOL	SPOOL	
STRE	NGTH		CATALOG	CATALOG	CATALOG	
LB. TEST	KILOGRA	MS	NUMBER	NUMBER	NUMBER	
12	5.4		1LC-12	LC-12	MLC-12	
15	6.8		1LC-15	LC-15	MLC-15	
18	8.1		1LC-18	LC-18	MLC-18	
27	12.2		1LC-27	LC-27	MLC-27	
36	16.3		1LC-36	LC-36	MLC-36	
45	20.4		1LC-45	LC-45	MLC-45	
60	27.2		1LC-60	-	MLC-60	

"WALLEYE LEAD CORE" LINE

Walleye lead core deep water trolling line. This is braided nylon over a flexible lead core. It is color metered every ten yards.



CATALOG NUMBER	YARDS	LB. TEST	CATALOG NUMBER	YARDS	LB. TEST
1C-LC-18	10	18	1C-LC-27	10	27
2C-LC-18	20	18	2C-LC-27	20	27
3C-LC-18	30	18	3C-LC-27	30	27
4C-LC-18	40	18	4C-LC-27	40	27
5C-LC-18	50	18	5C-LC-27	50	27
6C-LC-18	60	18	6C-LC-27	60	27
7C-LC-18	70	18	7C-LC-27	70	27



"REDICORE" TROLLING LINE

Mason Tackle Company has engineered a line for deep water trolling. This trolling system is easy for the consumer to use because it's pre-tied and pre-rigged. We start with 300 feet of 20 Lb. Dacron backing, then 150 or 300 feet of 27 Lb. Lead Core Line and finally 50 feet of 20 Lb. T-line Monofilament for a complete deep-water system which is ready to install on any reel.

CATALOG NUMBER RC-150-27 RC-300-27





"WIDE SWEEP" Planer Board Tow Line

Made of high visibility fluorescent braided Dacron® line. This line is low stretch, abrasion resistant and resists water absorption! Displayed on jumbo spool in an attractive pegboard display box with large window. Fluorescent Orange and Chartreuse.

CATALOG NUMBER ORANGE	CATALOG NUMBER CHARTREUSE	LB. TEST	LENGTH
PB-135	PBC-135	135	150 Ft.
PB-200	PBC-200	200	150 Ft.
PBA-135	PBAC-135	135	300 Ft.
PBA-200	PBAC-200	200	300 Ft.





Braided Specialty Lines

"BIG CAT" Catfish Line

Designed for fighting the big powerful cats. Excellent for still fishing or trolling. This braided line is tan color, but will absorb the color of the water to help catch the wily catfish. This line is waterproofed to prevent mildew! A money maker for the serious tackle dealer. Tan.







12/50 YARD IN DISPLA		1	"ECONOM YARDS	
CATALOG NUMBER	- · · I IR TEST I		CATALOG NUMBER	LB. TEST
12C-18	18		C-18	18
12C-27	27		C-27	27
12C-36	36	1	C-36	36
12C-45	45		C-45	45
12C-54	54		C-54	54
12C-63	63	/	C-63	63
12C-72	72	Z	C-72	72
12C-96	96		C-96	96
12C-108	108		C-108	108

2/50 YARD SPOOLS

PEGBOARD DISPLAY BOX					
CATALOG NUMBER	LB. TEST				
2C-18	18				
2C-27	27				
2C-36	36				
2C-45	45				
2C-54	54				
2C-63	63				





DISPLAY



"BIG MUSKIE"

Mason Tackle Company is proud to offer this low stretch, high tensile strength premium braided dacron line. It's designed for great hook setting power, tough enough for trolling or casting for the big one. Black.

ECONOMY 150 YD. SPOOL

CATALOG NUMBER	LB. TEST
15MLB-20	20
15MLB-30	30
15MLB-36	36
15MLB-50	50



BRAIDED MILL ENDS

Mason's braided mill end assortment offers short runs of various sizes of quality braided line at an incredible price.

(12) SPOOL DISPLAY BOX 40 YARDS OF ASSORTED COLORS AND SIZES

CATALOG NUMBER	YARDS	LB. TEST	
BME-1	40	10# - 40#	
BME-2	40	45# - 200#	

Tiger BraidTM

Super Strong – Low Stretch

Mason offers braided high density Gel-Spun Polyethylene blended with polyester. This special braid makes knot tying easier and improves castability. "Tiger Braid" has high sensitivity making it excellent for bottom fishing, casting and trolling. Tiger braid is much stronger per diameter when compared to traditional braided lines.







BLACK and WHITE

LB. TEST	100 YD SPOOL 1 PER BOX	150 YD SPOOL 1 PER BOX	300 YD SPOOL 1 PER BOX	1000 YD SPOOL 1 PER BOX	2000 YD SPOOL 1 PER BOX
10	SP-10	150SP-10	3SP-10	BSP-10	2BSP-10
15	SP-15	150SP-15	3SP-15	BSP-15	2BSP-15
20	SP-20	150SP-20	3SP-20	BSP-20	2BSP-20
35	SP-35	150SP-35	3SP-35	BSP-35	2BSP-35
50	SP-50	150SP-50	3SP-50	BSP-50	2BSP-50
80	SP-80	150SP-80	3SP-80	BSP-80	2BSP-80
135	SP-135	150SP-135	3SP-135	BSP-135	2BSP-135





LB. TEST	100 YD SPOOL 1 PER BOX	150 YD SPOOL 1 PER BOX	300 YD SPOOL 1 PER BOX	1000 YD SPOOL 1 PER BOX	2000 YD SPOOL 1 PER BOX
20	SPB-20	150SPB-20	3SPB-20	BSPB-20	2BSPB-20
35	SPB-35	150SPB-35	3SPB-35	BSPB-35	2BSPB-35
50	SPB-50	150SPB-50	3SPB-50	BSPB-50	2BSPB-50
80	SPB-80	150SPB-80	3SPB-80	BSPB-80	2BSPB-80

GREEN

LB. TEST	100 YD SPOOL 1 PER BOX	150 YD SPOOL 1 PER BOX	300 YD SPOOL 1 PER BOX	1000 YD SPOOL 1 PER BOX	2000 YD SPOOL 1 PER BOX
20	SPG-20	150SPG-20	3SPG-20	BSPG-20	2BSPG-20
50	SPG-50	150SPG-50	3SPG-50	BSPG-50	2BSPG-50





FLY FISHING

"Hard Type" Mason's famous leader material allows the fisherman to tie his own special leaders for his specific requirements. Hard type nylon is extremely popular for its stiffness. Packed 12 spools per kit. Fishermen prefer Super-Soft for its ease of fly casting. Clear.

"HARD TYPE" ASSORTMENTS (12 SPOOLS)

NUMB		1122	NUMB	ER: LTKS	3-32	
DIA.	LB. TEST	YARDS		DIA.	LB. TEST	YARDS
.008	2.5	25	I	.009	3	25
.009	3	25	I	.010	4	25
.010	4	25		.011	5	25
.011	5	25		.012	6	25
.012	6	25		.013	7	25
.013	7	25		.016	10	25
.014	8	25		.018	12	25
.016	10	25	/	.020	16	25
.018	12	25		.022	20	25
.020	16	25		.025	25	25
.022	20	25		.028	30	20
.025	25	25		.032	40	18



CATALOG NUMBER	DIA.	LB. TEST	YARDS
HTNR-008	.008	2.5	25
HTNR-009	.009	3	25
HTNR-010	.010	4	25
HTNR-011	.011	5	25
HTNR-012	.012	6	25
HTNR-013	.013	7	25
HTNR-014	.014	8	25
HTNR-016	.016	10	25
HTNR-018	.018	12	25
HTNR-020	.020	16	25
HTNR-022	.022	20	25
HTNR-025	.025	25	25
HTNR-028	.028	30	25
HTNR-032	.032	40	25

SUPER SOFT NYLON LEADER MATERIAL —

SUPER-SOFT LEADER SPOOLS

Super Soft Nylon has been a favorite of fishermen for years. Now it is available on 25 yard leader spools with a plastic line retention clip. This attractive package comes in 1-30 pound tests. Clear.

CATALOG NUMBER	LB. TEST	DIA.	CATALOG NUMBER	LB. TEST	DIA.
LSCL-1	1	.005	LSCL-10	10	.012
LSCL-2	2	.006	LSCL-12	12	.013
LSCL-3	3	.007	LSCL-15	15	.015
LSCL-4	4	.008	LSCL-20	20	.019
LSCL-6	6	.009	LSCL-25	25	.021
LSCL-8	8	.011	LSCL-30	30	.023





"SUPER-SOFT" ASSORTMENT NUMBER: LTKSS2-4

NUMBER: LIKSS2-40							
DIA.	LB. TEST	YARDS					
.006	2	25					
.008	4	25					
.009	6	25					
.011	8	25					
.012	10	25					
.013	12	25					
.015	15	25					
.017	17	25					
.019	20	25					
.021	25	25					
.023	30	25					
.025	40	18					

INCLUDES DETAILED KNOT TYING ILLUSTRATIONS



FLY FISHING

"LONG RUN" Fly Line BackingLong Run is a reliable Braided Dacron Fly Line Backing. This small diameter, low stretch braided line is completely waterproof and will not rot or mildew on the reel. Natural, Chartreuse or Orange...

	NATURAL	CHARTREUSE	ORANGE
LB. TEST	12/50 Yd. Spls (6) Connected 12 Spls. Per Display box	12/50 Yd. Spls (6) Connected 12 Spls. Per Display box	12/50 Yd. Spls (6) Connected 12 Spls. Per Display box
12	12FB-12		
20	12FB-20	12FBC-20	12FBO-20
30	12FB-30	12FBC-30	12FB0-30



CATALOG NUMBER	LENGTH (FEET)	BUTT DIAM.	TIP DIAM.	TIP SIZE	LB. TEXT
NK7-0X	7 1/2	.023	.011	OX	12
NK7-1X	7 1/2	.023	.010	1X	10
NK7-2X	7 1/2	.023	.009	2X	8
NK7-3X	7 1/2	.021	.008	3X	6.5
NK7-4X	7 1/2	.021	.007	4X	5
NK7-5X	7 1/2	.021	.006	5X	4
NK7-6X	7 1/2	.017	.005	6X	3
NK7-7X	7 1/2	.017	.004	7X	2
NK9-0X	9	.023	.011	OX	12
NK9-1X	9	.023	.010	1X	10
NK9-2X	9	.023	.009	2X	8
NK9-3X	9	.021	.008	3X	6.5
NK9-4X	9	.021	.007	4X	5
NK9-5X	9	.021	.006	5X	4
NK9-6X	9	.017	.005	6X	3
NK9-7X	9	.017	.004	7X	2

"NEW TECHNOLOGY" Knotless Tapered Leader

Mason 'New Technology' Knotless Tapered Leaders are designed with a heavy butt to ensure smooth turnover and natural presentation of the fly. They are also supple enough to straighten out for effortless precise casting. These leaders provide increased strength and hook setting ability.





Mason

Mason Headquarters for "HARD TYPE NYLON!"

SETTING WORLD RECORDS

Due to the growing demand for Hard Type Nylon, we have decided to show a complete listing of available sizes in our catalog. We have always sold 10 yard coils and they are listed below. This is the finest product of its kind available and we look forward to handling your requirements.

TEST

100 YD. COILS

DIA.

LB.

TEST

CATALOG

NUMBER

10 YD. COILS

DIA.

CATALOG

NUMBER

BLACK HARD TYPE NYLON Available in all Put-Ups for						
following sizes — same pricing						
3 Lb. Test	10 Lb. Test					
4 Lb. Test	12 Lb. Test					
6 Lb. Test	16 Lb. Test					
8 Lb. Test	20 Lb. Test					

LB.

TEST

1/4 LB. SPOOL

DIA.

CATALOG

NUMBER

Masan	PACKE	D 12 PER	вох	PACKED 4	4 CONNE	CTED	PACKE	D 6 PER BO	OX
	H1-150	.060	150	H3-150	.060	150	HTN4-060	.060	150
	H1-125	.055	125	H3-125	.055	125	HTN4-055	.055	125
BAG	H1-100	.050	100	H3-100	.050	100	HTN4-050	.050	100
COIL DISPLAY	H1-80	.045	80	H3-80	.045	80	HTN4-045	.045	80
YARD COIL	H1-60	.040	60	H3-60	.040	60	HTN4-040	.040	60
25 B, test.—10 yards	H1-50	.036	50	H3-50	.036	50	HTN4-036	.036	50
MONDFILAMENT LEADEN MATERIAL mesonteckie.com	H1-40	.032	40	H3-40	.032	40	HTN4-032	.032	40
Supple HYLO	H1-30	.028	30	H3-30	.028	30	HTN4-028	.028	30
Tube was	H1-25	.025	25	H3-25	.025	25	HTN4-025	.025	25
Hazo	H1-20	.022	20	H3-20	.022	20	HTN4-022	.022	20
Macon	H1-16	.020	16	H3-16	.020	16	HTN4-020	.020	16
Mason	H1-12	.018	12	H3-12	.018	12	HTN4-018	.018	12
	H1-10	.016	10	H3-10	.016	10	HTN4-016	.016	10
	H1-8	.014	8	H3-8	.014	8	HTN4-014	.014	8
	H1-7	.013	7	H3-7	.013	7	HTN4-013	.013	7
	H1-6	.012	6	H3-6	.012	6	HTN4-012	.012	6
COIL	H1-5	.011	5	H3-5	.011	5	HTN4-011	.011	5
10 YARD	H1-4	.010	4	H3-4	.010	4	HTN4-010	.010	4
	H1-3	.009	3	H3-3	.009	3	HTN4-009	.009	3
MANCH THOMAS + COTHURAL AND ANIMALY IN SA.	H1-2.5	.008	2.5	H3-2.5	.008	2.5	HTN4-008	.008	2.5

100 YD. SPOOLS			10 YD. CO	IL DISPL	AY BAG	1 LB. SPOOL		
CATALOG NUMBER	DIA.	LB. TEST	CATALOG NUMBER	DIA.	LB. TEST	CATALOG NUMBER	DIA.	LB. TEST
HSR-2.5	.008	2.5	HD-2.5	.008	2.5	HTN1-008	.008	2.5
HSR-3	.009	3	HD-3	.009	3	HTN1-009	.009	3
HSR-4	.010	4	HD-4	.010	4	HTN1-010	.010	4
HSR-5	.011	5	HD-5	.011	5	HTN1-011	.011	5
HSR-6	.012	6	HD-6	.012	6	HTN1-012	.012	6
HSR-7	.013	7	HD-7	.013	7	HTN1-013	.013	7
HSR-8	.014	8	HD-8	.014	8	HTN1-014	.014	8
HSR-10	.016	10	HD-10	.016	10	HTN1-016	.016	10
HSR-12	.018	12	HD-12	.018	12	HTN1-018	.018	12
HSR-16	.020	16	HD-16	.020	16	HTN1-020	.020	16
HSR-20	.022	20	HD-20	.022	20	HTN1-022	.022	20
HSR-25	.025	25	HD-25	.025	25	HTN1-025	.025	25
HSR-30	.028	30	HD-30	.028	30	HTN1-028	.028	30
HSR-40	.032	40	HD-40	.032	40	HTN1-032	.032	40
HSR-50	.036	50	HD-50	.036	50	HTN1-036	.036	50
HSR-60	.040	60	HD-60	.040	60	HTN1-040	.040	60
HSR-80	.045	80	HD-80	.045	80	HTN1-045	.045	80
HSR-100	.050	100	HD-100	.050	100	HTN1-050	.050	100
HSR-125	.055	125	HD-125	.055	120	HTN1-055	.055	125
HSR-150	.060	150	HD-150	.060	150	HTN1-060	.060	150

WITH LINE KEEPER DISPLAY RING

PACKED 1 COIL PER BAG

PACKED 1 PER BOX



30

10

Hard Type mm



CRAPPIE RIG

Double-drop nylon rigs, with 2 3/4 inch, free-swinging extension arms to keep hooks clear of leader. Features two gold Aberdeen snelled hooks on 6 inch nylon leaders with loops, stainless steel snap and nickel-plated brass swivel

CATALOG NUMBER	LENGTH	LB. TEST	HOOK SIZE
CR-8	24"	30	8
CR-6	24"	30	6
CR-4	24"	30	4
CR-2	24"	30	2

PACKED 1 RIG PER DISPLAY BAG

	1		
CATALOG NUMBER	LENGTH	LB. TEST	HOOK SIZE
FR-8	24 in.	30	8
FR-6	24 in.	30	6
FR-4	24 in.	30	4

PACKED 1 RIG PER DISPLAY BAG



FOR PANFISH, CRAPPIE & PERCH

Double-drop nylon covered stainless steel rig, with 4" swinging extension arms to keep hooks free of leader. Includes two Aberdeen nylon snelled hooks. Stainless steel snap and swivel loops, stainless steel snap and nickel-plated brass swivel.

"SHORTY" LIVE BAIT **LEADERS**

This Live Bait Leader is made with 27 lb. test nylon covered stainless steel wire and features a solid action ring and Mustad hook. The length is 6 inches, with various hook sizes available.

CATALOG NUMBER	HOOK SIZE
SLB-4/0	4/0
SLB-3/0	3/0
SLB-2/0	2/0
SLB-1/0	1/0
SLB-1	1
SLB-2	2
SLB-4	4
SLB-6	6

PACKED 3 PER ENV.









Mason

Mason

WIRE FISHING RIG

YLDIN COVERED

STABLESS STEEL WIFE

DOWNRIGGER WIRE **CABLE**

150 LB.

200

FEET

150 LB. TEST

.031 DEAMETER

200 FEET

Heavy duty stainless steel wire cable for deep water trolling. Corrosion resistant for long lasting performance in both fresh and salt water.

CATALOG NUMBER	LB. TEST	LENGTH
DWC-150	150	150 ft.
DWC-200	150	200 ft.
DWC-300	150	300 ft.
DWC-400	150	400 ft.

DOWNRIGGER WIRE CABLE HARDWARE KIT

This kit includes connector sleeves, thimbles, beads and snaps. Everything you need for making up your own downrigger wire assembly. Enough to do two complete assemblies.

> **CATALOG NUMBER** DHK

DOWNRIGGER LINE ASSEMBLY

Designed for the deep water fisherman who uses heavy trolling weights, with 150 lb. test of high quality stranded stainless steel wire using an extra heavy duty cast snap secured with steel collars.

CATALOG NUMBER	LB. TEST	LENGTH
DRL-150	150	150 ft.
DRL-200	150	200 ft.
DRL-300	150	300 ft.
DRL-400	150	400 ft.







"NYLOSTRAND" WIRE LEADER

NYLOSTRAND LEADER MATERIAL 1 X 7 STRANDED STAINLESS STEEL WIRE

Our Nylostrand wire begins as the 1x7 Multistrand product and is then covered with a smooth Nylon coating. Bright or Black.

		/	30 FI	COIL	30 FT. SPOOL		300 FT	. SPOOL	1,000 F	r. SPOOL	5,000 F1	. SPOOL	10,000 F	T. SPOOL
	LB. TEST	COATED DIA.	BRIGHT CATALOG NUMBER	BLACK CATALOG NUMBER										
	10	.012	NC-10	BNC-10	NSR-10	BNSR-10	NS-10	BNS-10	MNS-10	BMNS-10	5MNS-10	5BMNS-10	10MNS-10	10BMNS-10
	15	.015	NC-15	BNC-15	NSR-15	BNSR-15	NS-15	BNS-15	MNS-15	BMNS-15	5MNS-15	5BMNS-15	10MNS-15	10BMNS-15
ø	20	.024	NC-20	BNC-20	NSR-20	BNSR-20	NS-20	BNS-20	MNS-20	BMNS-20	5MNS-20	5BMNS-20	10MNS-20	10BMNS-20
	30	.026	NC-30	BNC-30	NSR-30	BNSR-30	NS-30	BNS-30	MNS-30	BMNS-30	5MNS-30	5BMNS-30	10MNS-30	10BMNS-30
\	45	.028	NC-45	BNC-45	NSR-45	BNSR-45	NS-45	BNS-45	MNS-45	BMNS-45	5MNS-45	5BMNS-45	10MNS-45	10BMNS-45
	60	.032	NC-60	BNC-60	NSR-60	BNSR-60	NS-60	BNS-60	MNS-60	BMNS-60	5MNS-60	5BMNS-60	10MNS-60	10BMNS-60
1	90	.036	NC-90	BNC-90	NSR-90	BNSR-90	NS-90	BNS-90	MNS-90	BMNS-90	5MNS-90	5BMNS-90	10MNS-90	10BMNS-90
	150	.041	NC-150	BNC-150	NSR-150	BNSR-150	NS-150	BNS-150	MNS-150	BMNS-150	5MNS-150	5BMNS-150	10MNS-150	10BMNS-150
	210	.051	NC-210	BNC-210	NSR-210	BNSR-210	NS-210	BNS-210	MNS-210	BMNS-210	5MNS-210	5BMNS-210	10MNS-210	10BMNS-210







"MULTISTRAND" WIRE LEADER

MULTISTRAND LEADER MATERIAL 1 X 7 STRANDED STAINLESS STEEL WIRE

Multistrand is designed for both fresh and salt water fishing. It is constructed of 7 strands of kink resistant stainless steel wire which protects against fraying and corrosion. Excellent for downriggers, trolling, leader material, and other rigs. Bright or Brown.

	30		T. COIL 30 FT.		FT. SPOOL 300 FT. SPOOL		600 FT. SPOOL		1,000 FT	. SPOOL	5,000 F	r. SPOOL	10,000 FT. SPOOL		
LB. TEST	DIA.	BRIGHT CATALOG NUMBER	BROWN CATALOG NUMBER												
20	.011	MC-20	BMC-20	MSR-20	BMSR-20	MS-20	BMS-20	6MS-20	6BMS-20	MMS-20	BMMS-20	5MMS-20	5BMMS-20	10MMS-20	10BMMS-20
 30	.015	MC-30	BMC-30	MSR-30	BMSR-30	MS-30	BMS-30	6MS-30	6BMS-30	MMS-30	BMMS-30	5MMS-30	5BMMS-30	10MMS-30	10BMMS-30
45	.018	MC-45	BMC-45	MSR-45	BMSR-45	MS-45	BMS-45	6MS-45	6BMS-45	MMS-45	BMMS-45	5MMS-45	5BMMS-45	10MMS-45	10BMMS-45
60	.021	MC-60	BMC-60	MSR-60	BMSR-60	MS-60	BMS-60	6MS-60	6BMS-60	MMS-60	BMMS-60	5MMS-60	5BMMS-60	10MMS-60	10BMMS-60
90	.024	MC-90	BMC-90	MSR-90	BMSR-90	MS-90	BMS-90	6MS-90	6BMS-90	MMS-90	BMMS-90	5MMS-90	5BMMS-90	10MMS-90	10BMMS-90
125	.027	MC-125	BMC-125	MSR-125	BMSR-125	MS-125	BMS-125	6MS-125	6BMS-125	MMS-125	BMMS-125	5MMS-125	5BMMS-125	10MMS-125	10BMMS-125
150	.031	MC-150	BMC-150	MSR-150	BMSR-150	MS-150	BMS-150	6MS-150	6BMS-150	MMS-150	BMMS-150	5MMS-150	5BMMS-150	10MMS-150	10BMMS-150
210	.036	MC-210	BMC-210	MSR-210	BMSR-210	MS-210	BMS-210	6MS-210	6BMS-210	MMS-210	BMMS-210	5MMS-210	5BMMS-210	10MMS-210	10BMMS-210

"SINGLE STRAND" LEADER WIRE

Mason Tackle is proud to offer this fine product. This wire is made of pre-straightened kink resistant stainless steel. Works great for making all types of trolling or casting leaders. Bright or Brown.

25 FOOT COILS





COIL

1/4 LB. COILS

1 LB. SPOOLS

5 LB. SPOOLS

NUMBER	DIA.	LB. TEST	BRIGHT CATALOG NUMBER	BROWN CATALOG NUMBER	BRIGHT CATALOG NUMBER	BROWN CATALOG NUMBER	BRIGHT CATALOG NUMBER	BROWN CATALOG NUMBER	BRIGHT CATALOG NUMBER	BROWN CATALOG NUMBER
2	.011	27	SSBRI-2	SSBRO-2	SSBRI2-4	SSBRO2-4	1SSBRI-2	1SSBRO-2	5SSBRI-2	5SSBRO-2
3	.012	32	SSBRI-3	SSBRO-3	SSBRI3-4	SSBRO3-4	1SSBRI-3	1SSBRO-3	5SSBRI-3	5SSBRO-3
4	.013	38	SSBRI-4	SSBRO-4	SSBRI4-4	SSBRO4-4	1SSBRI-4	1SSBRO-4	5SSBRI-4	5SSBRO-4
5	.014	44	SSBRI-5	SSBRO-5	SSBRI5-4	SSBRO5-4	1SSBRI-5	1SSBRO-5	5SSBRI-5	5SSBRO-5
6	.016	58	SSBRI-6	SSBRO-6	SSBRI6-4	SSBRO6-4	1SSBRI-6	1SSBRO-6	5SSBRI-6	5SSBRO-6
7	.018	69	SSBRI-7	SSBRO-7	SSBRI7-4	SSBRO7-4	1SSBRI-7	1SSBRO-7	5SSBRI-7	5SSBRO-7
8	.020	86	SSBRI-8	SSBRO-8	SSBRI8-4	SSBRO8-4	1SSBRI-8	1SSBRO-8	5SSBRI-8	5SSBRO-8
9	.022	105	SSBRI-9	SSBRO-9	SSBRI9-4	SSBRO9-4	1SSBRI-9	1SSBRO-9	5SSBRI-9	5SSBRO-9
10	.024	124	SSBRI-10	SSBRO-10	SSBRI10-4	SSBRO10-4	1SSBRI-10	1SSBRO-10	5SSBRI-10	5SSBRO-10
11	.026	140	SSBRI-11	SSBRO-11	SSBRI11-4	SSBRO11-4	1SSBRI-11	1SSBRO-11	5SSBRI-11	5SSBRO-11
12	.029	174	SSBRI-12	SSBRO-12	SSBRI12-4	SSBRO12-4	1SSBRI-12	1SSBRO-12	5SSBRI-12	5SSBRO-12
13	.031	195	SSBRI-13	SSBRO-13	SSBRI13-4	SSBRO13-4	1SSBRI-13	1SSBRO-13	5SSBRI-13	5SSBRO-13
14	.033	218	SSBRI-14	SSBRO-14	SSBRI14-4	SSBRO14-4	1SSBRI-14	1SSBRO-14	5SSBRI-14	5SSBRO-14
15	.035	240	SSBRI-15	SSBRO-15	SSBRI15-4	SSBRO15-4	1SSBRI-15	1SSBRO-15	5SSBRI-15	5SSBRO-15
18	.041	325	SSBRI-18	SSBRO-18	SSBRI18-4	SSBRO18-4	1SSBRI-18	1SSBRO-18	5SSBRI-18	5SSBRO-18
19	.043	360	SSBRI-19	SSBRO-19	SSBRI19-4	SSBRO19-4	1SSBRI-19	1SSBRO-19	5SSBRI-19	5SSBRO-19



"49 STRAND" **TROLLING CABLE**

BIG GAME LEADER MATERIAL

"49" Strand is the best leader material ever designed. It is of 7 x 7 construction stainless steel, highly flexible, heat treated and kink resistant! Camouflage.

LB. TEST	CONST	DIA.	30 FOOT COIL	30 FOOT SPOOL	300 FOOT SPOOL	1000 FOOT SPOOL
90	3 x 7	.031	C-90	SR-90	S-90	M-90
175	7 x 7	.036	C-175	SR-175	S-175	M-175
275	7 x 7	.045	C-275	SR-275	S-275	M-275
480	7 x 7	.062	C-480	SR-480	S-480	M-480
600	7 x 7	.072	C-600	SR-600	S-600	M-600
800	7 x 7	.081	C-800	SR-800	S-800	M-800



"DOWN-UNDER" TROLLING WIRE **SOFT STAINLESS STEEL SINGLE STRAND** FOR DEEP WATER TROLLING

Mason's Down-Under trolling wire is specially soft drawn and annealed for easy handling and maximum strength. This product has a small diameter per lb. test to fit deep water trolling reels, used in fresh and salt water.

LB. TEST	DIA.	30 FT COIL CATALOG NUMBER	300 FT SPL CATALOG NUMBER	600 FT SPL CATALOG NUMBER	1000 FT SPL CATALOG NUMBER
10	.011	DUC-10	DU-10	DU6-10	DUM-10
12	.012	DUC-12	DU-12	DU6-12	DUM-12
15	.013	DUC-15	DU-15	DU6-15	DUM-15
20	.016	DUC-20	DU-20	DU6-20	DUM-20
30	.020	DUC-30	DU-30	DU6-30	DUM-30
40	.022	DUC-40	DU-40	DU6-40	DUM-40
60	.026	DUC-60	DU-60	DU6-60	DUM-60
80	.030	DUC-80	DU-80	DU6-80	DUM-80
100	.035	DUC-100	DU-100	DU6-100	DUM-100
120	.038	DUC-120	DU-120	DU6-120	DUM-120
150	.041	DUC-150	DU-150	DU6-150	DUM-150
200	.047	DUC-200	DU-200	DU6-200	DUM-200



Leader Making Accessories





Packaging Code: Display Pak Add "D" to Cat. No. • Economy Pak 100 Pcs. Add "C" to Cat. No. • Bulk Pak 1000 Pcs. Add "B" to Cat. No.

Double Connector Sleeves — Heavy Duty

These double connector sleeves are made from copper with a black oxidized finish. They work great for making leaders and rigs, especially for salt water fishing! The sleeves are available in an assortment of sizes to fit all Mason wire and monofilament products. Black.

CATALOG NUMBER	INSIDE DIAMETER	LENGTH	FITS-WIRE MULTISTRAND	FITS WIRE NYLOSTRAND	FITS MONOFILAMENT	"D" DISPLAY PAK QTY PER PAK	"C" ECONOMNY DISPLAY PAK QTY PER PAK	"B" BULK PAK QTY PER PAK
11	.027	.197	20-125	10-30	40-50	36	100	1000
21	.050	.250	150-210, "49" Str.	45-150	60-130	36	100	1000
			90#, 175#,275#					
31	.053	.250		210	150	36	100	1000
41	.065	.375				36	100	1000
51	.081	.560	"49" Str. 480#, 600#		200	24	100	1000
61	.096	.390	"49" Str. 800#		300	24	100	1000
71	.116	.440				24	100	1000



"Action Rings" FOR LIVE BAIT LEADERS

Action Rings are used to make leaders for salt water fish — Albacore, Yellowtail and Stripers. This "Action Ring" gives the live bait a very free action. Black.

CATALOG NUMBER	QUANTITY PER BAG	O.D.	I.D.	RATED
AR-25	25	0.215	0.130	88 LBS.
AR-100	100	0.215	0.130	88 LBS.
AR-1000	1,000	0.215	0.130	88 LBS.
AR-5000	5,000	0.215	0.130	88 LBS.

Leader Making Accessories





"CRIMPING TOOL"

Heavy duty plier crimps all sizes of Mason Leader Sleeves, with cutting area for all size wire. Plastic coated handles to protect hands. Chrome plated, forged steel with hardened crimping and cutting area. Excellent for salt and fresh water fisherman. Packed 1 per Display Bag.

Catalog Number C-10

CONNECTOR SLEEVES — HEAVY DUTY

These heavy duty connector sleeves are American-Made from brass with a black oxidized finish. They work great for making leaders and rigs, especially for salt water fishing! The sleeves are available in an assortment of sizes to fit all Mason wire and monofilament products. Black.

Packaging Code: Display Pak Add "D" to Cat. No. • Economy Pak 100 Pcs. Add "C" to Cat. No. • Bulk Pak 1000 Pcs. Add "B" to Cat. No.

									\
CATALOG NUMBER	INSIDE DIA.	OUTSIDE DIA.	LENGTH	FITS-WIRE MULTI- STRAND	FITS-WIRE NYLO- STRAND	FITS MONO- FILAMENT	"D" DISPLAY PAK	"C" ECONOMY PAK - 100	"B" BULK PAK 1000
1	.033	.055	.187	20-30	10-15		36	100	1000
2	.047	.079	.234	45-60		25-30	36	100	1000
3	.055	.087	.250	90-125	20-30	40-50	36	100	1000
4	.071	.105	.250	150 "49" Str 90#	45-60	60-80	36	100	1000
6	.082	.134	.375	210 "49" Str 175#	90-150	100	36	100	1000
7	.106	.162	.400	"49" Str	210	130-150	36	100	1000
				275#					
8	.116	.172	.400				36	100	1000
9	.132	.188	.400	"49" Str 480#			36	100	1000
10	.140	.215	.500			200	24	100	1000
12	.164	.234	.500	"49" Str 600#, 800#			24	100	1000
14	.209	.281	.410			300	15	100	1000

Mason

CASTING LEADERS







NYLOSTRAND STEEL-FLEX LEADERS

Seven strands of stainless steel wire, nylon coated for wear resistance and durability. Wire wrapped for greater flexibility and strength. Ideal for spin and bait casting. Packaged three per pack; carded or bulk. Bright or Black.

BRIGHT-INTERLOCK SNAP				BLACK-INTERLOCK SNAP				BLACK-COASTLOK SNAP			
LENGTH	LB. TEST	3 PAK CATALOG NUMBER	GROSS CATALOG NUMBER	LENGTH	LB. TEST	3 PAK CATALOG NUMBER	GROSS CATALOG NUMBER	LENGTH	LB. TEST	3 PAK CATALOG NUMBER	GROSS CATALOG NUMBER
6"	12	3N-612	N6-12	6"	12	3NB-612	NB6-12	6"	20	3-620B	B6-20
6"	20	3N-620	N6-20	6"	20	3NB-620	NB6-20	6"	30	3-630B	B6-30
6"	30	3N-630	N6-30	6"	30	3NB-630	NB6-30	6"	45	3-645B	B6-45
6"	45	3N-645	N6-45	6"	45	3NB-645	NB6-45	9"	20	3-920B	B9-20
6"	60	3N-660	N6-60	9"	20	3NB-920	NB9-20	9"	30	3-930B	B9-30
6"	90	3N-690	N6-90	9"	30	3NB-930	NB9-30	9"	45	3-945B	B9-45
9"	20	3N-920	N9-20	9"	45	3NB-945	NB9-45	12"	20	3-1220B	B12-20
9"	30	3N-930	N9-30	9"	60	3NB-960	NB9-60	12"	30	3-1230B	B12-30
9"	45	3N-945	N9-45	12"	20	3NB-1220	NB12-20	12"	45	3-1245B	B12-45
9"	60	3N-960	N9-60	12"	30	3NB-1230	NB12-30	12"	60	3-1260B	B12-60
9"	90	3N-990	N9-90	12"	45	3NB-1245	NB12-45	12"	90	3-1290B	B12-90
12"	20	3N-1220	N12-20	12"	60	3NB-1260	NB12-60	18"	30	3-1830B	B18-30
12"	30	3N-1230	N12-30	18"	20	3NB-1820	NB18-20	18"	45	3-1845B	B18-45
12"	45	3N-1245	N12-45	18"	30	3NB-1830	NB18-30	18"	60	3-1860B	B18-60
12"	60	3N-1260	N12-60	18"	45	3NB-1845	NB18-45	18"	90	3-1890B	B18-90
12"	90	3N-1290	N12-90	18"	60	3NB-1860	NB18-60	24"	30	3-2430B	B24-30
18"	20	3N-1820	N18-20	24"	20	3NB-2420	NB24-20	24"	45	3-2445B	B24-45
18"	30	3N-1830	N18-30	24"	30	3NB-2430	NB24-30	24"	60	3-2460B	B24-60
18"	45	3N-1845	N18-45	24"	45	3NB-2445	NB24-45	24"	90	3-2490B	B24-90
18"	60	3N-1860	N18-60	24"	60	3NB-2460	NB24-60	36"	30	3-3630B	B36-30
24"	20	3N-2420	N24-20	36"	20	3NB-3620	NB36-20	36"	45	3-3645B	B36-45
24"	30	3N-2430	N24-30	36"	30	3NB-3630	NB36-30	36"	60	3-3660B	B36-60
24"	45	3N-2445	N24-45	36"	45	3NB-3645	NB36-45	36"	90	3-3690B	B36-90
24"	60	3N-2460	N24-60	36"	60	3NB-3660	NB36-60	PAC	KED 3 PE	R BAG	BULK
36"	20	3N-3620	N36-20	PACKE	D 3 PER	BAG	BULK				PACKED
36"	30	3N-3630	N36-30				PACKED				1 DOZ. PER BUNDLE
36"	45	3N-3645	N36-45				1 DOZ. PER BUNDLE				BONDEL
36"	60	3N-3660	N36-60				DONDLE				

PACKED 3 PER BAG

BULK PACKED 1 DOZ. PER BUNDLE

BRIGHT AND BLACK NYLOSTRAND LEADERS
NIGKEL PLATED BRASS SWIVEL AND INTERLOCK SNAP.

2000

BLACK NYLOSTRAND LEADERS
DULL BLACK SWIVEL AND COASTLOK SNAP.



NYLOSTRAND STEALFLEX LEADER DISPLAYS

Leaders are quickly removed from card by ring dispenser. Packed 1 Display Assortment per Bag. Bright or Black.

6 DOZEN LEADER ASSORTMENTS

3 DOZEN LEADER ASSORTMENTS					
QUANTITY	LENGTH	LB. TEST			
N-31 Assortment					
1 doz.	6"	20			
1 doz.	9"	20			
1 doz.	12"	30			
N-32 Assortment					
1 doz.	6"	30			
1 doz.	9"	30			
1 doz.	12"	30			
N-33 Assortment					
1 doz.	6"	20			
1 doz.	9"	30			
1 doz	12"	45			

ASSORTMENTS						
QUANTITY	LENGTH	LB. TEST				
N-61 Assortment						
2 doz.	6"	20				
1 doz.	9"	20				
2 doz.	6"	30				
1 doz.	9"	30				
N-62 Assortment						
1 doz.	6"	20				
2 doz.	9"	20				
2 doz.	9"	30				
1 doz.	12"	45				
N-63 Assortment						
1 doz.	6"	30				
2 doz.	9"	30				
2 doz.	9"	45				
1 doz.	12"	30				

QUANTITY	LENGTH	LB. TEST			
N-1 Assortment					
2 doz.	6"	20			
2 doz. 2 doz.	9"	20			
2 doz.	12"	20			
2 doz.	6"	30			
2 doz.	9"	30			
2 doz.	12"	30			
N-2 A	N-2 Assortment				
1 doz.	6"	12			
1 doz.	6"	20			
1 doz.	9"	20			
2 doz.	12"	20			
2 doz.	6"	30			
3 doz.	9"	30			
2 doz.	12"	30			
N-3 <i>A</i>	ssortme	nt			
2 doz.	6"	12			
2 doz.	6"	20			
2 doz. 2 doz.	9"	20			
2 doz.	12"	20			
1 doz.	6"	30			
2 doz.	9"	30			
1 doz.	12"	45			

12 DOZEN LEADER ASSORTMENTS



- Established 1938 serving industry for over 80 years
- Introduced monofilament to fishing tackle industry
- First in quality, delivery and competitive pricing
- Self-selling, consumer oriented display packaging
- Full range of export services available
- Member American Sportfishing Association
- Contact your local sales representative listed on the back of this catalog.

MASON TACKLE COMPANY

Quality fishing tackle for fresh and saltwater fishing

PRICES, DISCOUNT AND TERMS:

All subject to change without notice. The prices, discounts and terms stated herein will remain in effect regardless of information appearing on the purchase order of the buyer. Any variations would have to be agreed upon in writing.

TERMS OF SALE:

All prices are net price subject to 2% 15 Days, Net 30 days from date of invoice for approved credit, otherwise C.O.D. On past due balance, an interest charge of 1.5% per month will be added. All past due accounts placed with collection agency will have collection charges added.

NEW ACCOUNTS:

Any new account must furnish credit information with order, for factory approval before shipment.

SHIPPING TERMS:

On orders of \$1,500.00 or more, freight costs wil be allowed as a deduction on invoices paid within cash discount terms of sale, when accompanied by paid freight bill. All orders less than this amount will be shipped freight collect, F.O.B. Otisville, Michigan.

If shipped UPS, Fedex or USPS, shipping charges added to invoice. On shipments outside continental United States, an allowance will be made to port of shipment. Alaska, Hawaii and Canada are considered outside continental United States.

RETURN OF MERCHANDISE:

No merchandise will be accepted for credit or replacement without prior written permission from factory. A 15% restocking charge on all returned goods. Additional charges will be made if merchandise is damaged, obsolete or not in resalable condition.

GUARANTEE:

We guarantee all Mason Products to be of high quality and workmanship!



MASON TACKLE COMPANY

11273 CENTER ST., P.O. BOX 56 • OTISVILLE, MICHIGAN 48463, U.S.A.
TELEPHONE (810) 631-4571 or (800) 356-3640 • FAX (810) 631-8695 • email: info@masontackle.com
INDEX

.....5

s22

Page

"Action Rings"	20	"Mill Ends" Monofilament Nylon Line Di
"Bass-on" Premium Monofilament Line	3	"Mill Ends" Monofilament Nylon Lines
"Big Cat" Catfish Nylon Braided Line	12	"Multistrand" Wire
"Big Cat" Premium Monofilament Line	6	"New Technology" Knotless Tapered Le
"Big Muskie" Dacron Braided Line		"Nylostrand Steel-Flex" Casting Leader
"Braided Mill Ends"	12	"Nylostrand Steel-Flex" Casting Leader
"Crappie" Rig		"Nylostrand" Wire
"Crimping Tool"	21	"Pike Tamer" Rig
"Double Connector Sleeve Crimping Tool"	20	"Pole Cat" Ice Fishing Monofilament Lin
"Double Connector Sleeves"		"Red Pike Tamer" Rig
"Down Under" Wire		"Redicore"
"Downrigger" Line Assembly	17	"Rock" Hard Type Nylon Leader Materi
"Downrigger" Wire Cable	17	"Shorty" Live Bait Leaders
"Downrigger" Wire Cable Hardware Kit	17	"Single Connector Sleeves"
"Duck Decoy Cord"	6	"Single Strand" Wire
"falcon" Monofilament Nylon Lines	4	"Super Soft" Nylon Leader Material
"Great Water" Black Dacron Braided Line	9	"Super Soft" Nylon Leader Tie Kit
"Great Water" Green Dot Dacron Braided Line	9	"Surf Caster" Squidding Nylon Braided
"Great Water" Natural Dacron Braided Line	9	"T-Line" Premium Monofilament Line
"Hard Type" Nylon Leader Tie Kit	14	"Tiger Braid" Black Braided Line
"Hard Type" Nylon Monofilament Leader Material		"Tiger Braid" Black/White Braided Line
"Hard Type" Nylon Refill Spools		"Tiger Braid" Green Braided Line
"Hook Up" Snagging Nylon Braided Line	10	"Tiger Braid" Tip-Up
"Ice-Free" Tip-up		"Tip-Up" Nylon Braided Line
"Ice-Tamer" Gaff	7	"Walleye Lead Core"
"Lead Core"	11	"Walleye" Premium Co-Polymer
"Legend" Bait Casting Nylon Braided Line	10	"Wide Sweep" Planer Board Braided Li
"Line Tamer" Line Winder		"Wire Fishing" Rig
"Long Run" Fly Line Backing Braided Dacron	15	"49" Strand Wire
"Magnum" Game Fish Monofilament Nylon Lines	5	