






Adventure is happening right now

In forests, on trails, up rock faces and down river valleys. Adventure is seeing new sights and discovering things with friends and family for the first time. Once experienced, you can't get it out of your system.

And the best part is, with Zebco, you never have to venture far to find it. It's right outside your door if you know where to look. So grab some friends and head on out. Adventure is waiting for you. All you have to do is...

CATCHON





33 PLATINUM Reel & Combos











REELS &

BULLET REEL

BULLET COMBOS



Appropriately named Bullet, it's faster than all spincast reels. It's even faster than 6.1:1 baitcasting reels and a size 20 spinning reel. Geared at 5.1:1, Bullet picks up an unprecedented 29.6 inches of line with each revolution of the handle — a handle that's padded with GripEm[™] handle knobs.

Equipped with a spincast reel faster than any other, the Bullet combo is built with a Bullet reel custom matched with a 6'6" two-piece IM8 graphite construction medium power rod, including a split WINN® Grip rod handle. Bullet combo comes pre-spooled with 10 lb Zebco® line.



Durable all-metal construction

- Revolutionary ZeroFriction™ dual-bearing supported pick-up pin design

MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
ZB3	13.9	90/10	5.1:1	29.6	8+1

Packaging: box & clam



MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
ZB3662M	3	6'6"	М	7 + tip	2	8–12	1/4–5/8	WINN®
ZB3701MH	3	7'0"	MH	7 + tip	1	10–14	3/8–1 1/2	WINN®

OMEGA PRO REELS

OMEGA PRO COMBO



Zebco's Omega Pro is 20% lighter than our standard Omega®. With an incredibly smooth 7-bearing drive and premium components for years of great fishing. Comes with spare spool and extra dual-paddle handle.

- Triple-cam dial-adjustable disk drag
- Aluminum helical-cut worm gear drive
- Anodized aluminum spinner head
- Machined aluminum covers
- Quick change spool design
- Comfortable soft-touch thumb button design

Built with premium components for reliability for years to come, this combo is built with Zebco's Omega Pro reel, including a spare spool and an extra dual-paddle handle. This light and smooth reel is paired nicely with a reliable medium-powered, fast-action IM7 graphite rod and comes pre-spooled with Zebco® line.



MODEL	REEL SIZE	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
ZO2PRO	2	8.1	85/6	3.4:1	14	6+1
ZO3PRO	3	10.6	85/10	3.4:1	19	6+1

Packaging: box & clam

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
ZO3PRO662M	3	6'6"	М	7 + tip	2	8–12	1/4–5/8	ComfortGrip™

OMEGA REELS

OMEGA COMBOS





Seriously smooth spincasting performance. The Omega stays smooth fish after fish, day after day and casts like a dream. Available in two sizes to best match your fishing preferences.

All-metal gears

- Comfortable soft-touch thumb button design
- 7 bearings (6 + clutch)
- Quick change spool design
- 🛑 Dial-adjustable drag
- 🛛 🛑 Instant anti-reverse clutch

Designed for the serious spincaster. With our premium 6-bearing drive Omega® reel perfectly paired with a super sensitive high-modulus graphite rod. Omega combos come pre-spooled with Zebco® line.



MODEL	REEL SIZE	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
ZO2	2	9.5	85/6	3.4:1	14	6+1
ZO3	3	13	85/10	2.9:1	16	6+1

Packaging: box & clam

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE
ZO2C	2	5'6"	ML	5 + tip	2	4–10	1/8–3/4	Cork
ZO3C	3	6'0"	М	5 + tip	1	8–14	1/4—1	Cork

DELTA REELS

DELTA COMBOS





With a 5-bearing drive, tough but lightweight aircraft aluminum covers and a triple-cam multi-disc drag for fish-stopping power, the Delta™ offers serious spincast performance.

All-metal gears

- Comfortable soft-touch thumb button design
- 5 bearings (4 + clutch)
- Quick change spool design
- Dial-adjustable drag
- Instant anti-reverse clutch

Designed for serious spincast fans. With a super smooth, full-featured, metal body spincast reel custom-matched to lightweight, responsive high-modulus rods with cork split-grip handles. Delta combos come pre-spooled with Zebco® line.

Graphite composite rod All-metal gears Split-grip cork handle 5 bearings (4 + clutch) Twist-Lock™ reel seat Quick change spool design

MODEL	REEL SIZE	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
ZD2	2	9.5	85/6	3.4:1	14	4+1
ZD3	3	13	85/10	2.9:1	16	4+1

Packaging: box & clam

REEL SIZE LURE LINE MODEL LENGTH POWER GUIDES PIECES POUNDS OUNCES HANDLE 2 ZD2C 5'6" ML 5 + tip 2 6-12 1/8-3/8 Split cork

5 + tip

2

8-12

1/4-3/8

ROD

Split cork

ZD3C Packaging: open stock 3

6'0"


М

ROAM REEL

ROAM REEL



Zebco has been making fishing easy and fun for over 50 years, and while Roam[™] shares the same trusted internal components of the legendary 33 spincast reel, the cutting-edge 3D design brings upbeat vibes to anglers of all experience levels. Three internal bearings lead to smoother, longer casts and retrieves that result in catching more fish in tangle-free fashion. The soft touch handle knobs and thumb button add to overall comfort. Pre-spooled with 10 lb Zebco® Cajun Line®.



MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
ROAM3BK	8.7	110/10	3.6:1	19	3

Packaging: box & clam



The Roam[™] spinning reel's sleek, bold design comes with an aluminum spool and a changeable right- or left-hand retrieve for a lightweight, customizable design that's versatile for all types of fish and well-suited for a variety of skill levels. Comes pre-spooled with 10 lb Zebco® Cajun Line®, which makes it easy to take with you wherever you go.



Packaging: box & clam

ROAM COMBOS

ROAM COMBOS

Additional colors



Zebco has been making fishing easy and fun for over 50 years, and while Roam[™] shares the same trusted internal components of the legendary 33 spincast reel, its new colorful on-trend look and cutting-edge 3D design bring upbeat vibes to anglers of all experience levels. Three internal bearings lead to smoother, longer casts and retrieves that result in catching more fish in tangle-free fashion. The reel features soft touch handle knobs and thumb button and is pre-spooled with 10lb. line. The reel is perfectly matched to a 6' medium power rod featuring ComfortGrip[™] technology so your hands don't slip when casting and provide a firmer feel with each retrieve.



MODEL	COLOR	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
ROAM3BK602M	Black	6'0"	М	4 + tip	2	8–12	1/8–3/4	ComfortGrip™
ROAM3GR602M	Green	6'0"	М	4 + tip	2	8–12	1/8–3/4	ComfortGrip™
ROAM3OR602M	Orange	6'0"	М	4 + tip	2	8–12	1/8–3/4	ComfortGrip™
ROAM3PK602M	Pink	6'0"	М	4 + tip	2	8–12	1/8–3/4	ComfortGrip™
ROAM3602M	Assort.	6'0"	М	4 + tip	2	8–12	1/8–3/4	ComfortGrip™

Packaging: open stock



Take your adventures off the beaten path with the new Roam[™] spinning combo. Featuring a variety of bold color options, Roam comes with an aluminum spool and a changeable right- or left-hand retrieve for a lightweight customizable design that's versatile for all types of fish and well-suited for a variety of skill levels. Reels are pre-spooled with Zebco® Cajun Line® and paired with durable fiberglass rods with ComfortGrip[™] technology to keep you going strong — wherever you go.



MODEL	REEL SIZE	COLOR	LENGTH	GUIDES	PIECES	LINE POUNDS		ROD HANDLE
ROAMBK20602ML	20	Black	6'0"	4 + tip	2	4–10	1/16–5/8	ComfortGrip™
ROAMGR20602ML	20	Green	6'0"	4 + tip	2	4–10	1/16–5/8	ComfortGrip™
ROAMOR20602ML	20	Orange	6'0"	4 + tip	2	4–10	1/16–5/8	ComfortGrip™
ROAMPK20602ML	20	Pink	6'0"	4 + tip	2	4–10	1/16–5/8	ComfortGrip™
ROAMBK30662M	30	Black	6'6"	4 + tip	2	6–12	1/8–3/4	ComfortGrip™
ROAMGR30662M	30	Green	6'6"	4 + tip	2	6–12	1/8–3/4	ComfortGrip™
ROAMOR30662M	30	Orange	6'6"	4 + tip	2	6–12	1/8–3/4	ComfortGrip™
ROAMPK30662M	30	Pink	6'6"	4 + tip	2	6–12	1/8–3/4	ComfortGrip™
ROAM20602ML	20	Assort.	6'0"	4 + tip	2	4–10	1/16–5/8	ComfortGrip™
ROAM30662M	30	Assort.	6'6"	4 + tip	2	6-12	1/8–3/4	ComfortGrip™

ROAM TELESCOPIC COMBOS





With its bold stainless steel front cover, patented no-tangle design for ease of use, and compact size for easy portability, the Roam™ telescopic combo is the ultimate choice for all on-the-go adventurers. This pack-and-go combo is pre-spooled with 10 lb. Zebco® Cajun Line® and equipped with a QuickSet[™] anti-reverse, making it easy to use anytime, anywhere.



MODEL	COLOR	LENGTH	POWER	GUIDES			ROD HANDLE
ROAM3SF605MH	Seafoam	18.5" to 6'0"	MH	3 + tip	6–12	1/8-1/2	ComfortGrip™
ROAM3GR605MH	Green	18.5" to 6'0"	МН	3 + tip	6–12	1/8–1/2	ComfortGrip™

Packaging: flat board




With its durable all-metal gears, compact size, and bold look, the Roam™ telescopic combo is the best choice for those always on the hunt for the next adventure. This telescopic combo is pre-spooled with 8 lb. Zebco® Cajun Line® and set up with an Instant anti-reverse clutch, making it the must have telescopic combo for any fishing journey.



MODEL	REEL SIZE	COLOR	LENGTH	GUIDES			ROD HANDLE
ROAMSF20605M	20	Seafoam	18.5" to 6'0"	3 + tip	4–10	1/8–3/4	ComfortGrip™
ROAMGR20605M	20	Green	18.5" to 6'0"	3 + tip	4–10	1/8–3/4	ComfortGrip™

Packaging: flat board





We've gone platinum. Trusted, reliable and the best 33 yet, the Zebco 33 Platinum is truly a showstopper. The durable 33 Platinum reel comes equipped with all-metal body, gears, 4 stainless steel bearings and an instant anti-reverse clutch - so you're ready to go toe-to-fin with the best of 'em. What are you waiting for? This is certified platinum.

Dual ceramic pick-up pins

Instant anti-reverse clutch

Stainless steel covers

It's the 33 everyone knows and loves — and the best one yet, to boot. The durable Zebco 33 Platinum has sturdy all-metal body and gears, 4 stainless steel bearings, an instant anti-reverse clutch, and a 4.7:1 gear ratio for smooth, fast retrieves. With a durable IM6 graphite rod, you'll be targeting everything from panfish to bass to catfish in no time.

FLAT BOARD	OPEN STOCK
Durable fiberglass rod	IM6 graphite rod
Dual EVA/cork straight grip rod handle	Comfortable EVA rod handle
3-piece tackle kit	D-Ring guides

MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
33NPL	10.6	120/10	4.7:1	26	4+1
De altre atie au la au 0					

Packaging: box & c	lam

GlideLine[™] ball bearing for efficient line retrieval

All-metal construction

Solid brass pinion gear

MODEL	PACKAGING	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
33NPL	Flat board	5'6"	М	4 + tip	2	6–12	1/8-1/2	EVA/Cork
33NPL602M	Open stock	6'0"	М	5 + tip	2	6–14	1/8–3/4	EVA

33 GOLD REELS

33 GOLD COMBOS



The 33 Gold brings an elevated fishing experience to a trusted spincast. Featuring a lightweight graphite frame, brass pinion gear, patented no-tangle design and an instant anti-reverse clutch, the gold standard of spincast reels has been raised.



This combo elevates the gold standard with quality features throughout, from the sleek design to the cork split grip on the durable fiberglass rod. With an instant anti-reverse clutch, patented no-tangle design and high-quality brass pinion gear, the 33 Gold brings an elevated fishing experience at a not-so elevated price. The 33 Gold combo comes in micro and max sizes.



	MODEL	REEL SIZE	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS		MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
·	33NGOLD	Standard	9.6	120/10	4.1:1	23	2+1	-	33G602MA	Standard	6'0"	М	4 + tip	2	6–14	1/8–3/4	Cork
	33MCNGOLD	Micro	6.0	90/4	4.3:1	16	2+1	-	33MCG502ULA	Micro	5'0"	UL	3 + tip	2	2–6	1/64–1/8	Cork
	33MTNGOLD	Micro Trigger	6.1	90/4	4.3:1	16	2+1	-	33MTG502ULA	Micro Trigger	5'0"	UL	3 + tip	2	2–6	1/64–1/8	Cork
NE	N 33MXNGOLD	Max	12.4	100/20	2.6:1	16	2+1	NEW	33MXG662MHA	Max	6'6"	МН	5 + tip	2	10–20	1/2—1	Cork

Packaging: box & clam

33 CORK MICRO COMBOS

33 CORK COMBOS





Unmatched dependability meets an improved, durable fiberglass rod and larger gear ratio for 20% faster lure retrieval. Zebco's 33 reel is built with all-metal gears and dual ceramic pick-up pins for unbelievable smoothness and strength, fish after fish. Full or split-grip cork handle options make this dependable and easy-to-use fishing combo even more versatile.

Boasting 20% faster lure retrieval at a micro size, Zebco's 33 Cork Micro combo matches the 33 Micro reel, built with all-metal gears and stainless-steel covers, and a durable fiberglass rod with full or split-grip cork handle for undeniable power in a micro package.



IM6 graphite rod	All-metal gears
Natural cork rod handle	Lightweight graphite frame
D-Ring guides	Patented no-tangle design

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES
33CC602MA	Standard	6'0"	М	6 + tip	2	8–12	1/8–3/4
33CC662MA	Standard	6'6"	М	6 + tip	2	8–12	1/8–3/4
33CCSPLT602MA	Standard	6'0"	М	6 + tip	2	8–12	1/8–3/4
33CCSPLT662MA	Standard	6'6"	М	6 + tip	2	8–12	1/8–3/4

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES		LURE OUNCES
33MCC502ULA	Micro	5'0"	UL	4 + tip	2	2–6	1/64–1/4
33MCC562LA	Micro	5'6"	L	5 + tip	2	2–6	1/16–5/8
33MTCC461ULA	Micro Trigger	4'6"	UL	4 + tip	1	2–6	1/64–1/4
33MTCC562LA	Micro Trigger	5'6"	L	4 + tip	2	2–6	1/16–5/8

TRUSTED & STRONG


33 BLACK COMBO

33 RHINO COMBOS



This sleekly designed spincast combo looks as good as it feels — and catches even better. It features a lightweight graphite frame reel and Zebco's ComfortGrip® rod handle and a larger gear ratio for 20% faster lure retrieval. So slick in design and comfortable to hold, you might never want to put it down.

Strong, dependable and easy-to-use, the 33 Rhino boasts a 20% faster lure retrieval rate thanks to a larger gear ratio. Features either a E-glass or durable fiberglass rod, all-metal reel gears, Bite Alert[™], a dial-adjustable drag and pre-spooled with 10 lb. Zebco® Cajun Line®. All at a price that might cause a stampede.



33 APPROACH COMBOS





Additional color (33LCAMO0602MA only)

The 33 Approach is as smooth as ever and comes in a custom camouflage pattern, so while it might hide from the big fish, the big fish can't hide from it. The durable camo combo features all-metal gears, patented no-tangle design, QuickSet[™] anti-reverse, Bite Alert[™], and a durable fiberglass rod with improved action. All at a price that's too good to hide.

Our 33 Approach camo spinning combo features a sleek aluminum spool on a lightweight graphite reel, QuickSet[™] anti-reverse and a convenient 2-piece medium power, fiberglass rod. This slick and easy-to-use 33 combo might have a custom take-anywhere camouflage look, but you'll be able to see the performance.



	MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE
_	33CAMO602MA	Standard	6'0"	М	4 + tip	2	6–14	1/8–3/4
	33LCAMO602MA	Standard	6'0"	М	4 + tip	2	6–14	1/8–3/4
_	33MCCAMO502ULA	Micro	5'0"	UL	3 + tip	2	2–6	1/16–1/8
NEW	33MXCAMO662MHA	Max	6'6"	MH	5 + tip	2	10–20	1/4—3/4

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES		LURE OUNCES	ROD HANDLE
CAMO20602MA	20	6'0"	М	4 + tip	2	6–14	1/8–3/4	Split EVA
Packaging: open stock	ĸ							

- -

33 FOLDS OF HONOR COMBO

For every Folds of Honor product purchased, ZEBCO is donating \$1 to Folds of Honor – a non-profit that provides scholarships to families of fallen or wounded soldiers.





Through educational scholarships, Folds of Honor is dedicated to giving back to the spouses and children of soldiers killed or wounded in service of their country. The foundation provides healing, hope and an opportunity for dreams to be realized — and all with help from people like you. The 33 Folds of Honor spincast combo is built with all-metal gears and a durable fiberglass rod to provide durability for many fishing trips to come.

The Folds of Honor Foundation is rallying a nation to ensure no family is left behind on the fight to preserve American freedom. Through scholarships and other assistance, they give back to spouses and children of soldiers killed or disabled in service to our country. They provide healing, hope and an opportunity for dreams to be realized... with the support of people like you. Built with 6 bearings for smooth casts and an aluminum spool for increased strength, the 33 Folds of Honor spinning combo brings together durability and smooth performance.



MODEL	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE
33602MFOHC	Spincast	120/10	4.1:1	6'0"	М	4 + tip	2	6–10	1/16–3/8	Split EVA
FOHS20602MA	Spinning	190/8	5.3:1	6'0"	М	4 + tip	2	6–10	1/16–3/8	Split EVA

33 CUSTOM-Z COMBOS

33 CUSTOM-Z MICRO COMBOS





Additional color



The trustworthy, easy-to-use Custom-Z combo now boasts a larger gear ratio, which means you can bring your lure in 20% faster than before. The Custom-Z features a sleek reel colormatched to a durable, two-piece Z-glass rod, a pro-style split-grip EVA handle and our QuickSet[™] anti-reverse system. It's the ultralight version of the trustworthy and notable Custom-Z combo. It features a sleek reel color-matched to a durable, one-piece Z-glass rod, all metal gears and our QuickSet[™] anti-reverse system. Whether you want the blue for Bluegills or the red for Redear Sunfish, the 33 Micro Custom-Z has your color.



MODEL	REEL SIZE	COLOR	MONO CAP YARDS/POUNDS	GEAR RATIO	BEARINGS	LENGTH	POWER	GUIDES	PIECES			ROD HANDLE
33CZ602MA	Standard	Assortment	120/10	4.1:1	1	6'0"	М	4 + tip	2	6–14	1/8–3/4	Split EVA
33CZBL602MA	Standard	Blue	120/10	4.1:1	1	6'0"	М	4 + tip	2	6–14	1/8–3/4	Split EVA
33CZRD602MA	Standard	Red	120/10	4.1:1	1	6'0"	М	4 + tip	2	6–14	1/8–3/4	Split EVA
33MCCZ502ULA	Micro	Assortment	90/4	4.3:1	1	5'0"	UL	3 + tip	2	2–6	1/64–1/8	Split EVA
33MTCZ502ULA	Micro Trigger	Assortment	90/4	4.3:1	1	5'0"	UL	3 + tip	2	2–6	1/64–1/8	Split EVA

33 REELS




It's America's most trusted, easy-to-use fishing reel, now with a larger gear ratio that lets you retrieve your lure 20% faster. Features all-metal gears, QuickSet[™] anti-reverse, Bite Alert[™] and a dial-adjustable drag. All at a price that lets everyone in on the action. The 33 spincast reel comes in silver and pink as well as micro and max sizes.



	MODEL	REEL SIZE	COLOR	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
	33N	Standard	Black/Silver	9.3	120/10	4.1:1	23	1
	33NL	Standard	Pink/Silver	9.3	120/10	4.1:1	23	1
	33MCN	Micro	Black/Silver	5.8	90/4	4.3:1	16	1
	33MTN	Micro Trigger	Black/Silver	6.0	90/4	4.3:1	16	1
NEW	33MXN	Max	Black/Silver	12.4	100/20	2.6:1	16	1

Packaging: box & clam

33 COMBOS



It's America's most trusted, easy-to-use fishing reel, now with a larger gear ratio that lets you retrieve your lure 20% faster. Features all-metal gears, QuickSet[™] anti-reverse, Bite Alert[™] and a dial-adjustable drag and a sturdy fiberglass rod with improved action. All at a price that lets everyone in on the action. The 33 spincast combo comes in silver and pink as well as micro and max sizes.

FLAT BOARD

OPEN STOCK



	MODEL	REEL SIZE	COLOR	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE	INCLUDES
-	3490N	Standard	Black/Silver	5'6"	М	4 + tip	2	6–12	1/8–1/2	EVA/Cork	29-piece kit
	3490NL	Standard	Pink/Silver	5'6"	М	4 + tip	2	6–12	1/8–1/2	EVA/Cork	29-piece kit
-	3333N	Standard	Black/Silver & Black/Silver	5'6"	М	4 + tip	2	6–12	1/8–1/2	EVA	1 combo + extra reel
-	33NHH	Standard	Black/Silver & Pink/Silver	5'6"	М	4 + tip	2	6–12	1/8–1/2	EVA	2 combos
-	33602MA	Standard	Black/Silver	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA	NA
-	33L602MA	Standard	Pink/Silver	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA	NA
NEW	33MX662MHA	Max	Black/Silver	6'6"	MH	5 + tip	2	10–20	1/4–3/4	EVA	NA

Packaging: flat board & open stock

33 MICRO COMBOS

33 MICRO TRIGGER COMBOS



It's America's most trusted, easy-to-use fishing combo, now with a larger gear ratio that lets you retrieve your lure 20% faster. Features all-metal gears, QuickSet[™] anti-reverse, Bite Alert[™], a dial-adjustable drag and a sturdy fiberglass rod with improved action. All at a price that lets everyone in on the action.



Uniquely designed and easy to use, the 33 Micro Trigger combo fuses the benefits of a spinning reel with the simplicity of a spincast. Features patented notangle design, all-metal gears and a two-piece graphite composite rod because we believe that fishing is best when higher quality meets less complexity.



MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES		LURE OUNCES	ROD HANDLE	TACKLE
33MC502ULB	Micro	5'0"	UL	3 + tip	2	2–6	1/64–1/8	EVA	NA
33MC462ULB	Micro	4'6"	UL	3 + tip	2	2–6	1/64–1/8	EVA	35-piece kit
33MT502ULA	Trigger	5'0"	UL	3 + tip	2	2–6	1/64–1/8	EVA	NA
33MTNL462UL	Trigger	4'6"	UL	3 + tip	2	2–6	1/64–1/8	EVA	9-piece kit

Packaging: flat board & open stock





The 33 Dock combo is so compact and durable, you can take it anywhere. With a near-indestructable 42 inch solid Z-glass rod, the trusted Dock combo now features a larger gear ratio for 20% faster lure retrieval. And all at a price that will ensure you wear a path down your dock.

	Solid g	lass rod			All-meta	al gears				
	Comfor	table EVA	rod hanc	lle 🏼	🛑 Dual ceramic pick-up pins					
(D-ring	guides			Lightwe	eight grapl	nite frame			
MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE		
		42"	ML	3 + tip		6–12	1/64-1/4	Pistol EVA		

TRUSTED & DURABLE

33 PISTOL COMBO

REEL

SIZE

Standard

LENGTH

5'6"

POWER

Μ



GUIDES

4 + tip

PIECES

2

6–12

LURE

OUNCES

1/8-1/2

ROD

HANDLE

Pistol EVA

This is fishing, pure and simple. Our classic, durable and easy-touse spincast combo now retrieves lures 20% faster, thanks to a larger gear ratio. Add that to a sleek pistol-grip, ergonomic 5'6" rod, and you're ready to go after panfish, catfish or bass at your favorite spot. A straight-shooting combo at a straight-shooting price.



33562PMA S Packaging: open stock

MODEL

E-Glass rod

D-Ring guides

Comfortable EVA rod handle

33 TELESCOPIC COMBOS





America's most-trusted, dependable reel on a smart, strong and convenient telescoping rod — perfectly mobile for the go-go-go lifestyle. This spincast combo features a balanced telescopic rod with a pro-style grip, all-metal gears, Bite Alert[™], a dial-adjustable drag and a speedy 20% faster lure retrieval time. A convenient combo, at a convenient price. Micro and micro trigger telescopic combos also available.

All-metal gears

Dual ceramic pick-up pins

Lightweight graphite frame

Perfectly crafted for those always on the hunt for the next adventure, this smooth and durable spinning reel is paired with a strong and balanced telescopic rod with a pro-style grip for the ultimate on-the-go combo. A convenient combo, at a convenient price.



MODEL	REEL SIZE	LENGTH	POWER	GUIDES			ROD HANDLE
33605MTELA	Standard	22.5" to 6'0"	М	3 + tip	6–12	1/8-1/2	Split EVA
33SP605MTELA	Spinning (size 20)	20" to 6'0"	М	3 + tip	6–12	1/8–1/2	Split EVA
33MCN505ULTEL	Micro	19" to 5'0"	UL	3 + tip	2–6	1/64–1/8	Split EVA
33MTN505ULTEL	Micro trigger	19" to 5'0"	UL	3 + tip	2–6	1/64–1/8	Split EVA
33MS505ULTELA	Spinning (size 05)	19" to 5'0"	UL	3 + tip	2–6	1/64–1/8	Split EVA
	33605MTELA 33SP605MTELA 33MCN505ULTEL 33MTN505ULTEL	MODELSIZE33605MTELAStandard33SP605MTELASpinning (size 20)33MCN505ULTELMicro33MTN505ULTELMicro trigger	MODEL SIZE LENGTH 33605MTELA Standard 22.5" to 6'0" 33SP605MTELA Spinning (size 20) 20" to 6'0" 33MCN505ULTEL Micro 19" to 5'0" 33MTN505ULTEL Micro trigger 19" to 5'0"	MODELSIZELENGTHPOWER33605MTELAStandard22.5" to 6'0"M33SP605MTELASpinning (size 20)20" to 6'0"M33MCN505ULTELMicro19" to 5'0"UL33MTN505ULTELMicro trigger19" to 5'0"UL	MODEL SIZE LENGTH POWER GUIDES 33605MTELA Standard 22.5" to 6'0" M 3 + tip 33SP605MTELA Spinning (size 20) 20" to 6'0" M 3 + tip 33MCN505ULTEL Micro 19" to 5'0" UL 3 + tip 33MTN505ULTEL Micro trigger 19" to 5'0" UL 3 + tip	MODEL SIZE LENGTH POWER GUIDES POUNDS 33605MTELA Standard 22.5" to 6'0" M 3 + tip 6–12 33SP605MTELA Spinning (size 20) 20" to 6'0" M 3 + tip 6–12 33MCN505ULTEL Micro 19" to 5'0" UL 3 + tip 2–6 33MTN505ULTEL Micro trigger 19" to 5'0" UL 3 + tip 2–6	MODEL SIZE LENGTH POWER GUIDES POUNDS OUNCES 33605MTELA Standard 22.5" to 6'0" M 3 + tip 6-12 1/8-1/2 33SP605MTELA Spinning (size 20) 20" to 6'0" M 3 + tip 6-12 1/8-1/2 33MCN505ULTEL Micro 19" to 5'0" UL 3 + tip 2-6 1/64-1/8 33MTN505ULTEL Micro trigger 19" to 5'0" UL 3 + tip 2-6 1/64-1/8

Packaging: flat board

SMOOTH & LIGHT

SPYN REELS

SPYN COMBOS



Zebco's Spyn reels are constructed with high-end features like a super tough titanium-nitride plated bail wire and line roller, and an aluminum spool to ensure high-quality performance and durability with every cast and retrieve. All reels are equipped with an instant anti-reverse clutch and come pre-spooled with Zebco® Line.

Sturdy and smooth – featuring an aluminum spool, and super tough titanium-nitride plated bail wire and line roller, the Zebco's Spyn combo is up to the catch. These spinning reels are pre-spooled with Zebco® line and anchored to a durable fiberglass rod featuring a natural cork split-grip handle.

All-metal gears

3 bearings (2 + clutch)

- Super tough titanium-nitride plated bail wire
- Aluminum spool

- Instant anti-reverse clutch
- Pre-spooled with Zebco® line
- Durable fiberglass rod
 All-metal gears
 Split-grip cork handle
 Super tough titanium-nitride plated bail wire
 Fast action
 Aluminum spool

OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
5.6	135/6	4.3:1	18	2+1
8.4	190/8	5.3:1	26	2+1
8.9	170/10	5.3:1	28	2+1
	5.6 8.4	5.6 135/6 8.4 190/8	5.6 135/6 4.3:1 8.4 190/8 5.3:1	OUNCES VARDS/POUNDS HATIO III 5.6 135/6 4.3:1 18 8.4 190/8 5.3:1 26

Packaging: box & clam

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
SPYN10562L	10	5'6"	L	4 + tip	2	4–6	1/64–1/8	Split cork
SPYN10602ML	10	6'0"	ML	5 + tip	2	4–12	1/16–3/4	Split cork
SPYN20602ML	20	6'0"	ML	5 + tip	2	4–12	1/16–3/4	Split cork
SPYN20662M	20	6'6"	М	6 + tip	2	6–12	1/8–3/4	Split cork
SPYN30662M	30	6'6"	М	6 + tip	2	6–12	1/8–3/4	Split cork

STINGER REELS


STINGER COMBOS





Cool look. Smooth operation. The sleek Zebco Stinger[™] is built for style and performance. This reel has all-metal gears and a ball bearing drive for smooth retrieves fish after fish (adaptable for right- or left-handed anglers). Decked out with bright green accent colors and pre-spooled with fluorescent green fishing line—the price is pretty attractive, too.

The Zebco Stinger[™] combo is built for eye-catching performance at a great value. This combo is equipped with durable all-metal gears and a ball bearing drive for smooth retrieves matched with a durable fiberglass rod with an EVA foam handle so you can sting the fish in comfort all day long.



● QuickSet™ Anti-Reverse
Pre-spooled with Zebco® Cajun® line
Front-adjustable drag

MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
SSP10A	5.6	135/6	4.3:1	18	1
SSP20A	8.1	190/8	5.3:1	26	1
SSP30A	8.5	170/10	5.3:1	28	1
SSP40A	10.2	140/12	4.3:1	24	1
SSP60A	15.7	170/20	5.0:1	33	1
SSP80A	16.7	135/30	5.0:1	36	1

MODEL	REEL SIZE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE	ROD HANDLE
SSP10462ULA	10	4'6"	UL	3 + tip	2	2–6	1/32–3/16	EVA
SSP10562LA	10	5'6"	L	4 + tip	2	2–6	1/64–1/8	EVA
SSP20602MLA	20	6'0"	ML	4 + tip	2	6–10	1/16–3/8	EVA
SSP20662MA	20	6'6"	М	5 + tip	2	8–12	1/8–1/2	EVA
SSP30662MA	30	6'6"	М	5 + tip	2	8–12	1/8–1/2	EVA
SSP30702MA	30	7'0"	М	5 + tip	2	10–20	1/8–1/2	EVA
SSP40702MA	40	7'0"	М	5 + tip	2	10–20	1/8–1/2	EVA
SSP50702MHA	50	7'0"	MH	5 + tip	2	17–25	1/2–2	EVA
SSP60802HA	60	8'0"	Н	7 + tip	2	20–40	1–3	EVA
SSP60802MHA	60	8'0"	MH	5 + tip	2	17–25	1–3	EVA
SSP80102MHA	80	10'0"	MH	6 + tip	2	20–30	1–4	EVA









SPLASH REELS

SPLASH COMBOS





Additional colors



Splash[™] spincast reel features bright colors, a durable stainless-steel metal front cover and an adjustable drag to dial in just the right amount of fish-stopping power. Pre-spooled with 10 lb Zebco® line.

The vibrant color is not the only thing eye-catching about this combo. Splash[™] spincast combos feature a reel built with all-metal gears and a stainless-steel pick-up pin paired with a durable fiberglass rod and Twist-Lock[™] reel seat for long-lasting durability.





MODEL	COLOR	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
SPLSCB	Assortment	8.6	100/10	3.4:1	18.5	1
Packaging: clam						

MODEL	COLOR	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
SPLSC602MB	Assortment	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA
SPLBLSC602MB	Blue	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA
SPLGRSC602MB	Green	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA
SPLORSC602MB	Orange	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA
SPLPRSC602MB	Purple	6'0"	М	4 + tip	2	6–14	1/8–3/4	EVA

Packaging: flat board


SPLASH COMBOS



anti-reverse system. They feature a durable 2-piece custom-matched rod and come pre-spooled with Zebco® line.



MODEL	REEL SIZE	COLOR	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
SPLUL562ULB	05	Assortment	135/6	4.3:1	5'6"	UL	4 + tip	2	2–6	1/64–1/8	EVA
SPL20602MLB	20	Assortment	190/8	5.3:1	6'0"	ML	4 + tip	2	4–8	1/16–3/8	EVA
SPLBL20602MLB	20	Blue	190/8	5.3:1	6'0"	ML	4 + tip	2	4–8	1/16–3/8	EVA
SPLGR20602MLB	20	Green	190/8	5.3:1	6'0"	ML	4 + tip	2	4–8	1/16–3/8	EVA
SPLOR20602MLB	20	Orange	190/8	5.3:1	6'0"	ML	4 + tip	2	4–8	1/16–3/8	EVA
SPLPR20602MLB	20	Purple	190/8	5.3:1	6'0"	ML	4 + tip	2	4–8	1/16–3/8	EVA




EASY & ULTRA-DUTY

888 REEL

NEW



With its all-metal gears, this heavy-duty reel is ready for extreme fishing expeditions. The 888 is a trusted Zebco favorite for reeling in those big catches, featuring a tough stainless steel front cover and a smart and sleek design. 888 comes pre-spooled with 25 lb Zebco® line.



Packaging: box and clam

808 REEL AND COMBO





Tough, durable and dependable. The 808, Zebco's largest spincast reel, was created to reel in those big catches. The 808 features a hardy anti-reverse system and a push-button that's anchored to the body of the reel for a much more solid feel. The 808 combo is paired with a heavy-duty fiberglass rod that provides plenty of leverage during big catches when you need it most.





Packaging: open stock


808 SALT FISHER REEL AND COMBO



NEW



Featuring a tough-yet-sleek design and a durable corrosion-resistant construction, this 808 Salt Fisher reel will look and perform great in even the harshest saltwater environments. The stainless steel front cover and stainless steel hard chrome plated spinner head keep out unwanted water and dirt to prevent corrosion within the reel. The simple push-button mechanics and oversized power knob make this heavy-duty reel a trusted Zebco favorite.



606 REEL AND COMBOS



The 606® is a heavy-duty reel that features durable all-metal gears, a selectable multi-stop anti-reverse and comes pre-spooled with 20 lb. line Zebco® Cajun Line®. Combos custom-matched to a durable fiberglass, medium-heavy action rod.

All-met	● All-metal gears ● Stainless steel pick-up pin ● Ball bearing syste											
	MODEL	WEIGHT OUNCES	MONO CAF		IPT	BEARINGS						
	606MBK	10.7	110/20	3.0:1	19	1						
Pa	ckaging: box &	clam					_					
	FLAT BOARD OPEN STOCK											
	Durab	le fibergla	iss rod	🛑 Durab	le fiber	glass rod						
	🛑 20-pie	ece tackle	🛑 Built-ii	n Hook	Keeper™							
MODEL	LENGT	H POWE	R GUIDES	PIECES	LINE YARDS		ROD HANDLE					
1645C662MI	H 6'6"	МН	5 + tip	2	12–25	3/8-1 1/2	EVA					


1645C662MH	6'6"	MH	5 + tip	2	12–25	3/8-1 1/2	EVA
164570TELMH	7'0"	МН	5 + tip	2	12–25	3/8-1 1/2	EVA

Packaging: flat board & open stock



404 REEL AND COMBOS

There's a reason the Zebco 404® has been a mainstay with anglers for years. The 404 combo comes as a complete set, including an assortment of tackle including bobbers, sinkers, hooks and lures that are ideal for all types of fishing. Pre-spooled with 15 lb. line.



Packaging: flat board & open stock

101 COMBO

202 REEL AND COMBOS



The Zebco 202® offers durable all-metal gears, patented no tangle design, a dial-adjustable drag and a built-in Hook Keeper[™]. Comes pre-spooled with 10 lb. Cajun Line® so you are ready to hit the water. Combo features a comfortable EVA rod handle and a durable fiberglass rod.



	MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT
_	202MBK	6.2	110/10	2.8:1	15

Packaging: box & clam



MODEL	ТҮРЕ	LENGTH	POWER	GUIDES	PIECES	LINE YARDS		ROD HANDLE	INCLUDES
1245C562ML	Spincast	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA	NA
202565TEL	Spincast	17" to 5'6"	ML	3 + tip	Tele	6–10	1/16–3/4	EVA	NA
202404C	Spincast	5'6"	ML / M	4 + tip	2	6–10	1/16–3/4	EVA	202 & 404 combos
1245562MLA	Spincast	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA	Updated 27-piece kit
202L562MLA	Spincast	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA	Updated 27-piece kit
202562MLTW	Spincast	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA	56-piece kit
20SPTWD	Spinning (size 20)	6'0"	ML	4 + tip	2	6–10	1/16–3/4	EVA	56-piece kit



101 combos are the perfect tackle for young, beginner anglers, but don't let their size fool you. They are also ideal for experienced anglers that want a compact combo for every day light-action use.



Packaging: open stock



Packaging: flat board & open stock

SLINGSHOT COMBOS

SLINGSHOT COMBOS




Additional colors




Cool colors. Hot spincast performance. All at a great price. These custommatched combos are great for all ages with easy-casting 202® reels and durable 2-piece Z-Glass rods.



These custom-matched combos are great for all ages with long-casting Slingshot spinning reels and durable 2-piece Z-Glass rods. Coming in a variety of stylish colors, the Zebco Slingshot combo delivers unbeatable spinning performance all at a great price.



- All-metal gears
- ndle 🛛 🛑 Stainless steel pick-up pin
- Twist-Lock™ reel seat
- Patented no-tangle design



- All-metal gears
- Comfortable EVA handle
- Twist-Lock™ reel seat
- QuickSet™ anti-reverse
- Dial-adjustable drag

MODEL	COLOR	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE YARDS	LURE OUNCES	ROD HANDLE
SLSC562MLB	Assortment	Spincast	110/10	2.8:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSCBL562MLA	Blue	Spincast	110/10	2.8:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSCPL562MLA	Purple	Spincast	110/10	2.8:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSCRD562MLA	Red	Spincast	110/10	2.8:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSP562MLB	Assortment	Spinning (size 20)	155/8	5.3:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSP602MLB	Assortment	Spinning (size 20)	155/8	5.3:1	6'0"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPBL562MLA	Blue	Spinning (size 20)	155/8	5.3:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPBL602ML	Blue	Spinning (size 20)	155/8	5.3:1	6'0"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPPL562MLA	Purple	Spinning (size 20)	155/8	5.3:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPPL602ML	Purple	Spinning (size 20)	155/8	5.3:1	6'0"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPRD562MLA	Red	Spinning (size 20)	155/8	5.3:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	EVA
SLSPRD602ML	Red	Spinning (size 20)	155/8	5.3:1	6'0"	ML	4 + tip	2	6–10	1/16–3/4	EVA

FOLDS OF HONOR COMBO

For every Folds of Honor product purchased, ZEBCO is donating \$1 to Folds of Honor – a non-profit that provides scholarships to families of fallen or wounded soldiers.






The Folds of Honor Foundation is rallying a nation to ensure no family is left behind on the fight to preserve American freedom. Through scholarships and other assistance, they give back to spouses and children of soldiers killed or disabled in service to our country. They provide healing, hope and an opportunity for dreams to be realized... with the support of people like you. The Folds of Honor spincast combo is equipped with a ball bearing system and QuickSet[™] Anti-Reverse for reliable performance, cast after cast.

Through educational scholarships, Folds of Honor is dedicated to giving back to the spouses and children of soldiers killed or wounded in service of their country. The foundation provides healing, hope and an opportunity for dreams to be realized — and all with help from people like you.



MODEL	ТҮРЕ	COLOR	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE YARDS		ROD HANDLE
FOHLC3602M	Spincast	Blue/White	110/10	2.8:1	6'0"	М	4 + tip	2	6–10	1/16–3/8	EVA
FOHLS20602M	Spinning	Blue/White	155/8	5.3:1	6'0"	М	4 + tip	2	6–10	1/16–3/8	EVA


DOCK DEMON COMBOS






There's a lot to like about this small but mighty rod and reel combo. The 30-inch solid fiberglass rod is virtually unbreakable and rigid enough to perform. And the push-button reel allows effortless casting. Perfect for all types of fishing. Now appearing at a dock near you.

Powerful performance comes in all shapes and sizes. The Dock Demon spinning combo is crafted with a 30-inch solid fiberglass rod that is virtually unbreakable and a spinning reel built with all-metal gears and a lightweight graphite spool.



MODEL	TYPE	COLOR	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE YARDS		ROD HANDLE
DOCKPRSC301M	Spincast	Purple	100/6	2.6:1	30"	М	2 + tip	1	2–6	1/64–1/8	EVA
DOCKRDSC301M	Spincast	Red	100/6	2.6:1	30"	М	2 + tip	1	2–6	1/64-1/8	EVA
DOCKPRSP301M	Spinning	Purple	135/6	4.3:1	30"	М	2 + tip	1	2–6	1/64-1/8	EVA
DOCKRDSP301M	Spinning	Red	135/6	4.3:1	30"	М	2 + tip	1	2–6	1/64-1/8	EVA
Packaging: flat board											

MICRO COMBOS



Zebco's Micro combos are designed to finesse bites from finicky sunfish, crappie, and trout. Micro reels come equipped with QuickSet[™] anti-reverse and pre-spooled with 4 lb Zebco® line, making this combo perfect for panfish enthusiasts of all ages.

FLAT BOARD

- Durable fiberglass rod
- QuickSet[™] anti-reverse

Pre-spooled with 4 lb Zebco® Cajun Line®

- Comfortable EVA handle
- 51-piece tackle kit

OPEN STOCK

- Durable fiberglass rod
 QuickSet[™] anti-reverse
 Comfortable EVA handle
 Pre-spooled with 4 lb Zebco® Cajun Line®
 Twist-Lock[™] reel seat
- ROD HANDLE LURE LINE PIECES MODEL TYPE COLOR POWER GUIDES TACKLE LENGTH YARDS OUNCES MICROSCA Spincast Blue 4'6" UL 4 + tip 2 2–6 1/64-1/8 EVA 51-piece kit 51-piece kit MICROTSB Trigger Blue 4'6" UL 4 + tip 2 2-6 1/64-1/8 EVA MICROSCA 2 5'0" UL 2–6 1/64-1/8 Split EVA NA Spincast Red/Black 4 + tip MICROTSA Trigger Red/Black 5'0" UL 4 + tip 2 2-6 1/64-1/8 Split EVA NA MICROSPB 2 4'6" UL 4 + tip 2–6 1/64-1/8 EVA 51-piece kit Spinning Blue MICROSPA Spinning Red/Black 5'0" UL 4 + tip 2 2–6 1/64-1/8 Split EVA NA

Packaging: Flat board & open stock



STRONG & STURDY

BIG CAT XT REEL



Big Cat XT conventional style reels will likely be the top pick for the most avid trophy hunters from the Mississippi River to Santee Cooper and all waters in between. This Big Cat XT 350 round baitcasting reel features a 6.3:1 gear ratio and holds 200 yards of 20 pound test.



MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
BCXT350	11.5	200/20	6.3:1	32	2+1

Packaging: box

BIG CAT XT REEL

BIG CAT XT COMBOS



Catfish are the second most fished-for freshwater species in America behind bass, and Zebco has an impressive offering of beefed-up reels called Big Cat XT to accommodate the serious value-minded anglers who passionately pursue them.

Zebco offers beefed-up rods to accommodate the serious value-minded Catfish anglers. The tip guides on all Big Cat XT rods are made of solid stainless to eliminate insert pop-out, and high-vis glow tips aid in seeing the slightest bite.



- Durable titanium-nitrade plated spinner head
- Dual ceramic pick-up pins

- 4 bearings (3 + clutch)
- Stainless steel front cover
- Patented no-tangle design



MODEL	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
BCXTSC	20	110/25	2.6:1	19	3+1

MODEL	ТҮРЕ	LENGTH	POWER	GUIDES	PIECES			ROD HANDLE
BCXTSC702MH	Spincast	7'0"	MH	8 + tip	2	25–50	2–8	EVA
BCXT50702MHA	Spinning	7'0"	MH	6 + tip	2	25–50	2–8	EVA
BCXT60802HA	Spinning	8'0"	Н	8 + tip	2	25–50	2–8	EVA

BIG CAT COMBOS



Catfish are the second most fished-for freshwater species in America behind bass, and Zebco is launching an impressive offering of beefed-up rods and reels called Big Cat to accommodate the serious value-minded anglers who passionately pursue them. The tip guides on all Big Cat rods are made of stainless to minimize insert pop-out, and high-vis glow tips aid in seeing the slightest bite. Pre-spooled with Zebco line.



MODEL	TYPE	SIZE	GEAR RATIO	MONO CAP YARDS/POUNDS	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
BCATSC702MH	Spincast	-	2.6:1	145/20	7'0"	MH	5 + tip	2	8–17	1/4–3/4	EVA
BCAT50702MH	Spinning	50	4.3:1	140/17	7'0"	MH	5 + tip	2	6–14	1/8–5/8	EVA
BCAT60802MH	Spinning	60	5.0:1	170/20	8'0"	MH	5 + tip	2	10–30	1/4–3/4	EVA
BCAT60902MH	Spinning	60	5.0:1	170/20	9'0"	MH	5 + tip	2	10–30	1/4–3/4	EVA
BCAT80102MH	Spinning	80	5.0:1	165/25	10'0"	MH	6 + tip	2	10–30	1/4–3/4	EVA

BITE ALERT COMBOS



The lights get brighter and the battery lasts longer. Zebco's patented Bite Alert[™] system provides both visual and audio indications when a fish begins to tug the line. Bite Alert[™] has always had a loyal following among serious-minded users of heavy-duty combos, but batteries often fell short on longevity. Now it's improved because there's only one battery instead of two, and it lasts much longer. Plus, the light is now green instead of red, making it more visible to anglers that often chase catfish at night. Combos are equipped with a 7' medium-heavy power rod—with high-visibility green tip—and come pre-spooled with 20 lb line. Includes one CR2032 battery.



MODEL	TYPE	GEAR RATIO	MONO CAP YARDS/POUNDS	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	ROD HANDLE
BA808H702MH	Spincast	2.6:1	145/20	7'0"	MH	6 + tip	2	17–50	1–8	EVA
BA60702MH	Spinning	4.9:1	210/20	7'0"	MH	6 + tip	2	17–50	1–8	EVA

RHINO REELS AND COMBOS





Rhino spincast reels have become legendary for their award-winning design and rugged reliability. Featuring all-metal gears and a 3-bearing drive system the RSC series will stand up to any fishing situation you could possibly throw at them. This reel is built Rhino tough, so you don't ever worry about equipment failure when it counts most.

The rugged, tough, and award-winning Rhino spincast reel comes together with a heavyduty cross-weave rod to create an unstoppable fish catching combo. Built with all-metal gears and Rhino-Tough[™] roller-adjustable drag in the reel and heavy-duty guides with a solid stainless-steel tip to protect against guide damage on the rod, the Rhino combo came prepared to overpower even the largest fish.

- All-metal gears
- Comfortable soft-touch thumb button design
- QuickSet™ Anti-Reverse

MODEL	REEL SIZE	TYPE	WEIGHT OUNCES	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS
RSC2B	2	Spincast	8.1	100/8	3.4:1	16	3
RSC3WA	3	Spincast	10.8	95/12	2.9:1	17	3

Packaging: box & clam



MODEL	REEL SIZE	TYPE	LENGTH	POWER	GUIDES	PIECES		LURE OUNCES	ROD HANDLE
RSC3CGTE	3	Spincast	6'0"	М	6 + tip	2	6–14	1/8–5/8	EVA
De else else este else else el									

CRAPPIE FIGHTER COMBOS



Take on the whole school with Zebco's Crappie Fighter series. Equipped with a durable fiberglass rod and high-visibility rod tip, these combos—offered in a variety of types, lengths, and actions—make for the ultimate setup for catching crappie and panfish.



MODEL	ТҮРЕ	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE
CRFSC502ULA	Spincast	60/6	4.3:1	5'0"	UL	5 + tip	2	2–6	1/32–3/16	EVA
CRFTS502ULA	Trigger	60/6	4.3:1	5'0"	UL	4 + tip	2	2–6	1/32–3/16	EVA
CRFTS602MLA	Trigger	60/6	4.3:1	6'0"	ML	5 + tip	2	4–10	1/32–3/16	EVA
CRFTS662MLA	Trigger	60/6	4.3:1	6'6"	ML	6 + tip	2	4–10	1/32–3/16	EVA
CRFTS802MLA	Trigger	60/6	4.3:1	8'0"	ML	7 + tip	2	4–10	1/16–1/4	EVA
CRFUL502ULA	Spinning	135/6	4.3:1	5'0"	UL	4 + tip	2	2–6	1/32–3/16	EVA
CRFUL562ULA	Spinning	135/6	4.3:1	5'6"	UL	4 + tip	2	2–6	1/32–3/16	EVA
CRFUL602LA	Spinning	135/6	4.3:1	6'0"	L	5 + tip	2	4–8	1/32–3/16	EVA
CRFUL662LA	Spinning	135/6	4.3:1	6'6"	L	6 + tip	2	4–8	1/32–3/16	EVA
CRFUL702LA	Spinning	135/6	4.3:1	7'0"	L	6 + tip	2	4–8	1/16–1/4	EVA
CRFUL802LA	Spinning	135/6	4.3:1	8'0"	L	7 + tip	2	4–8	1/16–1/4	EVA
CRFUL102LA	Spinning	135/6	4.3:1	10'0"	L	7 + tip	2	4–8	1/16-1/4	EVA
CRFUL122LA	Spinning	135/6	4.3:1	12'0"	L	8 + tip	2	4–8	1/16-1/4	EVA
CRFJIG802MLA	Fly	60/6	1:1	8'0"	ML	7 + tip	2	4–10	1/16-1/4	EVA

READY TACKLE COMBOS



Ready Tackle combo is *the* complete fishing kit. Choose between a spincast or spinning reel — pre-spooled with Zebco® Cajun Line® — that's paired with a durable fiberglass rod equipped with a comfortable EVA rod handle. Ready Tackle comes with a handy tackle wallet filled with everything you need to start fishing. It's your all-in-one fishing kit for a fun day on the water.



MODEL	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES	TACKLE	ROD HANDLE
RTSC562M	Spincast	100/10	2.8:1	5'6"	М	4 + tip	2	8–12	1/8–3/4	30-piece kit	EVA
RTSCFBL	Spincast	100/10	2.8:1	5'6"	ML	4 + tip	2	8–12	1/16–3/4	31-piece kit	EVA
RTSCKLA	Spincast	100/10	2.8:1	5'6"	ML	4 + tip	2	8–12	1/16–3/4	Updated 45-piece kit	EVA
RTSCTELEL	Spincast	100/10	2.8:1	17" to 5'6"	ML	3 + tip	Tele	8–12	1/16–3/4	53-piece kit	EVA
RTSP20562ML	Spinning	190/8	5.2:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	30-piece kit	EVA
RTSPKL	Spinning	100/8	2.8:1	5'6"	ML	4 + tip	2	6–10	1/16–3/4	53-piece kit	EVA
RTSPTELEL	Spinning	100/8	2.8:1	17" to 5'6"	ML	3 + tip	Tele	6–10	1/16–3/4	53-piece kit	EVA

Packaging: open stock & flat board

MARTIN REELS

MARTIN COMBOS





action reel is matched with a 9'2-piece 78 wt. rod. The CC65 single-action reel is matched with a 9'2-piece 56 wt. rod.

The MRT56TK is the most complete fly outfit in the marketplace. Martin 5/6 rim-control fly reel, 3-piece 8' 5/6-weight rod and a custom fly assortment.

Caddis Creek™ is a great value if you're new to fly fishing. The CC68 single-

Caddis Creek[™] fly reels feature a reinforced

aluminum spool with push button release.

MODEL	WEIGHT OUNCES	BACKING CAP YARDS/POUNDS	LINE CAP YARDS
CC61	3.1 oz	50/20	30 LT4F
CC65	3.5 oz	50/20	30 LT6F

Packaging: box

MODEL	BACKING CAP YARDS/POUNDS	LINE CAP YARDS	LENGTH	PIECES
CC65C	50/20	30 LT6F	9'0"	2
CC68C	200/20	30 LT8F	9'0"	2
MRT56TK	50/20	30 LT6F	5'6"	3

Packaging: open stock & flat board



RODS RODSE

POWERFUL & DURABLE

BIG CAT RODS

RHINO RODS



Rhino series of rods are built on a reputation of affordable toughness. Starting at the rod tip, heavy-duty stainless-steel guides prove formidable where abuse and breakage frequently tend to occur. Moving down the blank you'll find line guides that are super tough yet silky smooth for free line flow. The un-sanded brute-tough blank itself is made of cross-weave construction for a tougher, more stable blank design. Rhino tough rods are backed by a 10-year warranty.

10-year rod warranty

Comfortable EVA rod handle

Built-in Hook Keeper™

- Heavy duty cross-weave rod
- Heavy-duty guides with solid stainless steel tip
- Stainless D-frame tip guide

Big Cat rods provide power, durability, and comfort. Constructed with a durable fiberglass rod, stainless D-frame tip guide to minimize pop-out, and high-vis glow tips to aid in seeing the slightest bite, Big Cat rods are meant to stand strong, fish after fish.




MODEL	TYPE	LENGTH	POWER	ER GUIDES PIECES		LINE POUNDS	LURE OUNCES	ROD HANDLE
RNGC561MB	Casting	5'6"	М	M 5 + tip 1		6–14	1/8–5/8	EVA
RNGC562MLB	Casting	5'6"	ML	5 + tip 2		4–10	1/16–1/4	EVA
RNGC601MB	Casting	6'0"	М	6 + tip	1	6–14	1/8–5/8	EVA
RNGC661MHB	Casting	6'6"	MH	6 + tip	1	8–15	1/4—5/8	EVA
RNGC702MHB	Casting	7'0"	MH	8 + tip	2	8–17	1/4—3/4	EVA
RNGS562MLB	Spinning	5'6"	ML	5 + tip	2	4–10	1/16–1/4	EVA
RNGS601MB	Spinning	6'0"	М	5 + tip	1	4–8	1/16–3/8	EVA
RNGS602MLB	Spinning	6'0"	ML	5 + tip	2	4–10	1/16–1/4	EVA
RNGS661MB	Spinning	6'6"	М	5 + tip	1	4–8	1/16–3/8	EVA
RNGS662MB	Spinning	6'6"	М	5 + tip	2	6–14	1/8–5/8	EVA
RNGS701MB	Spinning	7'0"	М	6 + tip	1	4–8	1/16–3/8	EVA
RNGS702MB	Spinning	7'0"	М	6 + tip	2	6–14	1/8–5/8	EVA

	MODEL	TYPE	LENGTH	POWER	GUIDES	PIECES		LURE OUNCES	ROD HANDLE
	BCC702MH	Casting	7'0"	MH	5 + tip	2	8–17	1/4—3/4	EVA
	BCC802MH	Casting	8'0"	MH	5 + tip	2	10–30	1/4—3/4	EVA
	BCS702MH	Spinning	7'0"	MH	5 + tip	2	6–14	1/8–5/8	EVA
	BCS802MH	Spinning	8'0"	MH	5 + tip	2	10–30	1/4—3/4	EVA
	BCS902MH	Spinning	9'0"	MH	5 + tip	2	10–30	1/4—3/4	EVA
_									

Packaging: open stock

CRAPPIE FIGHTER RODS



Z CAST RODS





Crappie Fighter rods are the ultimate finesse pole for crappie and other panfish and feature a 10" ruler printed directly on the blank. Designed specifically for crappie techniques, this rod is crafted with durable fiberglass for the perfect balance of sensitivity for bite indication and strength for pulling fish out of cover.

Designed specifically for crappie techniques	10" ruler rod graphic
Durable fiberglass rod	Hi-vis orange rod tip
Comfortable EVA rod handle	Shock-ring guides

GUIDES

5 + tip

7 + tip

8 + tip

PIECES

2

2

2

POWER

L

L

L

LINE

POUNDS

4–8

4–8

4–8

LURE OUNCES

1/32-3/16

1/32-3/16

1/32-3/16

Durable Z-Glass rod construction and shock ring guides. Lightweight EVA rod handles for all-day comfort. Perfectly balanced in a range of popular options.



ROD HANDLE	MODEL	TYPE	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ROD HANDLE
EVA	ZCASTC562MLA	Casting	5'6"	ML	4 + tip	2	6–10	1/8–1/4	EVA
EVA	ZCASTC602MA	Casting	6'0"	М	4 + tip	2	8–12	1/4–3/8	EVA
EVA	ZCASTCP562MLA	Casting	5'6"	ML	4 + tip	2	6–10	1/8–1/4	EVA
	ZCASTC56TEL	Casting	17" to 5'6"	М	3 + tip	Tele	8–12	1/4–3/8	EVA
	ZCASTS56TEL	Spinning	17" to 5'6"	М	3 + tip	Tele	8–12	1/4–3/8	EVA
	ZCASTS602MA	Spinning	6'0"	М	4 + tip	2	8–12	1/4–3/8	EVA

Packaging: flat board

MODEL

CRFS602LA

CRFS102LA

TYPE

Spinning

Spinning

Spinning

LENGTH

6'0"

10'0"


12'0"

PROTECTS ON-THE-GO

ROD CADDY



The Zebco Rod Caddy is a must have for your 2-piece combo, providing three great benefits in one product. Two tubes tethered by a strong elastic strap provide an easy means of capturing your 2-piece combo together. The elastic strap also provides for an over-the-shoulder transportation method, and the reinforced polymer tubes provide protection for your rod tip and handle.





CAJUN LINE

Formulated for maximum invisibility, strength and castability on all types of fishing reels. Available in a range of sizes.





Fille	r



CLLOWVISF4CCAJUN LOW VIS FILLER3304Ragin' RedCLLOWVISF6CCAJUN LOW VIS FILLER3306Ragin' RedCLLOWVISF8CCAJUN LOW VIS FILLER3308Ragin' RedCLLOWVISF10CCAJUN LOW VIS FILLER33010Ragin' RedCLLOWVISF12CCAJUN LOW VIS FILLER33012Ragin' RedCLLOWVISF14CCAJUN LOW VIS FILLER33014Ragin' RedCLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISP4CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL185014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL165020Ragin' RedCLLOWVISQ30C<	MODEL	DESCRIPTION	YARDS	LB TEST	COLOR
CLLOWVISF8CCAJUN LOW VIS FILLER3308Ragin' RedCLLOWVISF10CCAJUN LOW VIS FILLER33010Ragin' RedCLLOWVISF12CCAJUN LOW VIS FILLER33012Ragin' RedCLLOWVISF14CCAJUN LOW VIS FILLER33014Ragin' RedCLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISP4CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVI	CLLOWVISF4C	CAJUN LOW VIS FILLER	330	4	Ragin' Red
CLLOWVISF10CCAJUN LOW VIS FILLER33010Ragin' RedCLLOWVISF12CCAJUN LOW VIS FILLER33012Ragin' RedCLLOWVISF14CCAJUN LOW VIS FILLER33014Ragin' RedCLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISF20CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP4CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCL	CLLOWVISF6C	CAJUN LOW VIS FILLER	330	6	Ragin' Red
CLLOWVISF12CCAJUN LOW VIS FILLER33012Ragin' RedCLLOWVISF14CCAJUN LOW VIS FILLER33014Ragin' RedCLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISF4CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISF6CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF8C	CAJUN LOW VIS FILLER	330	8	Ragin' Red
CLLOWVISF14CCAJUN LOW VIS FILLER33014Ragin' RedCLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISP4CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF10C	CAJUN LOW VIS FILLER	330	10	Ragin' Red
CLLOWVISF17CCAJUN LOW VIS FILLER33017Ragin' RedCLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISP4CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF12C	CAJUN LOW VIS FILLER	330	12	Ragin' Red
CLLOWVISF20CCAJUN LOW VIS FILLER33020Ragin' RedCLLOWVISP4CCAJUN LOW VIS FONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF14C	CAJUN LOW VIS FILLER	330	14	Ragin' Red
CLLOWVISP4CCAJUN LOW VIS PONY1104Ragin' RedCLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF17C	CAJUN LOW VIS FILLER	330	17	Ragin' Red
CLLOWVISP6CCAJUN LOW VIS PONY1106Ragin' RedCLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISF20C	CAJUN LOW VIS FILLER	330	20	Ragin' Red
CLLOWVISP8CCAJUN LOW VIS PONY1108Ragin' RedCLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL30Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP4C	CAJUN LOW VIS PONY	110	4	Ragin' Red
CLLOWVISP10CCAJUN LOW VIS PONY11010Ragin' RedCLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL30Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP6C	CAJUN LOW VIS PONY	110	6	Ragin' Red
CLLOWVISP12CCAJUN LOW VIS PONY11012Ragin' RedCLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP8C	CAJUN LOW VIS PONY	110	8	Ragin' Red
CLLOWVISP14CCAJUN LOW VIS PONY11014Ragin' RedCLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL160010Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP10C	CAJUN LOW VIS PONY	110	10	Ragin' Red
CLLOWVISQ4CCAJUN LOW VIS 1/4# SPOOL30004Ragin' RedCLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP12C	CAJUN LOW VIS PONY	110	12	Ragin' Red
CLLOWVISQ6CCAJUN LOW VIS 1/4# SPOOL18506Ragin' RedCLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISP14C	CAJUN LOW VIS PONY	110	14	Ragin' Red
CLLOWVISQ8CCAJUN LOW VIS 1/4# SPOOL16008Ragin' RedCLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ4C	CAJUN LOW VIS 1/4# SPOOL	3000	4	Ragin' Red
CLLOWVISQ10CCAJUN LOW VIS 1/4# SPOOL145010Ragin' RedCLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ6C	CAJUN LOW VIS 1/4# SPOOL	1850	6	Ragin' Red
CLLOWVISQ12CCAJUN LOW VIS 1/4# SPOOL115012Ragin' RedCLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ8C	CAJUN LOW VIS 1/4# SPOOL	1600	8	Ragin' Red
CLLOWVISQ14CCAJUN LOW VIS 1/4# SPOOL85014Ragin' RedCLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ10C	CAJUN LOW VIS 1/4# SPOOL	1450	10	Ragin' Red
CLLOWVISQ17CCAJUN LOW VIS 1/4# SPOOL70017Ragin' RedCLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ12C	CAJUN LOW VIS 1/4# SPOOL	1150	12	Ragin' Red
CLLOWVISQ20CCAJUN LOW VIS 1/4# SPOOL65020Ragin' RedCLLOWVISQ30CCAJUN LOW VIS 1/4# SPOOL45030Ragin' RedCLLOWVISQ40CCAJUN LOW VIS 1/4# SPOOL37540Ragin' Red	CLLOWVISQ14C	CAJUN LOW VIS 1/4# SPOOL	850	14	Ragin' Red
CLLOWVISQ30C CAJUN LOW VIS 1/4# SPOOL 450 30 Ragin' Red CLLOWVISQ40C CAJUN LOW VIS 1/4# SPOOL 375 40 Ragin' Red	CLLOWVISQ17C	CAJUN LOW VIS 1/4# SPOOL	700	17	Ragin' Red
CLLOWVISQ40C CAJUN LOW VIS 1/4# SPOOL 375 40 Ragin' Red	CLLOWVISQ20C	CAJUN LOW VIS 1/4# SPOOL	650	20	Ragin' Red
	CLLOWVISQ30C	CAJUN LOW VIS 1/4# SPOOL	450	30	Ragin' Red
CLLOWVISQ50C CAJUN LOW VIS 1/4# SPOOL 275 50 Bagin' Bed	CLLOWVISQ40C	CAJUN LOW VIS 1/4# SPOOL	375	40	Ragin' Red
	CLLOWVISQ50C	CAJUN LOW VIS 1/4# SPOOL	275	50	Ragin' Red

OUTCAST LINE

CAJUN LINE



Filler

Formulated for maximum strength and castability on all types of fishing reels. Available in a range of sizes.

MODEL	DESCRIPTION	YARDS	LB TEST	COLOR
CLCASTF4C	CAJUN CAST FILLER	330	4	Clear Blue Bayou
CLCASTF6C	CAJUN CAST FILLER	330	6	Clear Blue Bayou
CLCASTF8C	CAJUN CAST FILLER	330	8	Clear Blue Bayou
CLCASTF10C	CAJUN CAST FILLER	330	10	Clear Blue Bayou
CLCASTF12C	CAJUN CAST FILLER	330	12	Clear Blue Bayou
CLCASTF14C	CAJUN CAST FILLER	330	14	Clear Blue Bayou
CLCASTF17C	CAJUN CAST FILLER	330	17	Clear Blue Bayou
CLCASTF20C	CAJUN CAST FILLER	330	20	Clear Blue Bayou



Additional colors




Zebco Outcast® is designed for all types of fishing situations.

MODEL	DESCRIPTION	YARDS	LB TEST	COLOR
30024	OUTCAST MONO	725	4	Blue
30026	OUTCAST MONO	650	6	Blue
30028	OUTCAST MONO	550	8	Blue
300210	OUTCAST MONO	475	10	Blue
300212	OUTCAST MONO	375	12	Blue
300215	OUTCAST MONO	300	15	Blue
300220	OUTCAST MONO	225	20	Blue
300225	OUTCAST MONO	190	25	Clear
300230	OUTCAST MONO	160	30	Clear
300250	OUTCAST MONO	110	50	Clear





AGE-APPROPRIATE GEAR



RAMBLER COMBOS





AGES

The perfect combo for adventurous anglers, the Rambler spincast combo is easy, stylish and size-appropriate. With its smooth gears and built-in carabiner clip, this rod and reel combo is easy to carry, use and store. Get the most out of your fishing adventures and find the perfect fit with the Fit-to-Fish[™] system of right-sized rods and reels from Zebco. Compact telescopic spincast model also available.

Be bold, fearless and adventurous. With the Rambler spinning combo, young anglers get smooth, all-metal gears and a tough, yet flexible fiberglass rod in a stylish combo that's designed specifically for them. Grab a Rambler, hop on a bike or go for a hike, and enjoy the adventure! Not sure which combo is appropriate for your age and ability? Find the perfect fit with the Fit-to-Fish[™] system of right-sized rods and reels from Zebco. Compact telescopic spinning model also available.



MODEL	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE OUNCES
RAMSC532	Spincast	85/8	3.9:1	5'3"	М	4 + tip	2	4–8	1/16–1/4
RAMSC535TEL	Spincast	85/8	3.9:1	24.5" to 5'3"	М	3 + tip	Tele	4–8	1/16–1/4
RAMSP532	Spinning	190/8	5.2:1	5'3"	М	4 + tip	2	4–8	1/16–1/4
RAMSP535TEL	Spinning	190/8	5.2:1	23.5" to 5'3"	М	3 + tip	Tele	4–8	1/16–1/4

WILDER COMBOS





Get into gear with a spincast rod and reel that fits your age, size and style. This easy-to-use and easy-to-store Wilder spincast combo is made with all-metal gears to stand tough for many fishing trips to come. Not sure which combo is appropriate for your age and ability? Find the perfect fit with the Fit-to-Fish[™] system of right-sized rods and reels from Zebco. Compact telescopic spincast model also available.

This durable, yet smooth Wilder spinning combo is the right size and style for adventurous youth. With a built-in carabiner clip for hands-free portability, all-metal gears, and a durable fiberglass rod, this easy-to-use rod and reel is the perfect size and style for developing anglers. Find the right-sized combo for every angler's age and ability with the Fit-to-Fish[™] system from Zebco.



MODEL	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	
WILDERSC432	Spincast	80/6	4.3:1	4'3"	М	3 + tip	2	4–8	1/16–1/4
WILDERSC435TEL	Spincast	80/6	4.3:1	23.5" to 4'3"	М	3 + tip	Tele	4–8	1/16–1/4
WILDERSP432	Spinning	175/6	4.3:1	4'3"	М	3 + tip	2	4–8	1/16–1/4

SPLASH JR. COMBOS NEW






Additional colors

Splash[™] Jr. spincast combos are perfect for kicking fishing adventures into high gear. Designed for ages 6-9, the Splash Jr. spincast combo makes fishing enjoyable and easy. With premium features like Zebco's patented no-tangle design, QuickSet[™] anti-reverse, tangle-free rod tip, and comfortable EVA rod handle, young anglers are sure to have a blast on the water. Combos come pre-spooled with 6 lb. Zebco® line and with a casting plug for endless fun in any environment.



Additional colors

Help your growing angler take their fishing adventure up a notch. Splash™ Jr. combos are expertly designed for kids ages 6-9 to make fishing fun, easy and hassle-free. Featuring bright colors, a durable fiberglass rod with a comfy EVA foam handle and tangle-free tip. Pre-spooled with 6 lb. Zebco® line and comes with a casting plug for ultimate fun on or off the water.



Comfortable EVA rod handle

- Patented no-tangle design
- Includes practice casting plug
- Tange-free rod rip
- Pre-spooled with 6 lb Zebco® line

Durable fiberglass rod

Tangle-free rod tip

Comfortable EVA rod handle

- QuickSet[™] Anti-Reverse
- Includes practice casting plug
- Pre-spooled with 6 lb Zebco® line

MODEL	COLOR	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE	ROD HANDLE
YSPLSCJBLA	Blue	Spincast	100/6	2.6:1	4'0"	ML	3 + tip	2	2–6	1/64–1/8	EVA
YSPLSCJPKA	Purple	Spincast	100/6	2.6:1	4'0"	ML	3 + tip	2	2–6	1/64–1/8	EVA
YSPLSPJBLA	Blue	Spinning	135/6	4.3:1	4'0"	ML	3 + tip	2	2–6	1/64–1/8	EVA
YSPLSPJPKA	Pink	Spinning	135/6	4.3:1	4'0"	ML	3 + tip	2	2–6	1/64–1/8	EVA

NEW

FUN & EASY

SPLASH TACKLE BOX



SPLASH FLOATING COMBOS



Everything about the Splash[™] Kids combo makes fishing exciting and easy for ages 3-5, from the bright colors to the durable fiberglass rod with a tangle-free tip. It even floats if your little angler accidentally drops it off the dock. Pre-spooled with 6-lb line and comes with a casting plug for fun and practice, even when away from the water.

Right-sized gear for every age

Extremely durable solid rod

Tangle-free rod tip

It floats!
Oversized handle knob
SPLASHTI
Includes practice casting plug

AGES

The Splash[™] Tackle Box comes in bright colors to match your favorite Splash[™] rod and reel and has everything you need for a fun, easy day of fishing. The 57-piece tackle assortment inside includes bobbers, hooks, stringer, snells, split-shot sinkers, and jigs.

Tackle	e included	🛑 All-pui	rpose
MODEL	COLOR	ТҮРЕ	TACKLE
SPLASHTBXB	Assortment	Tackle Box	57-piece kit

MODEL	COLOR	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS	LURE
YSPLFCBL	Blue	Spincast	100/6	2.6:1	29"	L	1 + tip	1	4–8	1/16—1/4
YSPLFCPK	Pink	Spincast	100/6	2.6:1	29"	L	1 + tip	1	4–8	1/16-1/4







Our Star Wars line up of spincast combos is sure to excite any Star Wars fan. From Darth Vader to BB8, we have combos in a variety of types and lengths that are suitable for any day on the water.

Durable fiberglass rod	Patented no-tangle design
Tangle-free rod tip	QuickSet [™] anti-reverse
Pre-spooled with Zebco® line	Stainless steel pick-up pin

MODEL	TYPE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES	LINE POUNDS		ACCESSORIES
KYLOSC	Spincast	100/6	2.6:1	4'0"	ML	3 + tip	2	4–8	1/16–1/4	Casting plug
REYSC	Spincast	100/6	2.6:1	4'0"	ML	3 + tip	2	4–8	1/16–1/4	Casting plug
BB8FCC	Spincast	100/6	2.6:1	30"	ML	1 + tip	1	4–8	1/16-1/4	Casting plug
STARWARSA	Spincast	100/10	2.8:1	5'6"	ML	4 + tip	2	6–10	1/64–1/8	28-piece kit

Packaging: flat board



 MODEL
 DESCRIPTION

 STWRTBX
 Multi-purpose tackle box with removable tray

Packaging: poly bag






KYLO REN LIGHTED COMBO

The Force is strong with this one. Put a rod in their hands that will make them feel like a Sith mastering a lightsaber. The Zebco Kylo Ren Light-Up Combo will dazzle any young angler with its feel and keep adults happy with its patented no-tangle design and Quickset[™] antireverse. Pre-spooled with 6-lb Zebco line, the little angler in your life will be targeting panfish, trout and bass with the power of the force guiding the way.

REY LIGHTED COMBOS

Empower your young angler to find the perfect balance and get excited about fishing with the new Rey Light-Up Star Wars combo. They'll love how the lighted action of the rod will make them feel like a Jedi mastering a lightsaber. You'll love how the combo's patented no-tangle design and Quickset[™] anti-reverse will mean less time troubleshooting line issues and more time fishing. When it comes to a new combo for your little Jedi, use the Zebco force.




MODEL	ТҮРЕ	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	GUIDES	PIECES		LURE
KYLOSC291	Spincast	100 yds/6 lb	2.6:1	29"	М	1 + tip	1	4–8	1/16-1/4
REYSC291	Spincast	100 yds/6 lb	2.6:1	29"	М	1 + tip	1	4–8	1/16–1/4



PACKAGING & MERCHANDISING














Practical **fish scale** for the best fishing experience



Stopping power from packaging and

product design

Age-appropriate & consumer-inspired form, aesthetics, and features



SALES REPRESENTATIVE TERRITORIES

United States

Leisure Sales 253.735.5594 **Tim F** 770.4

Slater Sales 952.442.3210 Tim Hunter 770.483.8712 Sheridan Nisito

215.674.5222

Alexander and Townsend 913.829.3266

Matt Fletcher/Lori Hall 800.426.2235

Canada



Upper Canada 905.562.0162

* Expert Fishing Ontario Lakehead West of Thunder Bay



ZEBCO QUANTUM

CONSUMER SERVICES

Our call center team members have over 40 years of experience serving our customers, and we are constantly working to improve our service program. Our goal is to immediately assist you with your fishing needs with one phone call or email.

Phone: 800-588-9030 Zebco E-mail: email.zebco@zebco.com Quantum E-mail: email.quantum@zebco.com

Visit our websites for more information about our customer service programs, product warranty, and contact information.

zebco.com // quantumfishing.com

2021 PRODUCT CATALOG

R

FISHING IS A SERIES OF TESTS. SOME DAYS IT'S YOUR SKILL. OTHER TIMES, IT'S THE ELEMENTS TESTING YOUR RESOLVE. QUANTUM RODS AND REELS ARE PROVEN IN THE LAB, BUT IT'S THE REAL WORLD WHERE THE STANDARD IS SET. BECAUSE OUT THERE, YOU NEED GEAR THAT'S HARDWORKING AND SMOOTH-PERFORMING WITH EVERY CAST, CRANK, AND CATCH — TESTED BEYOND LIMITS, SO YOU CAN REACH BEYOND YOURS.





ROCK SOLID GEAR BUILT TO MEET THE DEMANDS OF THE WILD



Quantum products are built and tested to stand up to years of hard use. And to back it up, we're proud to offer the industry's longest reel warranty, with a 5-year limited warranty on all of our reels, rods, and combos.





QUANTUM 5











Whether you take Smoke® HD in search of bass or bull redfish, a seven bearing system anchored by two performance speed bearings promises smooth operation, and a noticeably oversized 95mm handle with large, comfortable EVA padded handle knobs ensure hours of comfort and increased grip.

- ONE-PIECE ALUMINUM FRAME
 MICRO-ADJUST ACS™ 3.0 CAST CONTROL
 ZERO FRICTION™ PINION DESIGN
- CERAMIC CARBON DRAG SYSTEM
 PERFORMANCE GEAR DESIGN
- PERFORAMNCE POWER HANDLE

MODEL	S.	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
SHD200HPT	RH	180/12	230/30	7.3:1	25	30	6+1	6.9
SHD201HPT	LH	180/12	230/30	7.3:1	25	30	6+1	6.9
SHD200PPT	RH	180/12	230/30	5.3:1	25	22	6+1	6.9
SHD200SPT	RH	180/12	230/30	6.6:1	25	28	6+1	6.9
SHD201SPT	LH	180/12	230/30	6.6:1	25	28	6+1	6.9

Packaging: box





You don't build a product this exceptional by going with the flow. So while most of the fishing industry focuses on smaller reels with tiny spools, Quantum engineered a larger 35.5 mm spool into a very compact frame to provide anglers plenty of line capacity, longer casts, and more inches of line pick-up with every turn of the handle, compared to smaller spooled reels currently littering the fishing industry. However spool size becomes somewhat irrelevant without a top-notch braking system, so Quantum performed a tremendous amount of engineering research to develop an ACS 4.0[™] cast control that is lighter in weight which minimizes the amount of energy it takes to get the spool spinning on a cast, along with additional brakes that disengage around 5,000 RPMs to maximize distance.

Using Reel Engine Design 2.0[™] – Quantum's Smoke® S3 series is a spinning reel in an all aluminum unibody construction, which keeps all the gears and key components in precise alignment for a smoother more durable reel, versus more typical 2-part reels. Speaking of gears, Smoke® S3 reels feature an asymmetric gear that is forged and machined from highstrength aluminum to allow the gears to mesh better for incredible durability and smoothness.

○ ALUMINUM X-FRAME	○ CERAMIC CARBON DRAG SYSTEM
O MICRO-ADJUST ACS™ 4.0 CAST CONTROL	O OVERSIZED SPOOL TECHNOLOGY
○ ZERO FRICTION™ PINION DESIGN	O GULL WING SIDE COVER

5.1:1

6.1:1

6.1:1

8.1:1

8.1:1

25

25

25

25

25

23

27

27

36

36

MONO CAP

YARDS/POUNDS

170/12

170/12

170/12

170/12

170/12

170/12

170/12

Ŵ

RH

LH

RH

RH

IН

RH

LH

BRAID CA

YARDS/POUND

210/30

210/30

210/30

210/30

210/30

210/30

210/30

		O GULL WIN	○ C4LFCI	ARBON FIBI				
P DS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES	MODEL	REEL SIZE	
	7.3:1	25	32	10+1	6.9	SM15XPT	15	
	7.3:1	25	32	10+1	6.9	SM25XPT	25	

10 + 1

10 + 1

10 + 1

10+1

10+1

6.9

6.9

6.9

6.9

6.9

○ R.E.D™ ALUMINUM UNIBODY DESIGN O PLASMA ARC CERAMIC CARBON DRAG SYSTEM

BER ROTOR

SMOKE S3

- NITI™ INDESTRUCTIBLE TITANINUM BAIL SUPER SMOOTH OSCILLATION Ο
- ASYMMETRIC PERFORMANCE GEAR DESIGN \mathbf{O}

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
SM15XPT	15	140/6	130/20	5.7:1	8	27	11+1	6.4
SM25XPT	25	150/8	160/20	6.0:1	18	32	11+1	8.0
SM30XPT	30	150/10	220/20	6.0:1	20	35	11+1	8.3
SM40XPT	40	230/10	200/30	6.0:1	22	38	11+1	10.3

Packaging: box

Packaging: box

MODEL

SM100HPT

SM101HPT

SM100PPT

SM100SPT

SM101SPT

SM100XPT

SM101XPT





The Smoke® S3 series features blank designs with much faster tapers providing a deadly combination of tip action for casting performance and powerful butt sections for hook setting force. Our HSX64 high-strain Toray graphite material yields an incredibly lightweight but sensitive blank that's finished with a Fuji® SK2 skeletal reel seat and Kigan® alconite guides.

0	HSX64™ HIGH MODULUS GRAPHITE ROD	0	PERFORMANCE ACTIONS
0	FUJI® 2-PIECE REEL SEAT	0	PREMIUM COMPONENTS
0	KIGAN® ALCONITE GUIDES	0	BUILT-IN HOOK KEEPER™

IODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
C6106XF	Casting	6'10"	MH	X-Fast	1	10–17	3/8–1	Split EVA
MC704F	Casting	7'0"	ML	Fast	1	6–10	1/8–1/2	Split EVA
MC705F	Casting	7'0"	М	Fast	1	8–14	1/4–5/8	Split EVA
MC706F	Casting	7'0"	MH	Fast	1	10–17	3/8–1	Split EVA
IC707XF	Casting	7'0"	Н	X-Fast	1	12–25	7/16–1 1/2	Split EVA
IC726XF	Casting	7'2"	MH	X-Fast	1	10–17	3/8–1	Split EVA
1C747XF	Casting	7'4"	Н	X-Fast	1	12–25	7/16–1 1/2	Split EVA
IC767XF	Casting	7'6"	н	X-Fast	1	12–25	7/16–1 1/2	Split EVA
C7107XF	Casting	7'10"	Н	X-Fast	1	15–30	7/16–2	Split EVA
	C6106XF AC704F AC705F AC706F IC707XF IC726XF IC747XF IC767XF	C6106XF Casting MC704F Casting MC705F Casting MC706F Casting MC707XF Casting MC726XF Casting MC726XF Casting MC747XF Casting	C6106XF Casting 6'10" MC704F Casting 7'0" MC705F Casting 7'0" MC706F Casting 7'0" MC7070F Casting 7'0" MC706F Casting 7'0" MC707XF Casting 7'0" MC707XF Casting 7'0" MC707XF Casting 7'2" MC747XF Casting 7'4" MC767XF Casting 7'6"	C6106XF Casting 6'10" MH MC704F Casting 7'0" ML MC705F Casting 7'0" M MC706F Casting 7'0" M MC706F Casting 7'0" MH MC707XF Casting 7'0" H MC707XF Casting 7'0" H MC726XF Casting 7'2" MH MC747XF Casting 7'4" H MC767XF Casting 7'6" H	C6106XFCasting6'10"MHX-FastMC704FCasting7'0"MLFastMC705FCasting7'0"MFastMC706FCasting7'0"MHFastMC707XFCasting7'0"HX-FastMC706XFCasting7'2"MHX-FastMC726XFCasting7'2"MHX-FastMC747XFCasting7'4"HX-FastMC767XFCasting7'6"HX-Fast	C6106XFCasting6'10"MHX-Fast1MC704FCasting7'0"MLFast1MC705FCasting7'0"MFast1MC706FCasting7'0"MHFast1MC707XFCasting7'0"HX-Fast1MC726XFCasting7'2"MHX-Fast1MC726XFCasting7'4"HX-Fast1MC747XFCasting7'4"HX-Fast1MC767XFCasting7'6"HX-Fast1	IODEL TYPE LENGTH POWER ACTION PIECES POUNDS C6106XF Casting 6'10" MH X-Fast 1 10–17 MC704F Casting 7'0" ML Fast 1 6–10 MC705F Casting 7'0" ML Fast 1 8–14 MC706F Casting 7'0" MH Fast 1 10–17 IC707XF Casting 7'0" H X-Fast 1 10–17 IC707XF Casting 7'0" H X-Fast 1 10–17 IC707XF Casting 7'2" MH X-Fast 1 10–17 IC726XF Casting 7'2" MH X-Fast 1 10–17 IC747XF Casting 7'4" H X-Fast 1 12–25 IC767XF Casting 7'6" H X-Fast 1 12–25	IODEL TYPE LENGTH POWER ACTION PIECES POUNDS OUNCES C6106XF Casting 6'10" MH X-Fast 1 10–17 3/8–1 AC704F Casting 7'0" ML Fast 1 6–10 1/8–1/2 AC705F Casting 7'0" M Fast 1 8–14 1/4–5/8 AC706F Casting 7'0" MH Fast 1 10–17 3/8–1 IC707XF Casting 7'0" MH Fast 1 10–17 3/8–1 IC707XF Casting 7'0" H X-Fast 1 10–17 3/8–1 IC707XF Casting 7'0" H X-Fast 1 12–25 7/16–1 1/2 IC726XF Casting 7'4" H X-Fast 1 12–25 7/16–1 1/2 IC767XF Casting 7'6" H X-Fast 1 12–25 7/16–1 1/2



Crafted with HSX64 high-strain Toray graphite, a lightweight yet sensitive blank material, and a Fuji® SK2 skeletal reel seat, the Smoke® S3 series of spinning rods are designed with much faster tapers providing increased tip action for improved casting and a powerful butt section for unbeatable hook setting leverage. Complete with a split-grip EVA handle and Kigan® alconite guides, Smoke® S3 spinning rods are a rock-solid choice for any angler.

O HSX64™ HIGH MODULUS GRAPHITE ROD	• PERFORMANCE ACTIONS
○ FUJI® 2-PIECE REEL SEAT	O PREMIUM COMPONENTS
○ KIGAN® ALCONITE GUIDES	O BUILT-IN HOOK KEEPER™

MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
SMS634XF	Spinning	6'3"	М	X-Fast	1	6–12	3/16–5/8	Split EVA
SMS684XF	Spinning	6'8"	М	X-Fast	1	6–12	3/16–5/8	Split EVA
SMS6105XF	Spinning	6'10"	MH	X-Fast	1	8–14	3/8–3/4	Split EVA
SMS723XF	Spinning	7'2"	ML	X-Fast	1	4–10	1/16–3/8	Split EVA
SMS725XF	Spinning	7'2"	MH	X-Fast	1	8–14	3/8–3/4	Split EVA
SMS744XF	Spinning	7'4"	М	X-Fast	1	6–12	3/16–5/8	Split EVA

Packaging: open stock











From its stylish oversized 90mm carbon fiber handle featuring large and comfortable cork rubber handles, to its mirror finish side covers and metallic finish aluminum frame, Vapor[™] performance projects rich sportiness. Beneath Vapor's shiny surface however are 11 bestin-the business bearings for super smoothness, and an aluminum drive gear to assure long term durability and sleek function. Vapor's performance nickel titanium bail wire is exclusive to Quantum and won't bend like the bail wires on competitive spinning reels are prone to. Vapor[™] is built with an all aluminum unibody construction called Reel Engine Design[™] that keeps all the gears and key components in precise alignment for a smoother more durable reel, versus more typical two-part reels.

O ONE-PIECE ALUMINUM FRAME

O CERAMIC CARBON DRAG SYSTEM

- O MICRO-ADJUST ACS™ 3.0 CAST CONTROL
- O ZERO FRICTION™ PINION DESIGN
- O OVERSIZED 90 MM CARBON FIBER HANDLE
- **O PERFORMANCE SPEED BEARINGS**

MODEL	S.	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
VP100HPT	RH	135/12	170/30	7.0:1	18	29	10+1	6.7
VP101HPT	LH	135/12	170/30	7.0:1	18	29	10+1	6.7
VP100SPT	RH	135/12	170/30	6.3:1	18	27	10+1	6.7

Packaging: box

0	R.E.D™ ALUMINUM UNIBODY DESIGN
0	CERAMIC CARBON DRAG SYSTEM

- O C4LF CARBON FIBER ROTOR
- NITI™ INDESTRUCTIBLE TITANINUM BAIL
- O SUPER SMOOTH OSCILLATION
- PERFORMANCE GEAR DESIGN

	MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT
-	VP15XPT	15	140/6	130/20	5.7:1	8	27	9+1	6.6
-	VP25XPT	25	150/8	160/20	6.0:1	18	32	9+1	8.2
-	VP30XPT	30	150/10	220/20	6.0:1	20	35	9+1	8.5
	VP40XPT	40	230/10	200/30	6.0:1	22	38	9+1	10.5
-									

Packaging: box





One look at Vapor[™] and you'll be hooked. A super rich cosmetic package combines good looks with elite level performance. Vapor is designed with very fast tapered HSX60 high strain Toray graphite for incredible sensitivity and enough backbone to pull fish from the nastiest cover. The series is finished off with premium cork handles, Kigan® aluminum oxide guides, and a one-piece ACS style reel seat.

It's love at first sight with Quantum's Vapor[™] spinning rods. Boasting a rich cosmetic package and elite-level performance, Vapor is designed with enough backbone to pull fish out from even the deepest cover. Built with a fast tapered HSX60 high-strain Toray graphite, these rods have the perfect balance of sensitivity and strength. Vapor rods are completed with a Kigan® aluminum oxide guides and a premium cork handle.

0	HSX60™ HIGH MODULUS GRAPHITE ROD	O PREMIUM COMPONENTS
0	KIGAN® ALUMINUM-OXIDE GUIDES	O PERFORMANCE GUIDE SYSTEM
0	PERFORMANCE ACTIONS	<mark>o</mark> Built-In Hook Keeper™

MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
VPS634XF	Spinning	6'3"	М	X-Fast	1	6–12	1/8–3/8	Split cork
VPS684XF	Spinning	6'8"	М	X-Fast	1	6–12	1/8–1/4	Split cork
VPS6105XF	Spinning	6'10"	MH	X-Fast	1	6–14	1/8–3/8	Split cork
VPS723XF	Spinning	7'2"	ML	X-Fast	1	6–10	1/16–5/16	Split cork
VPS725XF	Spinning	7'2"	MH	X-Fast	1	8–14	1/4–3/4	Split cork
VPS744XF	Spinning	7'4"	Μ	X-Fast	1	8–14	3/16–3/8	Split cork

Packaging: open stock

O HSX60™ HIGH MODULUS GRAPHITE ROD

- KIGAN[®] ALUMINUM-OXIDE GUIDES
- **O** PERFORMANCE ACTIONS

C	PREI	YIUM CO	MPONENTS
		'IIUI'I LU	INFUNENIJ

- PERFORMANCE GUIDE SYSTEM
 - O BUILT-IN HOOK KEEPER™

MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
VPC6106XF	Casting	6'10"	MH	X-Fast	1	8–17	1/4–1/2	Split cork
VPC704F	Casting	7'0"	ML	Fast	1	8–12	1/4—5/16	Split cork
VPC705F	Casting	7'0"	М	Fast	1	8–14	1/4–3/8	Split cork
VPC706F	Casting	7'0"	MH	Fast	1	8–17	1/4-1/2	Split cork
VPC707XF	Casting	7'0"	Н	X-Fast	1	12–25	7/16–1 1/2	Split cork
VPC726XF	Casting	7'2"	MH	X-Fast	1	8–17	1/4-1/2	Split cork
VPC747XF	Casting	7'4"	Н	X-Fast	1	12–25	7/16–1 1/2	Split cork
VPC767XF	Casting	7'6"	Н	X-Fast	1	12–25	7/16–1 1/2	Split cork
VPC7107XF	Casting	7'10"	Н	X-Fast	1	15–30	7/16–2	Split cork





Built to take on any fish in any element. The Quantum Reliance is super durable, and equally at home in freshwater or saltwater. The water-resistant sealing and maintenance free design protects the reel's bearings, gears and other critical components from water, corrosion, sand and wear. With a durable aluminum body and forged aluminum spool the Quantum Reliance keeps on fighting long after lesser reels have called it quits.

WATER-TIGHT SEAL
 CERAMIC CARBON DRAG SYSTEM
 DURA-LOK CLUTCHTM

O PERFORMANCE GEAR DESIGN

O PERFORMANCE ANTI-CORROSION BEARINGS

O SALTGUARD PROTECTION

	MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES	
-	REL30XPT	30	150/10	205/20	6.2:1	20	33	5+1	9.7	
NEW	REL35XPT	35	205/10	275/20	6.2:1	22	36	5+1	10.0	
_	REL40XPT	40	285/10	260/30	6.0:1	25	37	5+1	14.0	
NEW	REL45XPT	45	275/12	325/30	6.0:1	30	40	5+1	14.4	
_	REL55XPT	55	315/14	255/50	5.6:1	35	41	5+1	21.9	
	REL65XPT	65	275/20	240/65	5.6:1	40	43	5+1	23.0	
NEW	REL85XPT	85	300/30	405/65	4.2:1	50	40	5+1	30.0	

Packaging: box



The Quantum Reliance combo won't let you down, whatever the weather or wherever the water. It's as strong on saltwater as it is on freshwater, thanks to a water-tight, fully sealed and maintenance-free design that shields the reel's bearings, gears and other critical components from water, corrosion, sand and wear. The durable, aluminum-bodied spinning reel is paired with an equally-strong graphite rod for peak performance that's always in its element — long after its competitors fizzle out.

- DURABLE GRAPHITE ROD
 STAINLESS STEEL CUSHIONED HOOD REEL SEAT
 HEAVY DUTY GUIDES
- WATER-TIGHT SEALCERAMIC CARBON DRAG SYSTEM
- O DURA-LOK CLUTCH™

	MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
_	RELC30721M	30	7'2"	М	Fast	1	10–17	1/4-3/8	Cork
NEW	RELC35721M	35	7'2"	М	Fast	1	10–17	1/4–3/8	Cork
NEW	RELC35761M	35	7'6"	М	Fast	1	10–17	1/4–3/8	Cork
_	RELC40721MH	40	7'2"	MH	Fast	1	10–25	3/8–1	Cork
	RELC40761M	40	7'6"	М	Fast	1	10–17	1/4–3/8	Cork
	RELC45721MH	45	7'2"	MH	Fast	1	10–25	3/8–1	Cork
NEW	RELB45701M	45	7'0"	М	Fast	1	12–30	1/2-4	EVA
NEW	RELB55701M	55	7'0"	М	Fast	1	12–30	1/2-4	EVA
	RELB65701M	65	7'0"	М	Fast	1	12–30	1/2-4	EVA
	RELB65802MH	65	8'0"	MH	Fast	2	15–40	1/2-4	EVA
NEW	RELB85802MH	85	8'0"	MH	Fast	2	15–40	1/2-4	EVA
NEW	RELB85102H	85	10'0"	Н	Fast	2	20–40	1/2-4	EVA









Energy® S3 features our unique Flippin' Switch™ for pitching, flipping, and trolling techniques. It also sports a boatload of performance features, from the sturdy, one-piece aluminum frame to the silky smooth Ceramic Carbon™ drag system.

Energy® S3 spinning features enhanced performance features with braid band and EVA knob that beats the competition hands down. Available in three sizes 15, 25, and 30 Energy® includes our Reel Engine Design 2.0 technology and CSC Drag system.

ONE-PIECE ALUMINUM FRAME 0 0

- CERAMIC CARBON DRAG SYSTEM 0
- MICRO-ADJUST ACS™ 3.0 CAST CONTROL
- ZERO FRICTION™ PINION DESIGN 0
- **O** FLIPPIN' SWITCH
- **O** PERFORMANCE SPEED BEARINGS

- R.E.D™ ALUMINUM UNIBODY DESIGN Ο
- CERAMIC CARBON DRAG SYSTEM 0
- NITI™ INDESTRUCTIBLE TITANINUM BAIL Ο
- PERFORMANCE GEAR DESIGN Ο
- PERFORMANCE BEARINGS 0
- DURA-LOK CLUTCH™ Ο

MODEL	SW	MONO CAP YARDS/POUNDS	MONO CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
EN100HPT	RH	135/12	170/30	7.0:1	18	29	10+1	7.1
EN101HPT	LH	135/12	170/30	7.0:1	18	29	10+1	7.1
EN100SPT	RH	135/12	170/30	6.3:1	18	27	10+1	7.1

	MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	MONO CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
_	EN15SPT	15	140/6	130/20	5.3:1	7	26	8+1	6.9
_	EN25SPT	25	150/8	160/20	5.2:1	16	28	8+1	8.8
_	EN30SPT	30	150/10	220/20	5.2:1	18	31	8+1	9.0
P	ackaging: box								

Packaging: box





ADDITIONAL COLORS

Ο

Ο



Take charge of your fishing trips with this dependable Quantum Accurist baitcast reel. Constructed with a ceramic-carbon drag system, 8+1 performance speed bearings, ACS cast control and a zero-friction design, Accurist provides extreme smoothness and line fluidity with every cast. A sturdy one-piece aluminum frame equipped with a Flippin' Switch and sealed with SaltGuard Protection keeps this baitcast reel corrosion-free and ready to take on any fish, head-to-head.



ADDITIONAL COLORS



NEW

With a Reel Engine Design (R.E.D.) and a Dura-Lok[™] clutch, the new Accurist spinning reel is more dependable than ever. Its one-piece aluminum frame comes with SaltGuard corrosion protection to withstand salty environments.

- R.E.D™ ALUMINUM UNIBODY DESIGN
 - CERAMIC CARBON DRAG SYSTEM
 - NITI™ INDESTRUCTIBLE TITANINUM BAIL
- O PERFORMANCE GEAR DESIGN
- O PERFORMANCE BEARINGS
- O DURA-LOK CLUTCH™

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
AT15SPTA	15	140/6	130/20	5.3:1	7	24	6+1	7.2
AT25SPTA	25	150/8	160/20	5.2:1	16	26	6+1	8.9
ATBK25SPTA	25	150/8	160/20	5.2:1	16	26	6+1	8.9
ATGR25SPTA	25	150/8	160/20	5.2:1	16	26	6+1	8.9
AT30SPTA	30	150/10	220/20	5.2:1	18	28	6+1	12.8

Packaging: box



• CERAMIC CARBON DRAG SYSTEM

- MICRO-ADJUST ACS™ 3.0 CAST CONTROL O FLIPPIN' SWITCH
- ZERO FRICTION™ PINION DESIGN
- O BAYONET SIDE COVER

MODEL	S.	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
AT100HPTA	RH	135/12	170/30	7.0:1	18	29	8+1	7.5
AT101HPTA	LH	135/12	170/30	7.0:1	18	29	8+1	7.5
ATBK100HPTA	RH	135/12	170/30	7.0:1	18	29	8+1	7.5
ATGR100HPTA	RH	135/12	170/30	7.0:1	18	29	8+1	7.5
AT100SPTA	RH	135/12	170/30	6.3:1	18	27	8+1	7.5

16 *Quantum*







ADDITIONAL REEL COLORS



The Quantum Accurist is the rugged baitcast combo needed for your next fishing adventure. By pairing a baitcast reel developed with a ceramic-carbon drag system and a zero-friction design with a highly sensitive IM7 graphite rod, Quantum Accurist was crafted for anglers looking for increased sensitivity and unbeatable durability.

If you know Quantum, you know our storied history of making the best cranking rods and combos. This cranking combo provides sensitivity and durability with its EGC3™ composite rod, crafted with a custom blend of high-end graphite and fiberglass. Paired with 8 performance bearings and a ceramic carbon drag system in the reel, this cranking combo is the answer to all your cranking needs.

O ONE-PIECE ALUMINUM FRAME

IM7 GRAPHITE ROD 0

- **O** ONE-PIECE ALUMINUM FRAME
- COMFORTGRIP™ ROD HANDLE 0

GRAPHITE REEL SEAT

- O MICRO-ADJUST ACS™ 3.0 CAST CONTROL
- O ZERO FRICTION™ PINION DESIGN

O COMFORTGRIP™ ROD HANDLE O	MICRO-ADJUST ACS™ 3.0 CAST CONTROL
O GRAPHITE REEL SEAT O	ZERO FRICTION™ PINION DESIGN

○ EGC3™ COMPOSITE CRANKING ROD

	MODEL RIGHT-HAND ONLY	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
	AT100H706FA	7'0"	MH	Fast	1	4-10	1/4-1	ComfortGrip™
	ATBK100H706FA	7'0"	MH	Fast	1	4-10	1/4-1	ComfortGrip™
_	ATGR100H706FA	7'0"	MH	Fast	1	4-10	1/4-1	ComfortGrip™

	MODEL RIGHT-HAND ONLY	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
	AT100S705MA	7'0"	М	Moderate	1	10–20	1/4–3/8	ComfortGrip™
F	Packaging: open stock							

aging: open stoci

Packaging: open stock

0





Boasting durability, the Quantum Accurist spinning combo is built with a onepiece aluminum frame and a titanium bail wire, along with a Reel Engine Design (R.E.D) for smooth performance. Designed with 6+1 performance bearings and a Dura-Lok[™] clutch, paired with an IM7 graphite rod and Comfort Grip[™] handle custom cut for an uplocking reel seat, this combo is ready for shaky head, jig head and drop shot fishing.

ONE-PIECE IM7 GRAPHITE ROD COMFORTGRIP™ ROD HANDI F

UPLOCKING GRAPHITE REEL SEAT

O R.E.D™ ALUMINUM UNIBODY DESIGN

- O CERAMIC CARBON DRAG SYSTEM
- NITI™ INDESTRUCTIBLE TITANINUM BAIL

MODEL	REEL SIZE	LENGTH	POWER	ACTION	LINE WT POUNDS	LURE WT OUNCES	TECHNIQUE
AT25704FA	25	7'0"	М	Moderate	4–10	1/8–3/8	Drop shot/Finesse
AT25725XFA	25	7'2"	MH	X-Fast	4–10	1/8–3/4	Shaky head

This Quantum Accurist spinning combo comes equipped with all of the features necessary to overpower even the strongest fish. Designed for smooth, yet hard-working performance, this combo is built with Reel Engine Design (R.E.D), a Dura-Lok[™] clutch, and 6 performance bearings, a one-piece aluminum frame, and a titanium bail wire. Paired with a durable fiberglass rod, hi-res tip, and uplocking reel seat this combo is perfect for multi-species bottom rigging.

- O DURABLE FIBERGLASS ROD
- EVA ROD HANDLE WITH DURABLE RUBBER BUTT CAP
- O HIGH VISIBILITY ROD TIP

- O R.E.D™ ALUMINUM UNIBODY DESIGN
- O CERAMIC CARBON DRAG SYSTEM
- O NITI™ INDESTRUCTIBLE TITANINUM BAIL

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES		
ATBK307052FA	30	7'0"	MH	Fast	2	4–10	1/4–2		
Packaging: open stock									

Packaging: open stock

Ο







Quantum has been making the industry's best cranking rod for years. We are now bringing the same technology and advanced rod design to the Accurist family. The Accurist cranking rod is specifically designed with a custom blend of high-end graphite and fiberglass for unbeatable sensitivity. With the EGC4[™] composite blank, durable EVA handle, stainless steel guides with aluminum oxide inserts and a graphite reel seat, this rod is made for long casts and huge catches.

● EGC4™ COMPOSITE CRANKING ROD ● PREMIUM COMPONENTS ● GRAPHITE REEL SEAT

• STAINLESS STEEL GUIDES WITH ALUMINUM OXIDE INSERTS

- **O** OKAPATIC REEL JEAT
 - O DURABLE EVA ROD HANDLE

MODEL	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	GRIP
ATC705MA	7'0"	М	Moderate	1	10–20	1/4–3/4	EVA

Packaging: open stock

0

PERFORMANCE ACTIONS

Providing hard-working results every time, the Quantum Accurist casting rod is built to handle even the toughest fishing conditions. Constructed with HSX5[™] graphite for durability and increased sensitivity and a durable EVA handle, this rod is sure to provide more accurate casts time after time. This rod is a rock-solid choice for your next fishing excursion.

• HSX5™ HIGH MODULUS GRAPHITE ROD • STAINLESS STEEL GUIDES WITH ALUMINUM OXIDE INSERT

O GRAPHITE REEL SEAT

O BUILT-IN HOOK KEEPER™

O DURABLE EVA ROD HANDLE

MODEL	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	TECHNIQUE
ATC6105XFA	6'10"	М	X-Fast	1	10–20	1/4–1/2	Topwater, Jerkbait
ATC706FA	7'0"	MH	Fast	1	10–20	1/4—1	All-purpose
ATBKC706FA	7'0"	MH	Fast	1	10–20	1/4—1	All-purpose
ATGRC706FA	7'0"	MH	Fast	1	10–20	1/4—1	All-purpose
ATC767XFA	7'6"	Н	X-Fast	1	10–25	3/8–2	Jig, Frog



ADDITIONAL COLORS



These sensitive and durable Accurist spinning rods are not only a great value, but also get the job done right. Designed for finesse and drop shot fishing, these medium HSX5[™] high modulus graphite rods come equipped with uplocking reel seats, durable EVA handles and stainless steel guides with aluminum oxide inserts. Complete with our guaranteed 5-year protection plan and warranty, there's no reason not to test out this new rod on your next fishing excursion.

O HSX5™ HIGH MODULUS GRAPHITE ROD O UPLOCKING GRAPHITE REEL SEAT O BUILT-IN HOOK KEEPER™

MODEL	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	TECHNIQUE
ATS704FA	7'0"	М	Moderate	1	4–10	1/8–3/8	Drop shot, Finesse
ATS725XFA	7'2"	MH	X-Fast	1	4–10	1/8–1/2	Shaky head
ATBKS725XFA	7'2"	MH	X-Fast	1	4–10	1/8–1/2	Shaky head
ATGRS725XFA	7'2"	MH	X-Fast	1	4–10	1/8–1/2	Shaky head







The Throttle baitcast reel provides a strong but lightweight platform for durability. Throttle features 8 bearings and a magnetic cast control that gives the angler the ability to adjust the cast control to match their needs without removing the side cover. Throttle also features Zero-Friction Pinion design where the pinion gear is held exactly in place by a ball bearing

so there is no contact with the spool shaft during casting.

EVA HANDLE KNOBS

CONTINUOUS ANTI-REVERSE™ CLUTCH

0	ZERO FRICTION™ PINION	○ EVA HANDLE KNOBS
0	DYNAMAG® CAST CONTROL	O CONTINUOUS ANTI-REVERS
0	LIGHTWEIGHT GRAPHITE FRAME AND SIDE COVERS	○ 8 BEARINGS (7 + CLUTCH)

MODEL	S.	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
TH100HA	RH	135/12	170/30	7.3:1	15	31	7+1	7.6
TH101HA	LH	135/12	170/30	7.3:1	15	31	7+1	7.6
TH100SA	RH	135/12	170/30	6.6:1	15	28	7+1	7.6

Packaging: box





Throttle spinning reels feature 11 bearings, a premium look and increased value. Built with Zero Friction™ pinion, R.E.D™, an anodized aluminum bail wire, and DynaMag® cast control, the Throttle is the strong and lightweight definition of durability.

○ R-E-D™ ALUMINUM UNIBODY DESIGN 0 O MAXCAST™ II SPOOL WITH BRAID BAND • ANODIZED ALUMINUM BAIL WIRE

ULTRA SMOOTH AND DURABLE GEAR SYSTEM

- **O** FRONT-ADJUSTABLE DRAG
- CONTINUOUS ANTI-REVERSE ™ CLUTCH \mathbf{O}

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
TH10A	10	125/4	110/10	5.3:1	9	27	10+1	7.3
TH20A	20	150/8	160/20	5.2:1	10	28	10+1	9.4
TH30A	30	150/10	220/20	5.2:1	10	30	10+1	9.8
TH40A	40	230/10	240/30	5.3:1	13	35	10+1	12.6

Packaging: box & clam





The Throttle baitcast reel provides a strong but lightweight platform for durability. Throttle also features Zero-Friction Pinion Design where the pinion gear is held exactly in place by two ball bearings so there is no contact with the spool shaft during casting. This right-hand combo includes a medium-heavy power rod with an IM8 graphite construction blank.

IM8 GRAPHITE ROD ZERO FRICTION™ PINION DYNAFLOW™ ALUMINUM-DXIDE GUIDES DYNAMAG® CAST CONTROL COMFORTGRIP™ ROD HANDLE LIGHTWEIGHT GRAPHITE FRAME AND SIDE COVERS

MODEL RIGHT-HAND ONLY	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
TH100691MHA	6'9"	MH	Fast	1	8–14	1/4–3/8	ComfortGrip™
TH100701MHA	7'0"	MH	Fast	1	8–14	1/4—5/8	ComfortGrip™
TH100721MHA	7'2"	МН	Fast	1	8–14	1/4–5/8	ComfortGrip™

Packaging: open stock

Throttle spinning reels feature 11 bearings, a premium look and increased value. Throttle borrows performance technologies like R.E.D.[™] and Maxcast II spool and machined spool. This hard-working reel is custom matched with an IM8 graphite construction blank and all-weather polymer ComfortGrip[™] rod handle.

IM8 GRAPHITE ROD
DYNAFLOW™ ALUMINUM-OXIDE GUIDES
COMFORTGRIP™ ROD HANDLE
COMFORTGRIP™ ROD HANDLE
R·E·D™ ALUMINUM UNIBODY DESIGN
MAXCAST™ II SPOOL WITH BRAID BAND
ANODIZED ALUMINUM BAIL WIRE

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
TH10502ULA	10	5'0"	UL	Fast	2	2–6	1/64–1/8	ComfortGrip™
TH10602MLA	10	6'0"	ML	Fast	2	6–10	1/8–1/4	ComfortGrip™
TH10661MLA	10	6'6"	ML	Fast	1	6–10	1/8–1/4	ComfortGrip™
TH20602MLA	20	6'0"	ML	Fast	2	6–10	1/8–1/4	ComfortGrip™
TH20661MA	20	6'6"	М	Fast	1	6–12	1/4–3/8	ComfortGrip™
TH20662MA	20	6'6"	М	Fast	2	6–12	1/4–3/8	ComfortGrip™
TH30662MA	30	6'6"	М	Fast	2	6–12	1/4–3/8	ComfortGrip™
TH40662MA	40	6'6"	М	Fast	2	6–12	1/4–3/8	ComfortGrip™
TH40701MHA	40	7'0"	МН	Fast	1	8–15	1/4–5/8	ComfortGrip™







Pulse is a very affordable baitcast reel packed with high-end features like our DynaMag® magnetic cast control, zero-friction pinion design, and oversized 90mm handle. Pulse packs 5 bearings in a precision lightweight graphite frame that casts with the precision of reels twice the price.

○ ZERO FRICTION™ PINION ○ LIGHTWEIGHT GRAPHITE FRAME AND SIDE COVER

○ DYNAMAG® CAST CONTROL (

○ EVA HANDLE KNOBS

○ ALUMINUM SKELETAL SPOOL ○ CONTINUOUS ANTI-REVERSE™ CLUTCH

MODEL	SW	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
PL100SA	RH	135/12	170/30	6.6:1	15	28	4+1	7.6
PL101SA	LH	135/12	170/30	6.6:1	15	28	4+1	7.6

Packaging: box & clam

Quantum Pulse features high-end technologies, like our DynaMag® magnetic cast control, floating pinion gear, and oversized 90mm handle, without the high-end price tag. The combos feature a matching medium-heavy graphite rod that's perfect for many different lure techniques.

0	GRAPHITE ROD	0	ZERO FRICTION™ PINION
0	DYNAFLOW™ ALUMINUM-OXIDE GUIDES	0	DYNAMAG® CAST CONTROL
0	COMFORTGRIP™ ROD HANDLE	0	ALUMINUM SKELETAL SPOOL

MODEL RIGHT-HAND ONLY	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
PL100661MHA	6'6"	MH	Fast	1	10–20	1/4—1	ComfortGrip™
PL100701MHA	7'0"	MH	Fast	1	8–14	1/4–5/8	ComfortGrip™

DRIVE SPINNING REELS





The Quantum Drive[™] spinning reel is built from the same unibody construction as the popular Quantum Throttle[™] with precisely aligned gears for the sort of smoothness found in much pricier reels. Quantum's exclusive Reel Engine Design[™] means the graphite body used to build Drive[™] is all one gear box, compared to the 2-piece construction found in lesser quality, looser-feeling, reels at even higher prices.

○ CONTINUOUS ANTI-REVERSE™ CLUTCH

○ 9 BEARINGS (8 + CLUTCH)

CHANGEABLE RIGHT- OR LEFT-HAND RETRIEVE

Quantum's Drive[™] spinning combo unites a reel built with Quantum's exclusive Reel Engine Design[™] and precisely aligned gears with an IM7 performance graphite rod featuring an EVA foam handle for extreme smoothness and unparalleled rod sensitivity.

IM7 GRAPHITE ROD
 R·E·D™ GRAPHITE UNIBODY DESIGN
 Split-grip eva handle
 Double-anodized long stroke™ aluminum spool
 D-Ring Guides
 Anodized aluminum bail wire

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
DR05	05	100/4	—	5.7:1	6	24	7+1	5.4
DR10	10	125/4	110/10	5.3:1	9	27	8+1	6.8
DR20	20	150/8	160/20	5.2:1	10	28	8+1	8.9
DR30	30	180/8	220/20	5.2:1	10	30	8+1	9.3

Packaging: box & clam

Ο

0

0

R·E·D™ GRAPHITE UNIBODY DESIGN

ANODIZED ALUMINUM BAIL WIRE

DOUBLE-ANODIZED LONG STROKE™ ALUMINUM SPOOL ○

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
DR05562UL	05	5'6"	UL	Fast	2	2–6	1/16–1/4	Split EVA
DR10562UL	10	5'6"	UL	Fast	2	2–6	1/16–1/4	Split EVA
DR10602L	10	6'0"	L	Fast	2	4–8	1/16–5/16	Split EVA
DR20602ML	20	6'0"	ML	Fast	2	6–10	1/8-1/2	Split EVA
DR20662ML	20	6'6"	ML	Fast	2	6–10	1/8-1/2	Split EVA
DR20662M	20	6'6"	М	Fast	2	6–12	1/4–5/8	Split EVA
DR30662M	30	6'6"	М	Fast	2	6–12	1/4–5/8	Split EVA
DR30702M	30	7'0"	М	Fast	2	6–12	1/4–5/8	Split EVA







The tough-yet-smooth design and extreme durability of the Quantum Invade makes it the perfect reel for anglers of any experience level. Complete with DynaMag® Cast Control, Continuous Anti-Reverse[™] clutch, and Zero Friction[™] pinion design, this rock-solid reel is created to last in real-world conditions.

The tough-yet-smooth design and compact size of Invade baitcast makes it the perfect combo for anglers of any experience level. Complete with a 5-bearing system, Continuous Anti-Reverse™ clutch, Zero-Friction Pinion Design, and an IM6 graphite rod, this combo is the go-to choice of the real-world angler.

O ZERO FRICTION™ PINION

- O OVERSIZED HANDLE KNOBS
- DYNAMAG® CAST CONTROL
- O LIGHTWEIGHT GRAPHITE FRAME
- O 90MM HANDLE FOR EXTRA CRANKING POWER
- CONTINUOUS ANTI-REVERSE ™ CLUTCH

0	MG GR/	NPHITE	ROD
---	--------	---------------	-----

- O STAINLESS STEEL CUSHIONED HOOD REEL SEAT
- O SPLIT-GRIP EVA HANDLE

- O ZERO FRICTION™ PINION
- O DYNAMAG® CAST CONTROL
- O SOMM HANDLE FOR EXTRA CRANKING POWER

MODEL	S.	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
INV100S	RH	135/12	170/30	6.1:1	15	26	4+1	8.4
INV101S	LH	135/12	170/30	6.1:1	15	26	4+1	8.4

Packaging: box & clam

MODEL	S.	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
INV100661M	RH	6'6"	М	Fast	1	8–17	1/4–5/8	Split-EVA
INV101661M	LH	6'6"	М	Fast	1	8–17	1/4–5/8	Split-EVA
INV100662MH	RH	6'6"	MH	Fast	2	10–20	3/8–1	Split-EVA
INV101662MH	LH	6'6"	MH	Fast	2	10–20	3/8–1	Split-EVA





Smooth, fish-fighting performance at an even smoother price. This super-responsive, lightweight composite spinning reel offers the silky-smooth retrieves and drag performance found in reels costing more. Armed with a forged, double-anodized aluminum spool, Continuous Anti-Reverse™ clutch, and front-adjustable drag, it's a strategy no fish could figure out. Strategy[™] reels are available in a wide range of sizes to target just about anything that swims.

TRII RAI ANCF™ ROTOR 0

Ο

O FRONT-ADJUISTABLE DRAG

FORGED AND MACHINED DOUBLE ANODIZED SPOOL Ο

LIGHTWEIGHT COMPOSITE BODY

○ CONTINUOUS ANTI-REVERSE™ CLUTCH O CHANGEABLE RIGHT- OR LEFT-HAND RETRIEVE

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT POUNDS
SR05A	05	110/4	180/8	5.2:1	4	23	5+1	5.5
SR10A	10	125/4	205/8	5.2:1	8	24	5+1	6.3
SR20A	20	140/6	160/15	5.2:1	10	30	5+1	8.8
SR30A	30	160/8	250/15	5.2:1	12	32	5+1	10.1
SR40A	40	230/10	310/20	5.2:1	14	34	5+1	10.7
SR60A	60	220/17	510/20	5.2:1	18	38	5+1	14.5





The highest-performing spinning combo at a great value. That's the winning blueprint behind the redesigned Quantum Strategy™. Features a highly intricate, super-responsive spinning reel that brings the silky-smooth retrieves and elite drag performance. Boasting a forged, double-anodized aluminum spool and Continuous Anti-Reverse™ clutch, it's perfectly paired with a sleek IM7 graphite rod at any action - a strategic fish-fighting combo at a fraction the cost.

O IM7 GRAPHITE ROD O TRU BALANCE™ ROTOR 0

NATURAL CORK ROD HANDLE • FORGED AND MACHINED DOUBLE ANODIZED SPOOL

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
SR05502ULA	05	5'0"	UL	Fast	2	2–6	1/16–1/4	Natural cork
SR05562ULA	05	5'6"	UL	Fast	2	2–6	1/16-1/4	Natural cork
SR10502ULA	10	5'0"	UL	Fast	2	2–6	1/16-1/4	Natural cork
SR10562LA	10	5'6"	L	Fast	2	4–8	1/16–5/16	Natural cork
SR10601MLA	10	6'0"	ML	Fast	1	4–10	1/8-1/2	Natural cork
SR10662MLA	10	6'6"	ML	Fast	2	4–10	1/8-1/2	Natural cork
SR20601MLA	20	6'0"	ML	Fast	1	4–10	1/8-1/2	Natural cork
SR20662MLA	20	6'6"	ML	Fast	2	4–10	1/8-1/2	Natural cork
SR20662MA	20	6'6"	М	Fast	2	6–12	1/4—5/8	Natural cork
SR20701MA	20	7'0"	М	Fast	1	6–12	1/4—5/8	Natural cork
SR30662MA	30	6'6"	М	Fast	2	6–12	1/4–5/8	Natural cork
SR30701MA	30	7'0"	М	Fast	1	6–12	1/4-5/8	Natural cork
SR30702MA	30	7'0"	М	Fast	2	6–12	1/4-5/8	Natural cork
SR40702MA	40	7'0"	М	Fast	2	6–12	1/4-5/8	Natural cork
SR40702MHA	40	7'0"	МН	Fast	2	8–14	1/4-3/4	Natural cork
SR40862MLA	40	8'6"	ML	Moderate	2	8–17	1/4-3/4	Natural cork
SR60702MHA	60	7'0"	MH	Fast	2	8–14	1/4-3/4	Natural cork
SR60902MA	60	9'0"	М	Moderate	2	8–20	1/4-3/4	Natural cork

OPTIX SPINNING REELS



Optix spinning reels are loaded with features including a strong and lightweight graphite body, solid brass pinion gear, TRU-Balance™ rotor design, and a forged and machined aluminum spool that delivers super smooth drag runs.

0	TRU BALANCE™ ROTOR	○ FRONT-ADJUSTABLE DRAG
0	MACHINED ALUMINUM SPOOL	○ CONTINUOUS ANTI-REVERSE™ CLUTCH
0	LIGHTWEIGHT COMPOSITE BODY AND SIDE PLATE	O CHANGEABLE RIGHT- OR LEFT-HAND RETRIEVE

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES	
OP05D	05	110/4	180/8	5.2:1	4	20	3+1	5.5	
OP10D	10	125/4	205/8	5.2:1	6	22	3+1	6.4	
OP20D	20	140/6	160/15	5.2:1	10	30	3+1	8.8	
OP30D	30	160/8	250/15	5.2:1	12	32	3+1	10.1	
OP40D	40	230/10	310/20	5.2:1	14	34	3+1	10.7	
OP60D	60	250/17	390/30	4.9:1	16	33	4	18.6	
OP80D	80	245/25	360/50	4.9:1	16	37	4	19.4	
Packaging: bo	Packaging: box & clam								

Packaging: box & clam



Quantum Optix combos are offered in a wide variety of sizes and actions and feature our performance graphite composite rod with DynaFlow™ guides. The Optix spinning reels are loaded with features including a strong and lightweight graphite body, solid brass pinion gear, TRU-Balance™ rotor design, and a forged and machined aluminum spool that delivers super smooth drag runs.

O GRAPHITE COMPOSITE ROD	O TRU BALANCE™ ROTOR
• SPLIT-GRIP AND EXTENDED EVA ROD HANDLE	O FORGED AND MACHINED ALUMINUM SPOOL
○ D-RING GUIDES	O LIGHTWEIGHT COMPOSITE BODY AND SIDE PLATE

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
OP05502ULD	05	5'0"	UL	Fast	2	2–6	1/64–1/8	Split EVA
OP10562LD	10	5'6"	L	Fast	2	4–8	1/32-1/4	Split EVA
OP20602MD	20	6'0"	М	Fast	2	6–14	1/8–1/2	Split EVA
OP20662LD	20	6'6"	L	Fast	2	4–8	1/32-1/4	Split EVA
OP30662MD	30	6'6"	М	Fast	2	6–14	1/8–1/2	Split EVA
OP40702MD	40	7'0"	М	Fast	2	6–14	1/8–1/2	Split EVA
OP60702MHD	60	7'0"	MH	Fast	2	15–40	1/2-4	Split EVA
OP60802MD	60	8'0"	М	Fast	2	15–30	1/2-4	Split EVA
OP60902MD	60	9'0"	М	Fast	2	15–30	1/2-4	Split EVA
OP80802MD	80	8'0"	М	Fast	2	15–30	1/2-4	Extended EVA
OP80102HD	80	10'0"	Н	Fast	2	20–60	5/8–6	Extended EVA

SPINNING REEL



This ultra-light spinning reel is ideal for trout and panfish, and features a lightweight composite body and side cover, TRU-Balance[™] rotor design and a smooth drag. The perfect reel for anglers of any experience level, Quantum's Xtralite spinning reel is built with a Continuous Anti-Reverse[™] clutch and a Long Stroke[™] aluminum spool to provide top performance for many fishing trips to come

O TRU BALANCE™ ROTOR	O CONTINUOUS ANTI-REVERSE™ CLUTCH
O LONG STROKE™ ALUMINUM SPOOL	• CHANGEABLE RIGHT- OR LEFT-HAND RETRIEVE
• FRONT-ADJUSTABLE DRAG	○ 4 BEARINGS (3 + CLUTCH)

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	GEAR RATIO	IPT	BEARINGS	WEIGHT OUNCES
XTR05	05	110/4	5.2:1	20	3+1	5.7
De altre altre autorite de						

Packaging: clam



Quantum Xtralite combos and rods feature high-modulus graphite designed for excellent sensitivity when using light lines. The rods feature our MicroTrac[™] guide system to reduce weight and deliver greater control and the comfortable split-grip EVA handle lets you fish longer with less fatigue.

○ IM6 GRAPHITE ROD ○ SPLIT-GRIP EVA ROD HANDLE ○ ALUMINUM-OXIDE GUIDES

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
XTS05461UL	05	4'6"	UL	Fast	1	2–6	1/64–1/8	Split EVA
XTS05502UL	05	5'0"	UL	Fast	2	2–6	1/64–1/8	Split EVA
XTS05602UL	05	6'0"	UL	Fast	2	2–6	1/64–1/8	Split EVA

Packaging: open stock



MODEL	LENGTH	POWER	ACTION	PIECES	LINE	LURE	ROD HANDLE
XTS461ULB	4'6"	UL	Fast	1	2–6	1/64–1/8	Split EVA
XTS501ULB	5'0"	UL	Fast	1	2–6	1/64–1/8	Split EVA
XTS562ULB	5'6"	UL	Fast	2	2–6	1/64–1/8	Split EVA
XTS602ULB	6'0"	UL	Fast	2	2–6	1/64–1/8	Split EVA
XTS661ULB	6'6"	UL	Fast	1	4–8	1/32–3/16	Split EVA
XTS662ULB	6'6"	UL	Fast	2	2–6	1/64–1/8	Split EVA
XTS701ULB	6'6"	UL	Fast	1	4–8	1/32–3/16	Split EVA







Constructed with a solid glass tip and reinforced graphite rod for unbelievable strength and extended rod life, Quantum Embark[™] telescopic rod is extremely durable and built to withstand the most rugged fishing conditions. Collapsing from 6'6" to 1.5', the Embark rod is ultra-durable, compact and hard-working. With its sensitive IM6 graphite rod and comfortable EVA handle, this telescopic rod is dependable & designed to last.

○ SOLID GLASS TIP	O DURABLE EVA HANDLE
○ IMG GRAPHITE ROD	○ EXTENDS TO 6'6"
○ REINFORCED ROD	○ FAST ACTION

MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
EMBTELC665MH	Spincast	19" to 6'6"	MH	Fast	Tele	8–20	1/4–1	Durable EVA
EMBTELS665M	Spinning	19" to 6'6"	М	Moderate	Tele	6–17	1/8–1/2	Durable EVA

Packaging: flat board





Quantum Telecast combos are designed for easy stowing and transport. Just collapse the telescopic graphite rod and keep them ready for just about every situation. Each Telecast combo also comes pre-spooled with Cajun Line™.



Telecast is the ultimate travel rod. Built of our exclusive QX24 IM6 graphite with D-ring guides and a pro-style split-grip EVA handle.

0	GRAPHITE ROD	

O SPLIT-GRIP EVA HANDLE

O D-RING GUIDES

MODEL	TYPE	LENGTH	POWER	ACTION	POUNDS	OUNCES	ROD HANDLE
QXTELC605M	Casting	18.5" to 6'0"	М	Fast	6–12	1/8–1/2	Split EVA
QXTELS505UL	Spinning	18.5" to 5'0"	UL	Fast	2–6	1/64–1/8	Split EVA
QXTELS565L	Spinning	18.5" to 5'6"	L	Fast	2–6	1/64–1/8	Split EVA
QXTELS605ML	Spinning	18.5" to 6'0"	ML	Fast	4–8	1/16–3/8	Split EVA
QXTELS666M	Spinning	18.5" to 6'6"	М	Fast	6–12	1/8–1/2	Split EVA

Packaging: flat board

O GRAPHITE ROD

O LONG STROKE™ ALUMINUM SPOOL

- SPLIT-GRIP EVA HANDLE O LIGHTWEIGHT COMPOSITE BODY AND SIDE PLATE
- O D-RING GUIDES

• FRONT-ADJUSTABLE DRAG

MODEL	REEL SIZE	LENGTH	LENGTH POWER		LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
QX20605MLTEL	20	18.5" to 6'0"	ML	Fast	4–8	1/16–3/8	Split EVA
QX30666MTEL	30	18.5" to 6'6"	М	Fast	6–12	1/8–1/2	Split EVA

Packaging: flat board

0



QX36 rods feature the strength and sensitivity of IM7 graphite and ergonomic Quantumdesigned QX reel seats with stainless steel hoods. The split-grip cork handles on QX36 rods help to reduce weight.

DYNAFLOW™ ALUMINUM-OXIDE GUIDES

O IM7 GRAPHITE ROD

O SPLIT-GRIP CORK HANDLE

Ο

GRAPHEX RODS

Value-priced, yet loaded with the high-performance features you'd expect in more expensive rods. Graphex IM6 graphite blanks are heat bonded with EX-Fiber to provide tight sensitivity and strong backbone.

○ IMG GRAPHITE BONDED WITH EX-FIBER ROD

- DYNAFLOW ™ ALUMINUM-OXIDE GUIDES Ο
- NATURAL CORK ROD HANDLE 0

	MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
	QX36C602MA	Casting	6'0"	М	Fast	2	10–17	1/4—5/8	Split cork
	QX36C661MA	Casting	6'6"	М	Fast	1	10–17	1/4—5/8	Split cork
	QX36C661MHA	Casting	6'6"	MH	Fast	1	10–20	3/8–1	Split cork
	QX36C701MA	Casting	7'0"	М	Fast	1	10–17	1/4—5/8	Split cork
	QX36S501ULA	Spinning	5'0"	UL	Fast	1	2–6	1/16-1/4	Split cork
	QX36S502ULA	Spinning	5'0"	UL	Fast	2	2–6	1/16–1/4	Split cork
	QX36S562LA	Spinning	5'6"	L	Fast	2	4–8	1/16–5/16	Split cork
	QX36S601MLA	Spinning	6'0"	ML	Fast	1	4–10	1/8-1/2	Split cork
	QX36S602MLA	Spinning	6'0"	ML	Fast	2	4–10	1/8-1/2	Split cork
	QX36S661MA	Spinning	6'6"	М	Fast	1	6–12	1/4—5/8	Split cork
	QX36S661MLA	Spinning	6'6"	ML	Fast	1	4–10	1/8-1/2	Split cork
	QX36S662MA	Spinning	6'6"	М	Fast	2	6–12	1/4—5/8	Split cork
	QX36S662MHA	Spinning	6'6"	MH	Fast	2	8–17	1/2–1	Split cork
	QX36S701MA	Spinning	7'0"	М	Fast	1	6–12	1/4—5/8	Split cork
	QX36S702MA	Spinning	7'0"	М	Fast	2	6–12	1/4—5/8	Split cork
I	Packaging: open stock								

MODEL	ТҮРЕ	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
GXC461UL	Casting	4'6"	UL	Fast	1	2–6	1/64–1/8	Natural cork
GXC561M	Casting	5'6"	М	Fast	1	4–8	1/16–3/8	Natural cork
GXC602M	Casting	6'0"	М	Fast	2	6–12	1/8-1/2	Natural cork
GXC661M	Casting	6'6"	М	Fast	1	6–12	1/8-1/2	Natural cork
GXC661MH	Casting	6'6"	MH	Fast	1	10–20	1/4–1	Natural cork
GXC701M	Casting	7'0"	М	Fast	1	6–14	1/8–3/4	Natural cork
GXC701MH	Casting	7'0"	МН	Fast	1	10–20	1/4–1	Natural cork
GXS461UL	Spinning	4'6"	UL	Fast	1	2–6	1/64–1/8	Natural cork
GXS501UL	Spinning	5'0"	UL	Fast	1	2–6	1/64–1/8	Natural cork
GXS562L	Spinning	5'6"	L	Fast	2	2–6	1/64–1/8	Natural cork
GXS601M	Spinning	6'0"	М	Fast	1	4–8	1/16–3/8	Natural cork
GXS601MH	Spinning	6'0"	MH	Fast	1	6–12	1/8-1/2	Natural cork
GXS602M	Spinning	6'0"	М	Fast	2	6–12	1/8-1/2	Natural cork
GXS662M	Spinning	6'6"	М	Fast	2	6–12	1/8-1/2	Natural cork
GXS662ML	Spinning	6'6"	ML	Fast	2	4–8	1/16–3/8	Natural cork
GXS701M	Spinning	7'0"	М	Fast	1	8–17	1/4-3/4	Natural cork
GXS702M	Spinning	7'0"	М	Fast	2	8–17	1/4–3/4	Natural cork

Packaging: open stock





NOVA CONVENTIONAL REELS



The Quantum NOVA[™] reel features an aluminum frame, large EVA handle knobs and an internal centrifugal cast control for consistent casting.

O STRONG ALUMINUM FRAME	O CONTINUOUS ANTI-REVERSE™ CLUTCH
O ALUMINUM SPOOL	○ LARGE EVA HANDLE KNOBS

MODEL	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
NO100R	90/14	160/30	6.2:1	18	23	5+1	9.7
NO350R	200/20	480/30	6.3:1	18	32	5+1	11.9
NO351R	200/20	480/30	6.3:1	18	29	5+1	11.9

Packaging: box

HOT SAUCE OIL

<image>

HOT SAUCE GREASE



Quantum® Hot Sauce[™] Reel Oil bonds molecularly with metal surfaces forming a permanent lubrication layer that will not wash off. This ultra-low viscosity lubricant allows unrestrained rotation of the crank handle, and supports a lightning-fast free spool spin to your reel. In addition, special additives assist the lubricant to molecularly bond with the base metal, creating superior corrosion protection that safeguards against the elements, ensuring optimum performance for the life of your fishing reel.

Quantum® Hot Sauce[™] Reel Grease provides smooth, long-lasting lubrication for all fishing reels. Its hydrophobic formula forces water away to prevent corrosion and structural breakdown. This formula will not deteriorate due to heat and wear, and is specially developed with ultra-low friction polymers that bond to all-metal parts to ensure optimum performance for the life of your fishing reel.

- 100% FULL SYNTHETIC REEL OIL
- SPECIALLY FORMULATED FOR FISHING REELS
- FIGHTS CORROSION BY FORMING A PROTECTIVE BARRIER
- O LOW VISCOSITY ENHANCES FREE ROTATION AND GREATLY REDUCES NOISE
- **O** IMPROVES CASTING DISTANCE

MODEL	DESCRIPTION	MANUFACTURED
HTSCEA	Reel Grease	United States

Packaging: clam

- 100% FULL SYNTHETIC REEL GREASE
- SPECIALLY FORMULATED FOR FISHING REELS
- FIGHTS CORROSION BY FORMING A PROTECTIVE BARRIER
- O PREVENTS BREAKDOWN UNDER HEAVY LOAD AND EXTREME HEAT
- O SUPERIOR ADDITIVES FOR LOW-FRICTION SURFACE, TO ENHANCE PERFORMANCE

MODEL	DESCRIPTION	MANUFACTURED
HTGRSA	Reel Oil	United States

Packaging: clam


GLACIER ICE FISHING SPINNING COMBOS

Glacier X Ice features a lightweight graphite reel with a 3-ball bearing system and a continuous antireverse clutch for smooth performance and solid hook sets. Glacier X Ice comes with an aluminum spool for durability and solid carbon rod for strength while detecting the slightest strike. All combos are equipped with a colored EVA handle for added comfort while reeling in your catch.

Glacier XT Ice features a lightweight graphite reel with a 5-ball bearing system and a continuous anti-reverse clutch for smoother performance and solid hook sets. Glacier XT Ice comes with an aluminum spool for added durability and a solid carbon rod for added strength while detecting the slightest strike. All combos are equipped with 1-piece graphite rod with a cork handle for sensitivity to keep you in touch.

Quantum XTi Ice features a lightweight graphite reel with a Reel Engine Design[™] for superior freeness. It is equipped with an 8-ball bearing system and a Continuous Anti-Reverse[™] clutch for smooth performance and solid hook sets. This combo has an aluminum spool for durability and a solid carbon rod for added strength while detecting the slightest strike.

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	ACTION	PIECES
GLX0524L	05	145/4	5.2:1	24"	L	Fast	1
GLX0524UL	05	145/4	5.2:1	24"	UL	Fast	1
GLX0526L	05	145/4	5.2:1	26"	L	Fast	1
GLX0526ML	05	145/4	5.2:1	26"	ML	Fast	1
GLX0528M	05	145/4	5.2:1	28"	М	Fast	1
GLXT0524L	05	110/4	5.2:1	24"	L	Fast	1
GLXT0524UL	05	110/4	5.2:1	24"	UL	Fast	1
GLXT0526L	05	110/4	5.2:1	26"	L	Fast	1
GLXT0526ML	05	110/4	5.2:1	26"	ML	Fast	1
GLXT0528M	05	110/4	5.2:1	28"	М	Fast	1
GLXTi0524L	05	100/4	5.7:1	24"	L	Fast	1
GLXTi0524UL	05	100/4	5.7:1	24"	UL	Fast	1
GLXTi0526L	05	100/4	5.7:1	26"	L	Fast	1
GLXTi0526ML	05	100/4	5.7:1	26"	ML	Fast	1
GLXTi0528M	05	100/4	5.7:1	28"	М	Fast	1



Quantum Ice features a lightweight graphite reel with a ball bearing drive system and aluminum spools for smooth, durable performance. Quantum Ice Combos are matched with an ultra-sensitive, durable fiberglass rod that gives the angler a high-performing combo at an entry-level price.

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	GEAR RATIO	LENGTH	POWER	ACTION	PIECES
QIBKUL24L	10	135/6	4.3:1	24"	L	Fast	1
QIBKUL24ML	10	135/6	4.3:1	24"	ML	Fast	1
QIBKUL24UL	10	135/6	4.3:1	24"	UL	Fast	1
QIBKUL26L	10	135/6	4.3:1	26"	L	Fast	1
QIBKUL26ML	10	135/6	4.3:1	26"	ML	Fast	1
QIBKUL28M	10	135/6	4.3:1	28"	М	Fast	1
QIGRUL24L	10	135/6	4.3:1	24"	L	Fast	1
QIGRUL24ML	10	135/6	4.3:1	24"	ML	Fast	1
QIGRUL24UL	10	135/6	4.3:1	24"	UL	Fast	1
QIGRUL26L	10	135/6	4.3:1	26"	L	Fast	1
QIGRUL26ML	10	135/6	4.3:1	26"	ML	Fast	1
QIGRUL28M	10	135/6	4.3:1	28"	М	Fast	1

Packaging: open stock



QIGR





SMOKE S3 INSHORE

SALTWATER SPINNING REELS

SMOKE S3 INSHORE



Using Reel Engine Design 2.0^{TM} – Quantum's Smoke S3 series is a spinning reel in an all aluminum unibody construction, which keeps all the gears and key components in precise alignment for a smoother more durable reel, versus more typical 2-part reels. Speaking of gears, Smoke S3 reels feature an asymmetric gear that is forged and machined from high-strength aluminum to allow the gears to mesh better for incredible durability and smoothness.

SALTWATER RODS

With the success of the Smoke freshwater rod series, the inshore crowd begged us for a saltwater version. The Smoke Inshore rods feature Fuji® aluminum oxide guides and Fuji® reel seat that provide great performance with reduced weight.

O R.E.D™ ALUMINUM UNIBODY DESIGN O PLASMA ARC CERAMIC CARBON DRAG SYSTEM O NITI™ INDESTRUCTIBLE TITANINUM BAIL

O ASYMMETRIC PERFORMANCE-TUNED GEAR DESIGN

- PERFORMANCE ANTI-CORROSION BEARINGS
- O SALTGUARD PROTECTION

YARDS/POUNDS	YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	OUNCES
150/8	160/20	6.0:1	18	32	11+1	8.0
150/10	220/20	6.0:1	20	35	11+1	8.3
230/10	200/30	6.0:1	22	38	11+1	10.3
225/12	240/30	6.0:1	22	38	11+1	10.1
	150/8 150/10 230/10	150/8 160/20 150/10 220/20 230/10 200/30	150/8 160/20 6.0:1 150/10 220/20 6.0:1 230/10 200/30 6.0:1	150/8 160/20 6.0:1 18 150/10 220/20 6.0:1 20 230/10 200/30 6.0:1 22	150/8 160/20 6.0:1 18 32 150/10 220/20 6.0:1 20 35 230/10 200/30 6.0:1 22 38	150/8 160/20 6.0:1 18 32 11+1 150/10 220/20 6.0:1 20 35 11+1 230/10 200/30 6.0:1 22 38 11+1

Packaging: box

O HSX64™ HIGH MODULUS GRAPHITE ROD	O PERFORMANCE ACTIONS
○ FUJI® ALUMINUM-OXIDE GUIDES	O PREMIUM COMPONENTS
O COMFORTABLE EVA ROD HANDLE	O BUILT-IN HOOK KEEPER™

MODEL	TYPE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
SMCI685F	Casting	6'8"	М	Fast	1	8–17	1/4–5/8	Split EVA
SMCI704F	Casting	7'0"	ML	Fast	1	8–14	3/16-5/8	Split EVA
SMCI705F	Casting	7'0"	М	Fast	1	10–17	1/4–5/8	Split EVA
SMCI706F	Casting	7'0"	MH	Fast	1	10–20	3/8–1	Split EVA
SMSI683M	Spinning	6'8"	ML	Moderate	1	4–10	1/8–3/8	Split EVA
SMSI704F	Spinning	7'0"	М	Fast	1	6–12	3/16–5/8	Split EVA
SMSI705F	Spinning	7'0"	MH	Fast	1	8–14	3/8-3/4	Split EVA
SMSI765F	Spinning	7'6"	MH	Fast	1	8–14	3/8-3/4	Split EVA



There's a reason that Cabo has been one of our most popular saltwater reels for over a decade. The latest Cabo series is built for long-lasting, fishstopping performance - from the indestructible TiMag® bail to the multilayer corrosion protection.

SCR™ ALUMINUM BODY AND SIDE COVER 0 MAGNUM CSC™ DRAG SYSTEM 0

O NITI™ INDESTRUCTIBLE BAIL

O CONTINUOUS ANTI-REVERSE™ CLUTCH

- **O** SALTGUARD PROTECTION O MAXCAST 2.0

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
CSP40PTSE	40	230/10	270/30	5.3:1	30	33	7+1	13.4
CSP50PTSE	50	225/12	325/30	5.3:1	35	35	7+1	13.8
CSP60PTSE	60	300/14	320/50	4.9:1	45	37	7+1	24.2
CSP80PTSE	80	330/20	380/65	4.9:1	50	41	7+1	24.9

Packaging: box





Ο

0

0

ONE-PIECE ALUMINUM FRAME

ZERO FRICTION™ PINION DESIGN

Accuriste 53 inshore ballcast reel leatures performance anti-corrosion bearings	i.
The Flippin' Switch™ has been removed on the Inshore models to reduce chances	3
of water entering the gear side cover. It also sports performance features, from	ı
the sturdy, one-piece aluminum frame and zero friction pinon design to the silky	-
smooth ceramic drag system.	

Acquiriet® C2 Inchara baitaget real factures performance anti-acrossian backings

Accurist® S3 spinning series sets a market standard with ultra-refined and design packed high-end technologies. Accurist® S3 Inshore features performance anti-corrosion bearings to provide additional protection from corrosion while fishing in harsh saltwater environments. The Dura-Lok™ clutch is redesigned for lock-up power, durability and improved cold temperatures performance, nickle titanium bail, and much more.

ACCURIST INSHORE SALTWATER BAITCAST REELS

			SP.	
			Quant	
0	1	69	2 5	
NO.			-	Paramer -



ACCURIST INSHORE

SALTWATER SPINNING REELS

CERAMIC CARBON DRAG SYSTEM 0 MICRO-ADJUST ACS™ 3.0 CAST CONTROL • PERFORMANCE ANTI-CORROSION BEARINGS

O SALTGUARD PROTECTION

0	R.E.D™	ALUMINUM	UNIBODY DESIGN	
---	--------	----------	----------------	--

- CERAMIC CARBON DRAG SYSTEM Ο
- NITI™ INDESTRUCTIBLE TITANINUM BAIL
- PERFORMANCE GEAR DESIGN 0
- PERFORMANCE ANTI-CORROSION BEARINGS Ο
- **O** SALTGUARD PROTECTION

MODEL	SW)	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES	
ATS100HPT	RH	135/12	170/30	7.0:1	18	29	8+1	7.8	_
ATS101HPT	LH	135/12	170/30	7.0:1	18	29	8+1	7.8	_
Packaging: box									 Р

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
ATS25SPT	25	150/8	160/20	5.2:1	16	28	6+1	8.9
ATS30SPT	30	150/10	220/20	5.2:1	18	31	6+1	9.1

Packaging: box

BLUE RUNNER SALTWATER SPINNING REELS





Blue Runner[™] reels are solid performers that have been an affordable part of Quantum's saltwater line up for years. Built with a forged and machined aluminum spool, a strong lightweight composite body, and a corrosion resistant finish, the Blue Runner reel is crafted to catch catfish and striper.

STRONG LIGHTWEIGHT COMPOSITE BODY	O FRONT-ADJUSTABLE DRAG
○ FORGED AND MACHINED ALUMINUM SPOOL	O BALL BEARING SYSTEM
O CORROSION RESISTANT FINISH	O MULTI-STOP ANTI-REVERSE

MODEL	REEL SIZE	MONO CAP YARDS/POUNDS	BRAID CAP YARDS/POUNDS	GEAR RATIO	MAX DRAG POUNDS	IPT	BEARINGS	WEIGHT OUNCES
BLR40FA	40	230/10	310/20	5.2:1	14	34	1	10.3
BLR60FA	60	220/17		5.2:1	18	38	1	14.2
BLR80FA	80	245/25		4.1:1	18	27	1	21.0


Packaging: clam

This Blue Runner[™] combo features a Blue Runner spinning reel, equipped with a strong lightweight composite body and corrosion resistant finish, matched with a big game-ready fiberglass rod with aluminum oxide DynaFlow[™] guides and an extended EVA handle to support heavy lifting.

○ STRONG FIBERGLASS ROD	• STRONG LIGHTWEIGHT COMPOSITE BODY
O SPLIT-GRIP & EXTENDED EVA ROD HANDLE	O FORGED AND MACHINED ALUMINUM SPOOL
• FAST ACTION	O CORROSION RESISTANT FINISH

MODEL	REEL SIZE	LENGTH	POWER	ACTION	PIECES	LINE WT POUNDS	LURE WT OUNCES	ROD HANDLE
BLR40702MA	40	7'0"	М	Fast	2	12–20	1/2-4	Extended EVA
BRI40701MHA	40	7'0"	MH	Fast	1	10–20	3/8–1	Extended cork
BLR50702MHA	50	7'0"	MH	Fast	2	15–25	1/2-4	Extended EVA
BLR60802MHA	60	8'0"	MH	Fast	2	15–25	1/2-4	Extended EVA
BLR60902MHA	60	9'0"	MH	Fast	2	15–25	1/2-4	Extended EVA
BLR60102MHA	60	10'0"	MH	Fast	2	15–40	1/2-4	Extended EVA
BLR80122MHA	80	12'0"	МН	Fast	2	15–40	1/2–4	Extended EVA





JESSE WIGGINS



JACOB POWROZNIK

GERALD SPOHRER @GERALDSPOHRERFISHING

DUANTU

MATT LEE @MATTLEEFISHING



"A BIG ADVANTAGE FOR ME, TO BE ABLE TO USE SOME OF THE BEST GEAR THAT I'VE EVER HAD IN MY HAND AND TO PUT IT TO THE TEST." "I DEPEND ON MY EQUIPMENT AND I NEED TO KNOW THAT IT'S GONNA BE ABLE TO PERFORM WHEN I NEED IT TO PERFORM."

"FOR ME TO HAVE GEAR THAT'S RELIABLE, THAT I CAN COUNT ON, MEANS EVERYTHING."

