

Tite Lok




BY BHI

FISHING ACCESSORIES



SINCE 1974



5610 Rod Holder Series



5610L Rod Holder

Left side quick release style for long handled poles



5610 Rod Holder

Our patented open style rod holder Rotates to 12 locking positions and tilts To desired fishing rod angle Attach to any Tite-lok Mount.



5610R Rod Holder

Right side quick release style for long handled poles



5611 Rod Holder

5610 Rod Holder w/5601 small "C" mount Clamp opens 1-1/2". Fits round or square rails



SNG-5610 Single Rod Holder

Widow Maker Single Rod Holder Holds your pole in a single rod holder allowing no interruptions to other lines. adjustable



5612 Rod Holder

5610 Rod Holder w/5602 plate mount. 2-1/4" by 2-1/4" and comes with a black protective boot



5615 Rod Holder

5610 Rod Holder with 5605 Large "C" Mount



5618 Rod Holder

5610 Rod Holder w/CL-5608 Gunnel Clamp

5620 Sure-Set Rod holder Series



5620 Rod Holder Only

The 5620 series tube type rod holder hinges back for quick follow through when setting the hook.



5622

Sure Set Rod Holder
with a 5602 Plate Mount



5625

Sure Set Rod Holder with a
5605 Big C mount clamp

Permanent Mount Rod Holders



5692 Easy Mount Rod Holder

The 5692 is a durable tube style holder with a 22 degree angle. It can be mounted on any flat surface. The 5692 can also be used for rod storage.



5693 Flush Mount Rod Holder

The 5693 is made to mount below the deck. It ideal for downrigger or big water fishing. A gimbal support keeps the rod handle from penetrating too deeply.

Specialty Rod & Net Holders



5750 True-Set Rod Holder

The 5750 series rod holder is designed for quick rod placement and removal with a choice of 30 or 45 degree angle. The Stem-Lok feature prevents the spinning reel from rotating in the holder.




5752

5750 True-set Rod Holder with/5602 plate Mount



5740 Net and Gaff Holder Series


5740 Net and Gaff Holder Series Attaches to any of the Tite-Lok® mounts and will accept standard net and gaff handles. Mount this holder on boat rails and on the top of a boat for convenient storage.



5742

5740 Net and Gaff Holder with a 5602 plate mount

Black Widow Spider Rigging System



Base Only 5840

5840 Black Widow Ultra BASE only. 2" heavy duty tube, 16" top plate, 18" high. Comes with 4 - Pin lok washers, 2 - T-Bar base screws, & 4-1/2" mounting track.




5840-610-4 Black Widow Ultra

Black Widow Ultra Spider Rigging System holds up to four rods. Made of 2" heavy-duty tubing, 18" tall. Top bar is 16" long. Includes 4 - 5610 rod holders and a 4-1/2" mounting track.

5840-610R-4/5840-610L-4

Black Widow Ultra mounts 4 quick release rods, either left or right side opening style. (2" heavy duty tube, 16" top bar. Comes with 4.5" mounting track.



5760-610-4 Deck Mount

Triple Deck Mount w/4 - 5610's Ideal for planer board fishing Mounts three or four rod Holders. Easily removed for storage. Allows 360 degree rotation of each individual rod Holder. Mount plate size is 3 1/4" w x 4 1/4" long Top plate is 16" Base is 3" height



Base Only 5841

5841 Black Widow Supreme BASE only. 2" heavy duty tube, 24" top plate, 18" high. Comes with 4 - Pin lok washers, 2 - T-Bar base screws, & 4-1/2" mounting track.




5841-610-4 Black Widow Supreme

Black Widow Supreme Spider Rigging System holds up to four rods. Made of 2" heavy-duty tubing, 18" tall. Top bar is 24" long. Includes 4 - 5610 rod holders and a 4.5" mounting track.

5841-610R-4/5841-610L-4


Black Widow Supreme mounts 4 quick release rods, either left or right side opening style. (2" heavy duty tube, 24" top bar. Comes with 4.5" mounting track.

Rod Holder Mounts



5602-1 Plate

Mount for pontoon railing 1" by 2-1/2"
plate mount is designed for Pontoon Boat rails




5760-BMP

Triple Deck Mount Plate 5760 is for mounting
your base to multiple points on your boat.




5602 Plate

2-1/4" by 2-1/4" Plate Mount
comes with a black protective boot




5601

Small "C" clamp for both
round and square rails up to 2" in diameter
Clamp is 1-1/16" wide x 1/2" deep



5605

Large "C" mount attaches to any edge.
it has 2-1/4" opening and 1 1/2"
inside opening and is 1-1/8"



5608

Gunnel clamp mount attaches
to any edge up to 2" opening
and is 1-1/8" wide x 1/2" thick.



5606

Rail Mount 5606 fits square or round rails up to 1-1/4".
Includes 4 bolts. All Tite Lok Rod Holders are usable on this mount.

5710 Rod Holder Series




5710 Multi-Lok Rod Holder Only

The 5710 series tube style rod holder adjusts and locks into a full range of positions from vertical to horizontal. This is a manual 6 pin locking angle range. Ideal for planer board, outrigger and downrigger fishing.



5712

The 5710 multi-Lok rod holder with 2" Plate Mount Combo



Triple Deck Mount 5760-710-3 or 5760-710-4

This rod holder system is great for use with planer boards and can be installed on any flat surface. The Triple Rod Holder with Plate Mount features three or four rod holders with adjustable six angle settings and rotation positions of 360 degrees. This will give you the ability to fine tune the rod placement on your boat.



5715

The 5710 multi-Lok rod holder with large 5605 "C" clamp



5716

The 5710 multi-Lok rod holder with 5606 Rail Mount

The Universal Track Mounting System



Mounting Track 5901-4.5"

The aluminum Mounting Track easily fits most gunnels. Track size: 3-3/8" W x 4-1/2" L. inside is 3-1/16"
Also comes in these lengths 12", 18", 24" & 36".



Insert for Track System 5902

4-1/2" Black Plastic Insert for Track System. Slides into track when not in use; to allow stepping or a clean finish to your mounting tracks. Comes with a lock nut and allen wrench. It comes on lengths 6", 12", 18" and 24".



Rod Holder Track Adapter 5920

5920 Adapter fits any Tite Lok series Rod Holders. Adapter slides easily into our 5901 series track system. Includes 2 mounting screws, and nuts. Part is 4-1/2" long x 3" wide.



Downrigger Mount 5931


5931 Downrigger Mount is Predrilled to fit most downriggers. Also works with single track. Redesigned for extra Strength! Top plate measures: 6" x 5" Bottom plate measures: 4" x 3" Use in track system that is longer than 4-1/2" long

Gunnel Mounts & Deck Mounts



5760 Triple Deck Mount Only


Top plate size is 16" - base is 3" in height. Plate mount size is 4" w x 3" long Includes 4 - Pin-Lok washers and 4 - HP-5760-S mounting screws for base. Can mount any Tite Lok Rod holder.



Downrigger Mount 5682

Downrigger Mount 5682 is a secure clamping mount for all major brands of downriggers. Designed to hold downriggers level regardless of boat side angle, the Adjusta-Lok can be mounted onto the side or back of most open style boats. Clamps opens to 2" Top plate is 6" long x 5" wide

Stow Away System



5940-620 Stow Away Trolling System


Stow Away with 4 - 5620's. The Tite-Lok® Stow Away system comes assembled and ready to use.

Remove system from the box and place the system in the existing seat pedestal. Unfold it and attach the safety strap to the boat cleats. Tighten to hold the system in place. Set Rod Holders in upright position then loosen

screws to set the desired angle for the Rod Holder. Then tighten screws. Now you're ready to start Trolling.

Note: System is 82-1/2" long when open. Pin is 3/4" wide x 2-7/8" long x 7/8" round.


Rod Storage Systems



5770 Rod Storage Tube Only


10" deep tube comes complete with hardware for mounting onto the Tite-Lok rod storage system.

Comes with gimbal support.



Rod Storage System 5771


13-1/2" Long bar comes with 2 rod storage tubes. Storage tubes can be adjusted on the bar. Additional rod storage tubes sold separately. Can store up to 3 tubes.



Rod Storage System 5772

26" Long bar has room to store 4-6 rods. Storage tubes can be adjusted on the bar. Bar comes with 2 rod storage tubes.

Additional rod storage tubes sold separately.



Rod Storage System 5772-4

26" Long bar has room to store 4-6 rods. Storage tubes can be adjusted on the bar.

Bar comes with 4 rod storage tubes. Additional rod storage tubes sold separately.

Transducer Holders



Transom Mount Transducer 5798

Clamp opens to 2". The holder features a 3/4" heavy duty tube for mounting multiple transducers. It is also completely adjustable for angle, depth and direction. This is perfect for your next remote fishing trip.



High Speed Transducer 5HS798

Clamp opens to 2" 3/4" tube rod has a 30" length completely adjustable for angle and depth. No need to remove from water when moving from place to place. The High Speed Adapter provides extra support for those to like to troll at faster speeds.



High Speed Adapter- 5HS798-ADP


5HS798-ADP MOUNTING ADAPTOR - Quick adapt your 5798 or 5D798 to our HIGH SPEED version. Provides extra support for those to like to troll at faster speeds. Bracket fits 3/4" tube only.



Directional Transducer holder 5D798


Directional Mount Transducer Holder with Gunnel clamp. Clamp opens to 2". The holder features a 3/4" heavy duty tube has 30" to 50" adjustable length, completely adjustable for angle, depth and direction. A depth stop is provided to maintain transducer depth when the holder is rotating for scanning.

Brackets for Transducer Holders



Transducer Bracket 5707

Transducer Bracket holds sensors: Bracket is 1-3/4" wide at opening Eagle-High speed mount Hummin' Bird-LCR series Lowrance-High speed mount Micronar-High speed mount Hummin' Bird-Live Wide.




Transducer Bracket 5708

Product fits at the bottom of the transducer holder holding the sensors of: Koden Transducers, Bottomline, Computrol, Eagle, Furuno, Genetron, Hummin' Bird, Lowrance, Micronar, OMC and Si-Tex.



Transducer Bracket 5709

Transducer Bracket for the following sensors:
Hummin' bird-TCR series
Lowrance/Eagle-Transducer model LHS-WST
Hummin' bird-SHS,XHS,SPT,XPT



Transducer Bracket 5781

Bracket holds the Lowrance/Eagle HS-WST and PT-WS (skimmer) sensors to the Tite Lok 5798 series transducer holders. Bracket is 5/8" wide at opening.

Spare Parts



Pin-Lok Washers 5600


The PIN-LOk feature allows Tite Lok accessories to rotate 360 degrees on each mount and lock securely into 12 operating positions.

Pin-Lok Washers are available in packages of 4 & 6



Boot Only 5602

5602-BOOT Black Plastic Boot to fit the 5602 plate mount only. 2 per package



Boot Only 5692

5600-BOOT Black Plastic Boot to fit 5692 & 5693. (2) per package.



Boot Only 5692

Boot to fit the 5760 bottom plate. size is 4" X 3"



5620 Black Cap

5620-CAP Cap to fit the Tube style Rod Holders. 2 per package.



5610 Large Hardware package

Product has 1 1/8" bolt. Measures 2 1/8" from top of handle to bottom of screw. T Handle is 2" long. This T Handle can be used on our 5610, 5611, 5612, 5615 and any of our Black Widow Systems Available in 4 pack quantity only!!!



HP-5760-S

5760 Base Screws - measurements: 1/4-20 x 1/2" includes 4 per package.




HP-5701

5701 Mounting Screw Mounts on 5750, 5752 and 5756 rod holders 5/16"-18 x 3/4" w/Plastic Head (2 per package).



HP-5703

5703 Mounting Screw Mounts on 5710 and 5620 U-Bracket. 5/16-18 X 3/4" w/Allen Head (3-pkg).



HP-5710

Replacement bolts for 5710 Rod Holders 2 bolts and 2 retainer rings per package 1/4-20 X 1".



5620 Black Cap

Spring Loaded Pull Pin for the 5710 Series of Rod Holders (2-Pack).



Brackets for 5610

Top and Bottom bracket for 5610 Rod Holder. Does NOT include 5610 Screw.

